SONIC
equipment

# CATALOG
# 20/21












NEXT








**WORK EFFICIENT WORK WITH SONIC**

# WORK EFFICIENT WORK WITH SONIC

SONIC-EQUIPMENT.COM

SONICMSSPLUS.COM





# WELCOME TO THE WORLD OF SONIC

## We proudly present you our **new 2020 catalog.**

Sonic Equipment is a global specialist in the development, marketing and distribution of high-quality professional hand tools, toolboxes and storage solutions.

## Grow confidence in technical services.

At Sonic, we understand the professional user and provide them with the tools that allow them to work faster, more efficient and with ultimate precision. Our goal is to deliver tools that meet and exceed your expectations, we go where others stop.

**Sonic offers:**

- Extensive range of quality products
- High product availability
- Fast shipping
- 10 year warranty
- Excellent customer service
- Easy accessible website

Sonic is represented in 66 countries worldwide. We would like to welcome you in our Sonic Experience Centers in Purmerend, The Netherlands and Kirchheim, Germany.

Check out our website www.sonic-equipment.com to explore the world of Sonic.


# Our vision.

Achieve a more productive output in your daily performance through:




Sonic is the specialist in toolboxes and storage system solutions.

In all our products and services we deliver efficiency, quality and style.







Sonic is represented in 66 countries worldwide.


ULTIMATE
WORKFLOW.



# Sonic headquarters



01 > Empty storage solutions
PAGE 10

02 > Filled storage solutions
PAGE 66

03 > Sonic Foam System (SFS)
PAGE 116

04 > Blow Mould Case Storage (BMCS)
PAGE 164

05 > Socket rails
PAGE 178

06 > General tools
PAGE 186

07 > Auto special tools
PAGE 194

08 > Timing tools
PAGE 256

09 > Displays
PAGE 306

10 > Screwdrivers
PAGE 314

11 > Sockets
PAGE 320

12 > Wrenches
PAGE 340

13 > Hex and TX keys
PAGE 350

14 > Pliers, hammers, chisels, files, measuring and cutting tools
PAGE 358

15 > Ratchets, extensions, sliding T-handles, universal joints, adaptors
PAGE 376

16 > Torque wrenches
PAGE 388

17 > Bit sockets, bits
PAGE 394


18 > Promotional items
PAGE 407

19 > Warranty
PAGE 409




01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19

# Symbols



SOCKET FLANK 6 PT | SOCKET 12 PT | SOCKET TX | SOCKET SPLINE | SOCKET 5 LEAVES | SOCKET PENTAGON



BIT SLOTTED | BIT PH | BIT PZ | BIT SQUARE | BIT HEX | BIT HEX BALL | BIT TX BALL | BIT TX | BIT TX TAMPER-PROOF | BIT TS 5 PT TAMPER-PROOF

BIT RIBE | BIT SPLINE 12 PT | BIT SPLINE 12 PT TAMPER-PROOF | BIT 5 LOBES | BIT PENTAGON | SOCKET TRIANGUAL




6,3MM (1/4") SQUARE | 10MM (3/8") SQUARE | 12,5MM (1/2") SQUARE | 20MM (3/4") SQUARE | 25MM (1") SQUARE | 7,9MM (5/16") SQUARE | 10MM SQUARE | QUICK RELEASE SYSTEM | SONIC FOAM SYSTEM





24 TEETH | 36 TEETH | 45 TEETH | 48 TEETH | 52 TEETH | 60 TEETH | 72 TEETH | QUICK RELEASE | FLEXIBLE HEAD | SWIVEL HEAD | ROTATABLE HEAD | EXTENDABLE




1 YEAR WARRANTY | 2 YEAR WARRANTY | 3 YEAR WARRANTY | NO WARRANTY | SONIC WARRANTY | BLOW MOULD CASE STORAGE | SONIC SAE TOOLS | SONIC TIMING TOOLS

This Sonic catalog (Sonic 2020), displaces all previous catalog. All illustrations are unretouched and the tools are originating from current production or from stock. The measures given in this catalog are not binding. Whilst every effort has been made to ensure accuracy of information given in the Sonic catalog our policy of continuous improvement determines that we reserve the right to deviate from printed details without prior notice to keep pace with latest developments.
Copyright: All text, photos and illustrations are protected by copyright. No part of this material may be reproduced without our written permission.

NEW




# Visit our **new website**

*Visit our Vimeo channel*





*Corporate movie*




S12
XD
SONIC

## 01 > Empty storage solutions



> S7 toolbox
PAGE 12


> S8 toolbox
PAGE 13


> S9 toolbox
PAGE 14


> S9 VAS toolbox
PAGE 15


> S10 toolbox
PAGE 16


> S10 windshield toolbox
PAGE 17


> S11 toolbox
PAGE 18


> S12 toolbox
PAGE 19


> S12 XD toolbox
PAGE 20


> S12 VAS toolbox
PAGE 21


> S13 toolbox
PAGE 22


> S14 toolbox
PAGE 23


> S15 toolbox
PAGE 24


> Holder for S9, S12, S12XD
PAGE 25


> Service carts
PAGE 27


> Topboxes
PAGE 28


> Carry cases
PAGE 29


> Sonic Work Station (SWS)
PAGE 30


> Modular Storage System (MSS)
PAGE 32


> Modular Storage System (MSS+)
PAGE 46


> Toolbox spare parts
PAGE 54

01

Art. no. 4733716

# S7 toolbox


The S7 is the perfect match for every starter. This toolbox has a simple yet robust design and equipped with 6 drawers. Our S7 toolbox has a high quality electrostatic powder coating in RAL 9004 black and is compatible with SFS.

RAL 9004




## The perfect match for every starter

**Main features**
- Total 6 drawers
- Powder coated exterior
- ABS worktop
- 4 rubber casters (Ø100-35 mm)




| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 731MM | 911MM | 463MM | 48KG |

CENTRALIZED KEYED LOCK | BALL BEARING DRAWER SLIDES | LOCKING CASTERS | CAN HOLDER | DRAWER MAX LOAD 40 KG | TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

NEVER OPEN MORE THAN 1 DRAWER AT A TIME, TO PREVENT TIPPING OVER!

KEYS

SONIC FOAM SYSTEM

**Build your own unique S7 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

Art. no. 4730167

# **S8** toolbox


The S8 is the perfect base for every professional. This toolbox has a simple yet robust design and equipped with 7 drawers. Our S8 toolbox has a high quality electrostatic powder coating in RAL 9004 black and is compatible with SFS.

● RAL 9004




# The perfect base for every professional

**Main features**
- Total 7 drawers
- Side handle
- Powder coated exterior
- Anti-slip foam mat
- Integrated drawer lock prevents unwanted opening of the drawers
- 4 rubber casters (Ø125-50mm)







| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 688MM | 1022MM | 460MM | 67KG |

CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

LOCKING CASTERS

CAN HOLDER

SAFETY LATCH IN HANDLE

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE



NEVER OPEN MORE THAN 1 DRAWER AT A TIME, TO PREVENT TIPPING OVER!

KEYS



SONIC FOAM SYSTEM

**Build your own unique S8 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

01

Art. no. 4732418

# S9 toolbox


The S9, our most chosen and popular toolbox.
A remarkable toolbox with a modern design and equipped with 8 drawers. Our S9 toolbox has a high quality electrostatic powder coating in RAL 7011 grey and is compatible with SFS.

RAL 7011




## The most chosen and popular toolbox

**Main features**
- Total 8 drawers
- Side handle
- Torsion resistant by profile construction
- Plastic edge protection
- Perforated panels to hang various accessories
- Powder coated exterior
- Paper roll holder
- 4 rubber casters (Ø125mm-50mm)







WIDTH 859MM

HEIGHT 1035MM

DEPTH 532MM

WEIGHT 84KG

CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

LOCKING CASTERS

CAN HOLDER

304 STAINLESS STEEL WORKTOP

ANTI-TILT SYSTEM

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

KEYS

SONIC FOAM SYSTEM

**Build your own unique S9 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

Art. no. ASE27600300000

# **S9** VAS toolbox

The S9, our most chosen and popular toolbox.
A remarkable toolbox with a modern design custom designed for Volkswagen and equipped with 8 drawers. Our S9 toolbox has a high quality electrostatic powder coating in RAL 7011 grey and is compatible with SFS.

RAL 7021





# Volkswagen chooses Sonic VAS 276 003

S9

## Main features

- Total 8 drawers
- Side handle
- Torsion resistant by profile construction
- Plastic edge protection
- Perforated panels to hang various accessories
- Powder coated exterior
- Paper roll holder
- 4 rubber casters (Ø125mm-50mm)







WIDTH **859MM**

HEIGHT **1035MM**

DEPTH **532MM**

WEIGHT **84KG**

CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

LOCKING CASTERS

CAN HOLDER

304 STAINLESS STEEL WORKTOP

ANTI-TILT SYSTEM

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

KEYS



SONIC FOAM SYSTEM

Compatible with Sonic Foam System

**M**

1X 570 X 370MM



YOU CAN FIND MORE SETS ON OUR WEBSITE

01

- Art. no. 4730918
- Art. no. 4730928
- Art. no. 4730938
- Art. no. 4730948

# S10 toolbox

The S10 is a toolbox with a unique and functional design equipped with 8 drawers. Our S10 toolbox has a high quality electrostatic powder coating in multiple colors: RAL 9004 black, RAL 7040 grey RAL 5005 blue, RAL 3001 red and compatible with SFS.

RAL 9004 RAL 3001 RAL 5005 RAL 7040







## The toolbox with a unique and functional design

**Main features**

- Total 8 drawers
- Torsion resistant by profile construction
- Powder coated exterior
- Plastic worktop
- 2 extra storage trays on the back
- Integrated paper roll holder
- Integrated trash can
- 4 rubber casters (Ø125mm-50mm)







| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 878MM | 1047MM | 575MM | 91KG |

CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

LOCKING CASTERS

CAN HOLDER

HANDLE

ANTI-TILT SYSTEM

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

KEYS

SONIC FOAM SYSTEM

**Build your own unique S10 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

Art. no. 4733115

# **S10** windshield toolbox

The S10 windshield toolbox has a unique and functional design equipped with 5 drawers. Our S10 windshield toolbox has a high quality electrostatic powder coating in RAL 9004 black and is compatible with SFS.

RAL 9004







# The perfect toolbox for windshields


S10


## Main features


- Total 5 drawers
- Adjustable windscreen holder
- Torsion resistant by profile construction
- Powder coated exterior
- Plastic worktop
- 2 extra storage trays on the back
- Integrated paper roll holder
- Integrated trash can
- 4 rubber casters (Ø125mm-50mm)

FOR WINDSHIELD SERVICE









| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 878MM | 1047MM | 575MM | 91KG |

CENTRALIZED KEYED LOCK
BALL BEARING DRAWER SLIDES
LOCKING CASTERS
CAN HOLDER
HANDLE
ANTI-TILT SYSTEM
DRAWER MAX LOAD
TOOLBOX MAX LOAD
DRAWER 100% RETRACTABLE

KEYS



SONIC FOAM SYSTEM

**Build your own unique S10 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

01

- Art. no. 4731118
- Art. no. 4731128
- Art. no. 4731138
- Art. no. 4731148

# S11 toolbox

The S11 has a unique and functional design equipped with 8 drawers. Our S11 toolbox has a high quality electrostatic powder coating in multiple colors: RAL 9004 black, RAL 7040 grey RAL 5005 blue, RAL 3001 red and is compatible with SFS.

RAL 9004 RAL 3001 RAL 5005 RAL 7040







## A large and wide toolbox with a unique and functional design

**Main features**

- Total 8 drawers
- Torsion resistant by profile construction
- Powder coated exterior
- Plastic worktop
- 2 extra storage trays on the back
- Integrated paper roll holder
- Integrated trash can
- 4 rubber casters (Ø125mm-50mm)




| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 1051MM | 1047MM | 635MM | 107KG |

CENTRALIZED KEYED LOCK
BALL BEARING DRAWER SLIDES
LOCKING CASTERS
CAN HOLDER
HANDLE
ANTI-TILT SYSTEM
DRAWER MAX LOAD 40 KG
TOOLBOX MAX LOAD 400 KG
DRAWER 100% RETRACTABLE

KEYS

SONIC FOAM SYSTEM

**Build your own unique S11 toolbox**

Compatible with Sonic Foam System

L

750 X 435MM

Art. no. 4732718

# **S12** toolbox


The S12 is a remarkable toolbox with a modern and robust design equipped with 8 drawers.
Our S12 toolbox has a high quality electrostatic powder coating in RAL 7011 grey and is compatible with SFS.

RAL 7011




## A large and wide toolbox with a robust design

**Main features**
- Total 8 drawers
- Side handle
- Torsion resistant by profile construction
- Plastic edge protection
- Perforated panels to hang various accessories
- Powder coated exterior
- Paper roll holder
- 4 rubber casters (Ø125mm-50mm)




| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 1030MM | 1035MM | 532MM | 97KG |

CENTRALIZED KEYED LOCK
BALL BEARING DRAWER SLIDES
LOCKING CASTERS
CAN HOLDER
304 STAINLESS STEEL WORKTOP
ANTI-TILT SYSTEM
DRAWER MAX LOAD 40 KG
TOOLBOX MAX LOAD 400 KG
DRAWER 100% RETRACTABLE

KEYS



SONIC FOAM SYSTEM

**Build your own unique S11 toolbox**

Compatible with Sonic Foam System

**L**

745 X 435MM

01

Art. no. 4734218

# S12 XD toolbox

The S12XD equipped with 8 extra deep drawers is a remarkable toolbox with a unique and modern design. Our S12XD has a high quality electrostatic powder coating in RAL 7011 grey and is compatible with SFS.

RAL 7011





EXTRA DEEP

## Extra deep and wide; working will be different

**Main features**

- Total 8 drawers
- Side handle
- Torsion resistant by profile construction
- Plastic edge protection
- Perforated panels to hang various accessories
- Powder coated exterior
- Paper roll holder
- 4 rubber casters (Ø125mm-50mm)




EXTRA DEEP

| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 1027MM | 1054MM | 668MM | 123KG |

CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

LOCKING CASTERS

CAN HOLDER

304 STAINLESS STEEL WORKTOP

ANTI-TILT SYSTEM

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

KEYS

SONIC FOAM SYSTEM

**Build your own unique S11 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

L

745 X 435MM

XL

745 X 570MM

Art. no. ASE27600100000

# **S12** VAS toolbox

The S12 is a remarkable toolbox with a modern and robust design custom designed for Volkswagen and equipped with 8 drawers. Our S12 toolbox has a high quality electrostatic powder coating in RAL 7011 grey and is compatible with SFS.

RAL 7021





# Volkswagen chooses Sonic VAS 276 001

S12

**Main features**

- Total 8 drawers
- Side handle
- Torsion resistant by profile construction
- Plastic edge protection
- Perforated panels to hang various accessories
- Powder coated exterior
- Paper roll holder
- 4 rubber casters (Ø125mm-50mm)




| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 1030MM | 1035MM | 532MM | 97KG |

CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

LOCKING CASTERS

CAN HOLDER

304 STAINLESS STEEL WORKTOP

ANTI-TILT SYSTEM

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

KEYS



SONIC FOAM SYSTEM

Compatible with Sonic Foam System

L

745 X 435MM



YOU CAN FIND MORE SETS ON OUR WEBSITE

01

Art. no. 47308113

# **S13** toolbox

The S13 offers all in one; toolbox and workbench equipped with 13 drawers. Our S13 has a high quality electrostatic powder coating in RAL 9004 black and is compatible with SFS.





RAL 9004

## All in one; toolbox and workbench

**Main features**

- Total 13 drawers
- Side handle
- Torsion resistant by profile construction
- Document holder
- Powder coated exterior
- Paper roll holder
- Trash can
- 4 rubber casters (Ø150mm-51mm)




| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 1220MM | 972MM | 740MM | 155KG |

CENTRALIZED KEYED LOCK
BALL BEARING DRAWER SLIDES
LOCKING CASTERS
CAN HOLDER
WOODEN WORKTOP
ANTI-TILT SYSTEM
DRAWER MAX LOAD 40 KG
TOOLBOX MAX LOAD 400 KG
DRAWER 100% RETRACTABLE

KEYS

147 X 379MM

577 X 379MM

SONIC FOAM SYSTEM

**Build your own unique S13 toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

Art. no. 47307118

# **S14** toolbox


The S14, the more drawers, the better.
Equipped with 18 drawers. Our S14 has a high quality electrostatic powder coating in RAL 9004 black and is compatible with SFS.




● RAL 9004


## The more drawers, the better

**Main features**
- Total 18 drawers
- Heavy duty side handle
- Torsion resistant by profile construction
- Integrated paper roll holder
- 4 rubber casters (Ø150mm-51mm)





377 X 579MM


750 X 579MM


WIDTH
**1463MM**


HEIGHT
**1154MM**


DEPTH
**638MM**


WEIGHT
**206KG**


CENTRALIZED KEYED LOCK


BALL BEARING DRAWER SLIDES


LOCKING CASTERS


CAN HOLDER


WOODEN WORKTOP



ANTI-TILT SYSTEM



DRAWER MAX LOAD



TOOLBOX MAX LOAD


DRAWER 100% RETRACTABLE

KEYS



SONIC FOAM SYSTEM

**Build your own unique S14 toolbox**

Compatible with Sonic Foam System

S S S
3X 1/3 190 X 370MM

M
1X 570 X 370MM

L
745 X 435MM

XL
745 X 570MM

01

Art. no. 47338114

# S15 toolbox


The S15, the extreme of toolboxes, equipped with 14 drawers.
Our S15 has a high quality electrostatic powder coating in RAL 9004 black and compatible with SFS.

RAL 9004




## The extreme of toolboxes

**Main features**
- Total 14 drawers
- Torsion resistant by profile construction
- Powder coated exterior
- Integrated paper roll holder
- 4 rubber casters (Ø150mm-51mm)




| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 1667MM | 1160MM | 710MM | 240KG |

- CENTRALIZED KEYED LOCK
- BALL BEARING DRAWER SLIDES
- LOCKING CASTERS
- CAN HOLDER
- 304 STAINLESS STEEL WORKTOP
- ANTI-TILT SYSTEM
- DRAWER MAX LOAD 40 KG
- TOOLBOX MAX LOAD 600 KG
- DRAWER 100% RETRACTABLE

KEYS

SONIC FOAM SYSTEM

**Build your own unique S15 toolbox**

Compatible with Sonic Foam System

S S S
6X 1/3 190 X 370MM

1X 570 X 570MM
M
2X 570 X 370MM

L
745 X 435MM

XL
1X 745 X 570MM

# Various holders including base for **S9, S12 and S12XD**






Art. no 47725
**Laptop holder**



Art. no 47726
**Tablet holder**



Art. no 47727
**Screen holder**

**The ideal solution for flexible professionals. Providing better computer ergonomics and an improved working environment.**

- Aluminum alloy material
- Instant height adjustment
- Securely grips laptop with quick attach and release



Art. no 47728
**Laptop holder including base**



Art. no 47729
**Tablet holder including base**



Art. no 47730
**Screen holder including base**



Art. no 47724
**Base for laptop, tablet, screen**

01




# Other storage solutions that create efficiency

Art. no. 4732013

## **Service cart XL** 3 drawers black

**Main features**
4 rubber casters (Ø100-35mm)






WIDTH **860MM** | HEIGHT **998,5MM** | DEPTH **500MM** | WEIGHT **51,5KG**


CENTRALIZED KEYED LOCK | BALL BEARING DRAWER SLIDES | POWDER COATING EXTERIOR

---

Art. no. 4732110

## **Service cart XL** black

**Main features**
4 rubber casters (Ø100-35mm)






WIDTH **860MM** | HEIGHT **998,5MM** | DEPTH **500MM** | WEIGHT **32,5KG**

CENTRALIZED KEYED LOCK | POWDER COATING EXTERIOR

01

Art. no. 4730414

# Service topbox 4 drawers

MINI TOPBOX



CENTRALIZED KEYED LOCK | BALL BEARING DRAWER SLIDES | POWDER COATING EXTERIOR | DRAWER 100% RETRACTABLE

| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 556MM | 243MM | 243MM | 11,5KG |

RAL 7011

496 X 202MM

XS
472 X 202MM

---

Art. no. 4730224

Art. no. 4733210

# Empty topbox S9 4 drawers

S9 TOPBOX





CENTRALIZED KEYED LOCK | BALL BEARING DRAWER SLIDES | POWDER COATING EXTERIOR | DRAWER 100% RETRACTABLE

| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 859MM | 464MM | 532MM | 39KG |

RAL 7011

577 X 377MM

S S S
1/3 190 X 370MM

M
1X 570 X 370MM

---

Art. no. 4733014

# Empty topbox trolley 4 drawers



S9 TOPBOX

CENTRALIZED KEYED LOCK | BALL BEARING DRAWER SLIDES | POWDER COATING EXTERIOR | DRAWER 100% RETRACTABLE

| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 859MM | 642MM | 532MM | 46KG |

RAL 7011

577 X 377MM

S S S
1/3 190 X 370MM

M
1X 570 X 370MM

---

Art. no. 4730415

# Toolbox








Main features
- Sheet thickness cover 0,6mm, sheet thickness box 0,55mm
- Piano hinged cover
- 'Sonic' print in both lower trays in the left corner of the long sides
- Powder coated exterior

| WIDTH | HEIGHT | DEPTH | WEIGHT |
|---|---|---|---|
| 565MM | 200MM | 200MM | 5,1KG |

RAL 9017

Art. no. 47502 (made in EU)

# Empty carry case XL

**Tool case with 78 elastic tool holders and a bottom tray for subdivision. Features 11 tool holders in the tray cover and 2 inserts within the tray itself. In the tool case there is a double-sided tool panel with 28+17 tool holders and a document holder.**

**Main features**
- Material: ABS-hard shell case, protects case and content
- 2 cylinder key-locks integrated in frame





WIDTH 485MM | HEIGHT 215MM | DEPTH 410MM | WEIGHT 6KG

LOAD CAPACITY 25KG | ALUMINUM / BLACK | CASE WITH GAS STRUTS

---

Art. no. 47503 (made in EU)

# Portable case trolley XL

**Portable tool case with 79 elastic tool holders and a bottom tray for subdivision. Features 11 tool holders in the tray cover and an assortment of 5 inserts within the tray itself. In the tool case there is a double-sided tool panel with 28+17 tool holders plus a further single-sided panel with 23 tool holders and a document holder.**

**Main features**
- Material: ABS-hard shell case, protects case and content
- 2 cylinder key-locks integrated in frame





WIDTH 485MM | HEIGHT 250MM | DEPTH 410MM | WEIGHT 6KG

LOAD CAPACITY 25KG | ALUMINUM / BLACK | CASE WITH GAS STRUTS

- Art. no. 4732210
- Art. no. 4732220

01

# Sonic Work Station. The **perfect** portable, modular workstation.




RAL 3001

RAL 9004



**Main features**

- 100% retractable drawers
- Removable magnetic kickboard
- Double door locker with 1 adjustable shelve
- Integrated waste paper compartment
- Integrated paper roll holder
- Extra storage compartment
- Rubber antistatic cover top

WIDTH 3320MM

HEIGHT 1028MM

DEPTH 500MM

WEIGHT 254KG

CENTRALIZED KEYED LOCK

EXTRA LARGE WHEELS

POWDER COATING EXTERIOR

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

KEYS

NEVER OPEN MORE THAN 1 DRAWER AT A TIME, TO PREVENT TIPPING OVER!

SONIC FOAM SYSTEM

**Build your own unique SWS toolbox**

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

- Art. no. 47458
- Art. no. 47472

# SWS toolbox 7 drawers



**Main features**

- 7 drawers:
- 5 shallow drawers 74mm high
- 2 deep drawers 153mm high
- 4 rubber casters (Ø125mm-50mm)

WIDTH 830MM | HEIGHT 1028MM | DEPTH 500MM | WEIGHT 78KG

CENTRALIZED KEYED LOCK | LOCKING CASTERS | POWDER COATING EXTERIOR | DRAWER 100% RETRACTABLE | DRAWER MAX LOAD 40 KG | TOOLBOX MAX LOAD 400 KG

579 X 381MM

S S S

1/3 190 X 370MM

M

1X 570 X 370MM

---

- Art. no. 47457
- Art. no. 47471

# SWS toolbox 2 drawers



**Main features**

- 2 drawers:
- 1 drawer 310mm high
- 1 drawer 390mm high
- 4 rubber casters (Ø125mm-50mm)

WIDTH 830MM | HEIGHT 1028MM | DEPTH 500MM | WEIGHT 64KG

CENTRALIZED KEYED LOCK | LOCKING CASTERS | POWDER COATING EXTERIOR | DRAWER 100% RETRACTABLE | DRAWER MAX LOAD 40 KG | TOOLBOX MAX LOAD 400 KG

579 X 381MM

---

- Art. no. 47455
- Art. no. 47469

# SWS toolbox 2 doors



**Main features**

- 2 doors
- 1 adjustable shelve
- 4 rubber casters (Ø125mm-50mm)

WIDTH 830MM | HEIGHT 1028MM | DEPTH 500MM | WEIGHT 52KG

CENTRALIZED KEYED LOCK | LOCKING CASTERS | DRAWER MAX LOAD 40 KG | TOOLBOX MAX LOAD 400 KG

---

- Art. no. 47456
- Art. no. 47470

# SWS recycle cabinet



**Main features**

- Integrated waste paper compartment
- Integrated paper roll holder
- Extra storage compartment
- 4 rubber casters (Ø125mm-50mm)

WIDTH 830MM | HEIGHT 1028MM | DEPTH 500MM | WEIGHT 60KG

CENTRALIZED KEYED LOCK | LOCKING CASTERS | DRAWER MAX LOAD 40 KG | TOOLBOX MAX LOAD 400 KG

01

# Get organized, be efficient, the **ultimate** Sonic work space








MSS IS ADJUSTABLE IN HEIGHT

COMPATIBLE WITH SFS





# Improve your image, **productivity & efficiency**



RAL 9004 RAL 9006

Create the ultimate and flexible working area with the Modular Storage System (MSS) from Sonic. This modular system is easy to assemble, construct and extend. This self supporting system is compatible to almost every working area. The MSS system is easy to combine with the Sonic Foam System.





CENTRALIZED KEYED LOCK

BALL BEARING DRAWER SLIDES

DRAWER 100% RETRACTABLE

304 STAINLESS STEEL WORKTOP

40 KG DRAWER MAX LOAD

400 KG TOOLBOX MAX LOAD

KEYS





WALL CABINET WITH GAS STRUTS



MSS IS ADJUSTABLE IN HEIGHT



FOR OUR HOOKS SEE PAGE 41

SONIC FOAM SYSTEM

## Build your own unique MSS

Compatible with Sonic Foam System

S S S

3X 1/3 190 X 370MM

M

1X 570 X 370MM

L

745 X 435MM



WIDTH 1958MM | HEIGHT 2000MM | DEPTH 530MM

| ART. NO. | DESCRIPTION |
|---|---|
| 4730196 | 1958mm setup with wooden worktop |
| 4731196 | 1958mm setup with stainless steel worktop |



WIDTH 2300MM | HEIGHT 2000MM | DEPTH 530MM

| ART. NO. | DESCRIPTION |
|---|---|
| 4730230 | 2300mm setup with wooden worktop |
| 4731230 | 2300mm setup with stainless steel worktop |



WIDTH 2803MM | HEIGHT 2000MM | DEPTH 530MM

| ART. NO. | DESCRIPTION |
|---|---|
| 4730281 | 2803mm setup with wooden worktop |
| 4731281 | 2803mm setup with stainless steel worktop |





579 X 372MM


WIDTH 674MM


HEIGHT 962MM


DEPTH 500MM


BALL BEARING DRAWER SLIDES



DRAWER MAX LOAD



TOOLBOX MAX LOAD


DRAWER 100% RETRACTABLE



1/3 190 X 370MM



1X 570 X 370MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47280 | 674mm drawer cabinet 9 drawers without worktop |





579 X 372MM


WIDTH 674MM


HEIGHT 962MM


DEPTH 500MM


BALL BEARING DRAWER SLIDES



DRAWER MAX LOAD



TOOLBOX MAX LOAD


DRAWER 100% RETRACTABLE



1/3 190 X 370MM



1X 570 X 370MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47647 | 674mm drawer cabinet 5 drawers without worktop |





579 X 372MM


WIDTH 674MM


HEIGHT 962MM


DEPTH 500MM


BALL BEARING DRAWER SLIDES



DRAWER MAX LOAD



TOOLBOX MAX LOAD


DRAWER 100% RETRACTABLE



1/3 190 X 370MM



1X 570 X 370MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47640 | 674mm drawer cabinet 5 drawers without worktop |






WIDTH 674MM


HEIGHT 962MM


DEPTH 500MM



TOOLBOX MAX LOAD

| ART. NO. | DESCRIPTION |
|---|---|
| 47288 | 674mm storage cabinet without worktop |

01





4 X 74MM

579 X 372MM

WIDTH 674MM

HEIGHT 962MM

DEPTH 500MM

BALL BEARING DRAWER SLIDES

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

S S S 1/3 190 X 370MM

M 1X 570 X 370MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47308 | 674mm storage cabinet 4 drawers with door without worktop |



WIDTH 674MM

HEIGHT 962MM

DEPTH 500MM

BALL BEARING DRAWER SLIDES

TOOLBOX MAX LOAD 400 KG

| ART. NO. | DESCRIPTION |
|---|---|
| 47431 | 674mm cabinet with recycle bin without worktop |





WIDTH 674MM

HEIGHT 962MM

DEPTH 500MM

BALL BEARING DRAWER SLIDES

TOOLBOX MAX LOAD 400 KG

| ART. NO. | DESCRIPTION |
|---|---|
| 47450 | 674mm wastebin/recycle cabinet without worktop |





WIDTH 674MM

HEIGHT 962MM

DEPTH 500MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47432 | 674mm storage cabinet with sink (tap not included) |







579 X 372MM

WIDTH 674MM

HEIGHT 962MM

DEPTH 500MM

BALL BEARING DRAWER SLIDES

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

S S S

1/3 190 X 370MM

M

1X 570 X 370MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47451 | 674mm portable drawer cabinet, 7 drawers |




WIDTH 674MM

HEIGHT 962MM


DEPTH 500MM

BALL BEARING DRAWER SLIDES

TOOLBOX MAX LOAD 400 KG

| ART. NO. | DESCRIPTION |
|---|---|
| 47649 | 674mm cabinet with recycle bin and paper roll holder without worktop |

# Get organized, **be efficient!**






8 X 74MM

1 X 153MM



750 X 432MM

WIDTH 845MM

HEIGHT 962MM

DEPTH 500MM

BALL BEARING DRAWER SLIDES

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

L

1X 745 X 435MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47296 | 845mm drawer cabinet 9 drawers without worktop |





WIDTH 845MM

HEIGHT 962MM

DEPTH 500MM

TOOLBOX MAX LOAD 400 KG

| ART. NO. | DESCRIPTION |
|---|---|
| 47302 | 845mm storage cabinet without worktop |



4 X 74MM



750 X 432MM

WIDTH 845MM

HEIGHT 962MM

DEPTH 500MM

BALL BEARING DRAWER SLIDES

DRAWER MAX LOAD 40 KG

TOOLBOX MAX LOAD 400 KG

DRAWER 100% RETRACTABLE

L

1X 745 X 435MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47379 | 845mm storage cabinet 4 drawers with door without worktop |





WIDTH 845MM


HEIGHT 962MM

DEPTH 500MM

TOOLBOX MAX LOAD 400 KG

| ART. NO. | DESCRIPTION |
|---|---|
| 47600 | 845mm reel cabinet without worktop (reels not included) |






WIDTH
530MM

HEIGHT
962MM

400 KG
TOOLBOX
MAX LOAD

| ART. NO. | DESCRIPTION |
|---|---|
| 47505 | 845mm corner cabinet without worktop |



WIDTH
610MM

HEIGHT
2000MM

DEPTH
530MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47272 | 610mm tall cabinet with 5 shelves |



WIDTH
914MM

HEIGHT
2000MM

DEPTH
530MM

| ART. NO. | DESCRIPTION |
|---|---|
| 47433 | 914mm tall cabinet double door with 4 shelves |

01



WIDTH 674MM

HEIGHT 400MM

DEPTH 300MM

WALL CABINET WITH GAS STRUTS

| ART. NO. | DESCRIPTION |
|---|---|
| 47276 | 674mm wall cabinet |



WIDTH 845MM

HEIGHT 400MM

DEPTH 300MM

WALL CABINET WITH GAS STRUTS

| ART. NO. | DESCRIPTION |
|---|---|
| 47292 | 845mm wall cabinet |



875MM 875MM 300,6MM 300,6MM

WIDTH 812MM

HEIGHT 400MM

WALL CABINET WITH GAS STRUTS

| ART. NO. | DESCRIPTION |
|---|---|
| 47650 | 845mm corner wall cabinet |



## WOODEN WORKTOP



| ART. NO. | DIMENSIONS |
|---|---|
| 47378 | W 674 x D 500 x H 40MM |
| 47382 | W 845 x D 500 x H 40MM |
| 47279 | W 1348 x D 500 x H 40MM |
| 47295 | W 1690 x D 500 x H 40MM |
| 47306 | W 2193 x D 500 x H 40MM |

## STAINLESS STEEL WORKTOP



| ART. NO. | DIMENSIONS |
|---|---|
| 47377 | W 674 x D 500 x H 38MM |
| 47381 | W 845 x D 500 x H 38MM |
| 47383 | W 1348 x D 500 x H 38MM |
| 47384 | W 1690 x D 500 x H 38MM |
| 47385 | W 2193 x D 500 x H 38MM |

## STAINLESS STEEL WORKTOP EXTRA DEEP




| ART. NO. | DIMENSIONS |
|---|---|
| 47447 | W 1348 x D 570 x H 38MM |
| 47448 | W 1690 x D 570 x H 38MM |
| 47449 | W 2193 x D 570 x H 38MM |

## WORKTOP FOR CORNER CABINET



| ART. NO. | DESCRIPTION |
|---|---|
| 47544 | Wooden worktop for corner cabinet |
| 47545 | Stainless steel worktop for corner cabinet |

## PERFORATED BACK PANEL




| ART. NO. | DESCRIPTION |
|---|---|
| 47376 | 674mm perforated back panel |
| 47380 | 845mm perforated back panel |

## POSTS



| ART. NO. | DIMENSIONS |
|---|---|
| 47283 | W 60 x D 30 x H 1910MM |
| 47284 | W 30 x D 30 x H 1910MM |

## LED LIGHT



| ART. NO. | DIMENSIONS |
|---|---|
| 4820524 | MSS LED light with dimmer |

## MSS HOOK




| ART. NO. | DIMENSIONS |
|---|---|
| 47415 | MSS hook 50mml |
| 47290 | MSS hook 90mml |
| 47291 | MSS hook 150mml |

## MSS HOOK ROUND




| ART. NO. | DIMENSIONS |
|---|---|
| 47416 | MSS hook round Ø40mm |
| 47417 | MSS hook round Ø60mm |
| 47418 | MSS hook round Ø80mm |

## MSS HOOK 90°



| ART. NO. | DIMENSIONS |
|---|---|
| 47419 | MSS hook 90° 50mml |
| 47420 | MSS hook 90° 90mml |
| 47421 | MSS hook 90° 150mml |

## MSS HOOK SET



| ART. NO. | DESCRIPTION |
|---|---|
| 47632 | MSS hook set 10-pcs |

### MSS PLIERS HOLDER



| ART. NO. | DIMENSIONS |
|---|---|
| 47638 | L 280 x D 59 x H 64MM |

### MSS SCREWDRIVER HOLDER



| ART. NO. | DIMENSIONS |
|---|---|
| 47639 | L 280 x D 38 x H 46MM |

### EMPTY TRAY, 5 COMPARTMENTS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720101 | W 370 x D 145 x H 48MM |

### EMPTY TRAY



| ART. NO. | DIMENSIONS |
|---|---|
| 4720106 | W 54 X D 54 X H 45MM |

### EMPTY TRAY



| ART. NO. | DIMENSIONS |
|---|---|
| 4720107 | W 54 X D 110 X H 45MM |

### EMPTY TRAY



| ART. NO. | DIMENSIONS |
|---|---|
| 4720108 | W 108 X D 108 X H 45MM |

### EMPTY TRAY, 5 COMPARTMENTS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720102 | W 370 x D 145 x H 48MM |

### EMPTY TRAY



| ART. NO. | DIMENSIONS |
|---|---|
| 4720109 | W 108 X D 162 X H 45MM |

### EMPTY TRAY



| ART. NO. | DIMENSIONS |
|---|---|
| 4720110 | W 108 X D 216 X H 45MM |

### STORAGE CASE WITH 10 TRAYS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720111 | W 370 X D 295 X H 55MM |

### EMPTY TRAY, 8 COMPARTMENTS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720103 | W 370 x D 290 x H 48MM |

### DISPLAY BOX 7-PCS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720114 | W 615 X D 100 X H 60MM |

### DISPLAY BOX 7-PCS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720115 | W 615 X D 165 X H 75MM |

### STORAGE CASE WITH 15 TRAYS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720112 | W 370 X D 295 X H 55MM |

### EMPTY TRAY, 12 COMPARTMENTS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720104 | W 370 x D 290 x H 48MM |

### DISPLAY BOX 13-PCS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720116 | W 610 X D 165 X H 75MM |

### DISPLAY BOX 9-PCS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720117 | W 610 X D 240 X H 125MM |

### SAMPLE OF DRAWER FILLED WITH TRAYS



| - | - |
|---|---|
| - | - |

### EMPTY TRAY, 18 COMPARTMENTS



| ART. NO. | DIMENSIONS |
|---|---|
| 4720105 | W 370 x D 290 x H 48MM |

### CABLE TIES

| ART. NO. | DIMENSIONS |
|---|---|
| 4821519 | Cable tie holder for MSS/MWS |
| 4821518 | Cable tie holder for MSS/MWS; filled with cable ties* |



### *CABLE TIES

| ART. NO. | CONTENTS |
|---|---|
| 4821511 | Cable tie 3,6 x 140mml; 100 pieces in bag (black) |
| 4821512 | Cable tie 3,6 x 180mml; 100 pieces in bag (black) |
| 4821514 | Cable tie 4,8 x 220mml; 100 pieces in bag (black) |
| 4821515 | Cable tie 4,8 x 280mml; 100 pieces in bag (black) |
| 4821517 | Cable tie 4,8 x 370mml; 100 pieces in bag (black) |


## MSS LED LIGHT WITH DIMMER






| ART. NO. | DESCRIPTION |
|---|---|
| 4820524 | - Length 600mm<br>- 400-500 lumen<br>- Color temperature: 6000-6500K<br>- White light<br>- Aluminium base + PC cover<br>- 1.8m long cable with switch in the middle<br>- USB connector with adaptor<br>- Magnets for mounting on MSS included |










S12
SONIC



01



# MSS+

Ultimate workflow.



## Self-supporting system

- Compatible to every working area - walls no longer needed
- Extra-large base
- 1.4mm steel construction
- Designed to outlast life expectancy
- Easy to adjust heavy-duty leveling feet



## Drawers

- Store more in less space
- Eliminates deformation of the drawer
- Wide variety of drawer sizes
- 100% retractable drawers
- Ergonomic handles for perfect grip
- Full height drawer side walls
- High drawers include ventilation slots
- Bottom drawers include integrated power bar



## Safety drawer blocking system

- German-made drawer blocking system to prevent tipping over
- Interlock anti-tilt security systems prevents opening multiple drawers at the same time
- Closed drawers function as counterweight to stabilize entire cabinet




## Dial safety locks

- German-made fixed code locks to secure tools and other valuables
- Freely programmable code, adjust when needed
- No keys required

# Worktops

01

- Wide range of composite and stainless steel worktops
- 2mm composite worktops
- 20mm stainless steel worktops
- Easy to clean
- Resistant to scratches and most common fluids



# Sonic Foam System

- Customize drawer content with the unique Sonic Foam System
- Efficient organization of complete tool sets
- Two-tone foam color system for instant overview of missing tools
- Prevents damage during storage
- Tool specifications visible on the foam inlay



# Lighting

- Very adequate light, no surrounding light necessary
- Latest technology LED lighting
- Magnetic mountable under wall cabinet
- Energy efficient and extremely long lasting lighting
- Maximum connection circuit of 4 LED lights



# Unique powder coating

- Electro-static powder coating for great looks and highly durable protection
- AkzoNobel paint used to ensure consistent high quality finish
- Best protection against scratches, abrasion and corrosion





# Slides

- Dutch-made slide systems ranging from 123kg to 230kg capacity
- Highest quality heavy-duty slides available on the market
- Tailor-made MSS+ design that ensures maximum reliability




# Handles and end caps

- High quality handle design based on extensive prototyping process
- Unique MSS+ handle, including caps with the Sonic 'S' logo
- The additional ridge underneath the handle pullers ensure perfect grip



# Power supply

- Providing power wherever
- Convenience in powering and charging tools
- Standard included in drawer cabinets and wall cabinets
- Safety covers to protect
- Able to charge 110V and 220V
- Equipped with 2 USB-ports



# Dividers

- Ultimate organization for drawers
- Modular system to design your own drawer layout
- Efficient storage of tools and other items of all sizes

# Drawer cabinets



5072001 (EU power bar)
**720mm drawer cabinet, 8 drawers**



5072002 (EU power bar)
**720mm drawer cabinet, 6 drawers**



5089001 (EU power bar)
**890mm drawer cabinet, 8 drawers**



5089002 (EU power bar)
**890mm drawer cabinet, 6 drawers**



5153901 (EU power bar)
**1540mm drawer cabinet, 12 drawers**



5072003
**720mm topbox, 5 drawers**

# Portable cabinets



5072004
**700mm portable cabinet extra deep, 7 drawers**



5072005
**700mm portable cabinet, 7 drawers**



5089004
**870mm portable cabinet extra deep, 7 drawers**



5089005
**870mm portable cabinet, 7 drawers**



5089011
**890mm service cart**



- 5999937 **back panel for bridge unit 720mm, 657x740mm**
- 5999938 **back panel for bridge unit 890mm, 827x740mm**

# Storage cabinets



5036001
**360mm storage cabinet, left-handed door**
5036002
**360mm storage cabinet, right-handed door**



5072009
**720mm storage cabinet, left-handed door**
5072010
**720mm storage cabinet, right-handed door**



5089009
**890mm storage cabinet, double door**



5106002
**1060mm corner storage cabinet, double door**



5072011
**720mm cabinet with sink, double door**



5072012
**720mm waste bin/recycle cabinet**

# Reel cabinets



5036003
**360mm reel cabinet**



5072007
**720mm reel cabinet**



5089007
**890mm reel cabinet**



5071801
**650mm reel tall cabinet**

# Wall cabinets



5071802 (EU power bar)
**720mm wall cabinet**



5082001 (EU power bar)
**820mm wall cabinet**

# Back panels



- 5999901 **Blank back panel, 259x50x120mm**
- 5999902 **Blank back panel, 619x50x120mm**
- 5999903 **Blank back panel, 719x50x120mm**
- 5999904 **Blank back panel, 789x50x120mm**
- 5999930 **Blank back panel, 959x50x120mm corner**



- 5999913 **Blank back panel, 259x50x552mm**
- 5999905 **Blank back panel, 619x50x552mm**
- 5999906 **Blank back panel, 719x50x552mm**
- 5999907 **Blank back panel, 789x50x552mm**
- 5999931 **Blank back panel, 959x50x552mm corner**



- 5999908 **Blank back panel, 259x50x1104mm**
- 5999909 **Blank back panel, 619x50x1104mm**
- 5999910 **Blank back panel, 719x50x1104mm**
- 5999911 **Blank back panel, 789x50x1104mm**
- 5999934 **Blank back panel, 959x50x1104mm corner**
- 5999912 **Blank back panel for monitor and keyboard, 619x50x1104mm**



- 5999914 **Perforated back panel, 259x50x552mm**
- 5999915 **Perforated back panel, 619x50x552mm**
- 5999916 **Perforated back panel, 719x50x552mm**
- 5999917 **Perforated back panel, 789x50x552mm**
- 5999932 **Perforated back panel, 959x50x552mm corner**



- 5999918 **Perforated back panel, 259x50x1104mm**
- 5999919 **Perforated back panel, 619x50x1104mm**
- 5999920 **Perforated back panel, 719x50x1104mm**
- 5999921 **Perforated back panel, 789x50x1104mm**
- 5999935 **Perforated back panel, 959x50x1104mm corner**



5089003
**750mm topbox, 5 drawers**

# Posts



- 5999401 **post 50x50x1020mm**
- 5999402 **post 100x50x1020mm**
- 5999403 **post 100x50x1016mm for portable cabinet, right**
- 5999404 **post 100x50x1016mm for portable cabinet, left**

- 5999405 **post 50x50x1997mm**
- 5999406 **post 100x50x1997mm**
- 5999407 **post 100x50x1993mm for portable cabinet, right**
- 5999408 **post 100x50x1993mm for portable cabinet, left**



5072013
**720mm lift and power cabinet Challenger**



5072014
**720mm lift & power cabinet Rotary**



5065501
**650mm tall cabinet, left-handed door**
5065502
**650mm tall cabinet, right-handed door**



5096501
**965mm tall storage cabinet, double door**



5089010 (EU power bar)
**890mm wall cabinet**



5072008 (EU power bar)
**720mm wall cabinet with tambour door**



5089008 (EU power bar)
**890mm wall cabinet with tambour door**



5072015
**Wall cabinet with PC/laptop storage**




- 5999922 **Square perforated back panel, 259x50x552mm**
- 5999923 **Square perforated back panel, 619x50x552mm**
- 5999924 **Square perforated back panel, 719x50x552mm**
- 5999925 **Square perforated back panel, 789x50x552mm**
- 5999933 **Square perforated back panel, 959x50x552mm corner**



- 5999926 **Square perforated back panel, 259x50x1104mm**
- 5999927 **Square perforated back panel, 619x50x1104mm**
- 5999928 **Square perforated back panel, 719x50x1104mm**
- 5999929 **Square perforated back panel, 789x50x1104mm**
- 5999936 **Square perforated back panel, 959x50x1104mm corner**

# Worktops



Composite worktops
- 5999801 **Composite worktop 360x650x2mm**
- 5999802 **Composite worktop 720x650x2mm**
- 5999803 **Composite worktop 890x650x2mm**
- 5999804 **Composite worktop 1440x650x2mm (720+720mm)**
- 5999805 **Composite worktop 1540x650x2mm**
- 5999806 **Composite worktop 1610x650x2mm (720+890mm)**
- 5999807 **Composite worktop 1780x650x2mm (890+890mm)**
- 5999808 **Composite worktop 2160x650x2mm (720+720+720mm)**

*Thickness 2mm, depth 650mm*

Composite worktops for portable cabinet
- 5999021 **Composite worktop, portable cabinet 863x655x2mm**
- 5999043 **Composite worktop, portable cabinet 686x523x2mm**
- 5999044 **Composite worktop, portable cabinet 856x523x2mm**
- 5999045 **Composite worktop, portable cabinet 693x655x2mm**



Stainless steel worktop
- 5999701 **Stainless steel worktop 360x650x20mm**
- 5999702 **Stainless steel worktop 720x650x20mm**
- 5999703 **Stainless steel worktop 890x650x20mm**
- 5999704 **Stainless steel worktop 1441x650x20mm (720+720mm)**
- 5999705 **Stainless steel worktop 1540x650x20mm**
- 5999706 **Stainless steel worktop 1611x650x20mm (720+890mm)**
- 5999707 **Stainless steel worktop 1781x650x20mm (890+890mm)**
- 5999708 **Stainless steel worktop 2162x650x20mm (720+720+720mm)**
- 5999711 **Stainless steel worktop 2261x650x20mm (720+1540mm)**
- 5999712 **Stainless steel worktop 2332x650x20mm (720+720+890mm)**
- 5999709 **Stainless steel worktop 2431x650x20mm (890+1540mm)**

*Thickness 20mm, depth 650mm*

Stainless steel worktop, portable cabinet
- 5999601 **Stainless steel worktop, portable cabinet 700x530x20mm**
- 5999602 **Stainless steel worktop, portable cabinet 700x600x20mm**
- 5999603 **Stainless steel worktop, portable cabinet 870x530x20mm**
- 5999604 **Stainless steel worktop, portable cabinet 870x660x20mm**

*Thickness 20mm*



Corner worktops
- 5999809 **Composite worktop 1060x1060x2mm**
- 5999710 **Stainless steel worktop 1060x1060x20mm**



Wooden worktop
- 5999501 **Wooden worktop 1780x650x40mm**

*Thickness 40mm, depth 650mm*

# Bridge units



5070001
**700mm bridge unit**
5072006
**720mm bridge unit**
5089006
**890mm bridge unit**
5106001
**1060mm bridge unit**

# Compositions





Art. no. 5770006 **Composite worktop**
Art. no. 5771106 **Stainless steel worktop**



Art. no. 5770004 **Composite worktop**
Art. no. 5771104 **Stainless steel worktop**



Art. no. 5770002 **Composite worktop**
Art. no. 5771102 **Stainless steel worktop**



Art. no. 5770001 **Composite worktop**
Art. no. 5771101 **Stainless steel worktop**



Art. no. 5770003 **Composite worktop**
Art. no. 5771103 **Stainless steel worktop**



Art. no. 5881106 **Stainless steel worktop**



Art. no. 5770005 **Composite worktop**
Art. no. 5771105 **Stainless steel worktop**



Art. no. 5771107 **Stainless steel worktop**



Art. no. 5880003 **Composite worktop**
Art. no. 5881103 **Stainless steel worktop**



Art. no. 5880001 **Composite worktop**
Art. no. 5881101 **Stainless steel worktop**



Art. no. 5880002 **Composite worktop**
Art. no. 5881102 **Stainless steel worktop**



Art. no. 5880004 **Composite worktop**
Art. no. 5881104 **Stainless steel worktop**




Art. no. 5880005 **Composite worktop**
Art. no. 5881105 **Stainless steel worktop**



Art. no. 5660001 **Wooden worktop**

## MSS+ Configurator

**The unique MSS+ 3D configurator conveniently creates a premium tailor made workplace designed to your needs. Say hello to ultimate workflow.**




01

# Toolbox **spare parts**

### WORKTOP







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47606 | Worktop | 731 | 463 | 25 | 1360 | 1 |

Available for S7 toolbox

### WORKTOP







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47374 | Worktop | 810 | 485 | 25 | 2700 | 1 |

Available for traditional toolbox

### EVA MAT







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47213 | Eva mat | 680 | 450 | 10 | 130 | 1 |

Available for S8 toolbox

### RUBBER MAT







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47581 | Rubber mat | 682 | 484 | 10 | 460 | 1 |

Available for S8 toolbox

### RUBBER MAT







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47548 | S9 rubber mat | 634 | 410 | 3 | 1320 | 1 |
| 47580 | S12 rubber mat | 805 | 410 | 3 | 1740 | 1 |
| 47723 | S12XD rubber mat | 805 | 546 | 3 | 2000 | 1 |

### RUBBER MAT







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47498 | S10 rubber mat | 567 | 430 | 3 | 1200 | 1 |
| 47499 | S11 rubber mat | 737 | 489 | 3 | 1700 | 1 |

### WORKTOP







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47262 | S10 worktop | 887 | 575 | 25 | 2900 | 1 |
| 47364 | S11 worktop | 1051 | 635 | 25 | 5000 | 1 |


### WORKTOP






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47614 | S9 stainless steel worktop | 640 | 507.5 | 71 | 5200 | 1 |
| 47615 | S12 stainless steel worktop | 811 | 507.5 | 71 | 7100 | 1 |
| 47751 | S12XD stainless steel worktop | 808 | 552 | 71 | 8500 | 1 |


## WORKTOP




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47257 | Wooden worktop | 1182 | 732 | 32 | 21970 | 1 |

Available for S13 toolbox


## WORKTOP




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47252 | Wooden worktop | 1353 | 634 | 32 | 19500 | 1 |

Available for S14 toolbox


## WORKTOP




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47601 | Stainless steel worktop | 1667 | 710 | 38 | 48500 | 1 |


Available for S15 toolbox

## PLASTIC TOP COVER




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47572 | S9 & S12 plastic top cover (left or right) | 532 | 145 | 75 | 500 | 1 |
| 47722 | S12XD plastic top cover (left or right) | 668 | 144 | 75 | 500 | 1 |


## SUPPORT SHAFT



| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47551 | Support shaft | 80 | 360-435 | 561-761 | 3300 | 1 |

Available for S10 windshield toolbox


## HANDLE




| ART. NO. | DESCRIPTION | L (MM) | G | PCS/BAG |
|---|---|---|---|---|
| 47211 | Handle black | 446 | 1000 | 1 |

Available for S8 toolbox

## HANDLE




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47251 | Handle silver | 572 | 82,2 | 2000 | 1 |

Available for S14 toolbox

## PAPER HOLDER




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47230 | Paper holder black | 325 | 134 | 340 | 1 |

Available for S8 toolbox


## PAPER HOLDER




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47522 | Paper holder dark grey | 279 | 134 | 320 | 1 |

Available for S9 and S12 toolbox

## PAPER HOLDER




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47549 | Paper holder black | 325 | 134 | 300 | 1 |


Available for S10 windshield toolbox

# Empty storage solutions



## PAPER HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47267 | Paper holder black | 325 | 134 | 338 | 1 |
| 47334 | Paper holder red | 325 | 134 | 338 | 1 |
| 47343 | Paper holder blue | 325 | 134 | 338 | 1 |
| 47369 | Paper holder grey | 325 | 134 | 338 | 1 |

Available for S10, S11, S14 and S15 toolbox

## PAPER HOLDER






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47644 | Paper holder dark grey | 325 | 134 | 300 | 1 |

Available for S12XD toolbox


## UTILITY MAGNETIC TOOL HOLDER



| ART. NO. | DESCRIPTION |
|---|---|
| 815001 | - Black coated panel<br>- Grey rack and holder<br>- Two magnetic pads |

## CAN HOLDER






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47609 | Can holder black | 351 | 95 | 110 | 500 | 1 |

Available for S7 toolbox

## CAN HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47204 | Can holder black | 430 | 90 | 180 | 1650 | 1 |

Available for S8 and S13 toolbox

## CAN HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47519 | Can holder dark grey | 300 | 90 | 180 | 1150 | 1 |

Available for S9 and S12 toolbox

## CAN HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47204 | Can holder black | 430 | 90 | 180 | 1650 | 1 |
| 47346 | Can holder red | 430 | 90 | 180 | 1650 | 1 |
| 47347 | Can holder blue | 430 | 90 | 180 | 1650 | 1 |
| 47353 | Can holder grey | 430 | 90 | 180 | 1650 | 1 |

Available for S10 toolbox

## CAN HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47206 | Can holder black | 470 | 90 | 180 | 1750 | 1 |
| 47348 | Can holder red | 470 | 90 | 180 | 1750 | 1 |
| 47350 | Can holder blue | 470 | 90 | 180 | 1750 | 1 |
| 47412 | Can holder grey | 470 | 90 | 180 | 1750 | 1 |

Available for S11 toolbox

## DOCUMENT HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47258 | Document holder black | 340 | 55 | 315 | 1250 | 1 |
| 47395 | Document holder red | 340 | 55 | 315 | 1250 | 1 |
| 47410 | Document holder blue | 340 | 55 | 315 | 1250 | 1 |
| 47411 | Document holder grey | 340 | 55 | 315 | 1250 | 1 |

Available for S8, S10, S11 and S14 toolbox

## CAN HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47643 | Can holder dark grey | 430 | 90 | 180 | 1650 | 1 |

Available for S12XD toolbox

## TRASH CAN






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47520 | Trash can dark grey | 310 | 130 | 241 | 1400 | 1 |

Available for S9 and S12 toolbox

## CAN HOLDER







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47605 | Can holder black | 550 | 90 | 180 | 2050 | 1 |

Available for S15 toolbox

## DOCUMENT HOLDER






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47521 | Document holder dark grey | 340 | 55 | 315 | 1250 | 1 |

Available for S9 and S12 toolbox

## TRASH CAN







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47259 | Trash can black | 430 | 130 | 241 | 1850 | 1 |
| 47273 | Trash can red | 430 | 130 | 241 | 1850 | 1 |
| 47322 | Trash can blue | 430 | 130 | 241 | 1850 | 1 |
| 47368 | Trash can grey | 430 | 130 | 241 | 1850 | 1 |

Available for S8, S10, S11, S13 and S14 toolbox

## SIDE TABLE






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47264 | Side table 454 x 302 MM | 460 | 300 | 230 | 4400 | 1 |


Available for S8 toolbox

# Empty storage solutions



## CASTER SET







| ART. NO. | DESCRIPTION | D (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47209 | 4-pcs caster set | 125 | 50 | 180 | 4880 | 1 |
| 47209F | Fixed caster | 125 | 50 | 180 | 1200 | 1 |
| 47209S | Swivel caster | 125 | 50 | 180 | 1240 | 1 |

Available for S8, S9, S10 and S11 toolbox

## CASTER SET







| ART. NO. | DESCRIPTION | D (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47631 | 4-pcs caster set | 150 | 51 | 195 | 9400 | 1 |
| 47631F | Fixed caster | 150 | 51 | 195 | 2100 | 1 |
| 47631S | Swivel caster | 150 | 51 | 195 | 2600 | 1 |

Available for S12XD, S13, S14 and S15 toolbox

## CASTER SET







| ART. NO. | DESCRIPTION | D (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47494 | 4-pcs caster set | 62 | 23 | 86 | 1240 | 1 |
| 47494S | Caster | 62 | 23 | 86 | 290 | 1 |
| 47494B | Caster with brake | 62 | 23 | 86 | 330 | 1 |


Available for MSS toolbox 47451

## CASTER SET AND HANDLE












| ART. NO. | DESCRIPTION | D (MM) | W (MM) | D (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|
| 47561 | 4-pcs caster set | 125 | 50 | 125 | 180 | 4880 | 1 |
| | Handle | 430 | 46 | - | 324 | 1350 | 1 |

Available for S9 topbox trolley

## CASTER SET







| ART. NO. | DESCRIPTION | D (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47573 | 4-pcs caster set | 100 | 35 | 137 | 2900 | 1 |
| 47573F | Fixed caster | 100 | 35 | 137 | 540 | 1 |
| 47573S | Swivel caster | 100 | 35 | 137 | 910 | 1 |

Available for S7 and service cart

## DRAWER RAILS







| ART. NO. | DESCRIPTION | L1(MM) | L2(MM) | L3(MM) | L4(MM) | L5(MM) | L6(MM) | L7(MM) | L8(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 47215 | Left drawer rail | 800 | 400 | 290 | 19 | 400 | 178 | 144 | 24 | 45 | 584 | 1 |
| 47216 | Right drawer rail | 800 | 400 | 290 | 19 | 400 | 178 | 144 | 24 | 45 | 584 | 1 |

Available for S8, S9, S10, S13 toolbox and MSS

## DRAWER RAILS







| ART. NO. | DESCRIPTION | L1(MM) | L2(MM) | L3(MM) | L4(MM) | L5(MM) | L6(MM) | L7(MM) | L8(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 47328 | Right drawer rail with plastic knob | 800 | 400 | 290 | 19 | 400 | 178 | 144 | 24 | 45 | 572 | 1 |

Available for S8, S9, S10, S13 toolbox and MSS

## DRAWER RAILS







| ART. NO. | DESCRIPTION | L1(MM) | L2(MM) | L3(MM) | L4(MM) | L5(MM) | L6(MM) | L7(MM) | L8(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 47671 | Left drawer rail | 870 | 435 | 290 | 19 | 435 | 178 | 144 | 24 | 45 | 644 | 1 |
| 47672 | Right drawer rail | 870 | 435 | 290 | 19 | 435 | 178 | 144 | 24 | 45 | 644 | 1 |

Available for S11, S12 toolbox MSS and SWS

## DRAWER RAILS







| ART. NO. | DESCRIPTION | L1(MM) | L2(MM) | L3(MM) | L4(MM) | L5(MM) | L6(MM) | L7(MM) | L8(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 47329 | Right drawer rail with plastic knob | 870 | 435 | 290 | 19 | 435 | 178 | 144 | 24 | 45 | 626 | 1 |

Available for S11, S12 toolbox MSS and SWS

## DRAWER RAILS







| ART. NO. | DESCRIPTION | L1 (MM) | L2 (MM) | L3 (MM) | L4 (MM) | L5 (MM) | L6 (MM) | L7 (MM) | L8 (MM) | W (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 47243 | Left drawer rail | 1154 | 577 | 290 | 19 | 577 | 178 | 144 | 24 | 45.7 | 852 | 1 |
| 47244 | Right drawer rail | 1154 | 577 | 290 | 19 | 577 | 178 | 144 | 24 | 45.7 | 852 | 1 |

Available for S14, S15 toolbox

## DRAWER RAILS






| ART. NO. | DESCRIPTION | L1(MM) | L2(MM) | L3(MM) | L4(MM) | L5(MM) | L6(MM) | L7(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 47733 | Left drawer rail | 422 | 200 | 147.5 | 6.5 | 197 | 144.5 | 32.5 | 35 | 210 | 1 |
| 47734 | Right drawer rail | 422 | 200 | 147.5 | 6.5 | 197 | 144.5 | 32.5 | 35 | 210 | 1 |

Available for service topbox

# Empty storage solutions



## DRAWERS




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47607 | Shallow drawer | 580 | 385 | 73 | 2100 | 1 |
| 47608 | Deep drawer with logo | 580 | 385 | 152 | 3200 | 1 |
| 47610 | Deep drawer without logo | 580 | 385 | 152 | 3200 | 1 |

Available for S7 toolbox

## DRAWERS




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47253 | Shallow drawer | 579 | 381 | 74 | 3300 | 1 |
| 47254 | Deep drawer with logo | 579 | 381 | 153 | 4300 | 1 |
| 47396 | Deep drawer without logo | 579 | 381 | 153 | 4300 | 1 |

Available for S8 toolbox

## DRAWERS




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47517 | Shallow drawer | 579 | 372 | 74 | 3300 | 1 |
| 47518 | Deep drawer with logo | 579 | 372 | 153 | 4900 | 1 |
| 47686 | Deep drawer without logo | 579 | 372 | 153 | 4900 | 1 |

Available for S9 toolbox

## DRAWERS




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47265 | Shallow drawer, black | 579 | 379 | 74 | 3200 | 1 |
| 47266 | Deep drawer with logo, black | 579 | 379 | 153 | 4200 | 1 |
| 47687 | Deep drawer without logo, black | 579 | 379 | 153 | 4200 | 1 |
| 47318 | Shallow drawer, red | 579 | 379 | 74 | 3200 | 1 |
| 47319 | Deep drawer with logo, red | 579 | 379 | 153 | 4200 | 1 |
| 47688 | Deep drawer without logo, red | 579 | 379 | 153 | 4200 | 1 |
| 47320 | Shallow drawer, blue | 579 | 379 | 74 | 3200 | 1 |
| 47321 | Deep drawer with logo, blue | 579 | 379 | 153 | 4200 | 1 |
| 47689 | Deep drawer without logo, blue | 579 | 379 | 153 | 4200 | 1 |
| 47391 | Shallow drawer, grey | 579 | 379 | 74 | 3200 | 1 |
| 47392 | Deep drawer with logo, grey | 579 | 379 | 153 | 4200 | 1 |
| 47690 | Deep drawer without logo, grey | 579 | 379 | 153 | 4200 | 1 |

Available for S10 toolbox


## DRAWERS




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47550 | Deep drawer with logo | 579 | 379 | 232 | 5300 | 1 |
| 47553 | Deep drawer without logo | 579 | 379 | 153 | 4300 | 1 |

Available for S10 windshield toolbox

## DRAWERS




| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47365 | Shallow drawer, black | 750 | 433 | 74 | 4200 | 1 |
| 47366 | Deep drawer with logo, black | 750 | 433 | 153 | 5600 | 1 |
| 47691 | Deep drawer without logo, black | 750 | 433 | 153 | 5600 | 1 |
| 47337 | Shallow drawer, red | 750 | 433 | 74 | 4200 | 1 |
| 47338 | Deep drawer with logo, red | 750 | 433 | 153 | 5600 | 1 |
| 47692 | Deep drawer without logo, red | 750 | 433 | 153 | 5600 | 1 |
| 47339 | Shallow drawer, blue | 750 | 433 | 74 | 4200 | 1 |
| 47340 | Deep drawer with logo, blue | 750 | 433 | 153 | 5600 | 1 |
| 47693 | Deep drawer without logo, blue | 750 | 433 | 153 | 5600 | 1 |
| 47393 | Shallow drawer, grey | 750 | 433 | 74 | 4200 | 1 |
| 47394 | Deep drawer with logo, grey | 750 | 433 | 153 | 5600 | 1 |
| 47694 | Deep drawer without logo, grey | 750 | 433 | 153 | 5600 | 1 |

Available for S11 toolbox

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47546 | Shallow drawer | 750 | 432 | 74 | 4400 | 1 |
| 47547 | Deep drawer with logo | 750 | 432 | 153 | 6100 | 1 |
| 47695 | Deep drawer without logo | 750 | 432 | 153 | 6100 | 1 |

Available for S12 toolbox

## DRAWERS







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47602 | Top drawer | 1413 | 575 | 196 | 13000 | 1 |
| 47603 | Shallow drawer | 579 | 573 | 74 | 3700 | 1 |
| 47604 | Deep drawer with logo | 579 | 573 | 153 | 5500 | 1 |
| 47515 | Shallow drawer | 750 | 573 | 74 | 5000 | 1 |

Available for S15 toolbox

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47645 | Small drawer | 752 | 580 | 74 | 5500 | 1 |
| 47646 | Deep drawer with logo | 752 | 580 | 153 | 7700 | 1 |
| 47750 | Deep drawer without logo | 752 | 580 | 153 | 7700 | 1 |

Available for S12XD toolbox

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47637 | Shallow drawer | 496 | 202 | 53 | 1100 | 1 |

Available for service topbox

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47265 | Shallow drawer | 579 | 379 | 74 | 3200 | 1 |
| 47266 | Deep drawer with logo | 579 | 379 | 153 | 4200 | 1 |
| 47523 | Small drawer | 147 | 379 | 83.5 | 1300 | 1 |

Available for S13 toolbox

## METAL KNOP



| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47630 | Metal knob for shelves lockers | 20 | 16 | - | 3 | 1 |

Available for MSS

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47513 | Shallow drawer | 377 | 579 | 74 | 3200 | 1 |
| 47514 | Deep drawer | 377 | 579 | 153 | 4600 | 1 |
| 47515 | Shallow drawer | 750 | 579 | 74 | 5000 | 1 |
| 47516 | Deep drawer | 750 | 579 | 153 | 7000 | 1 |

Available for S14 toolbox

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47281 | Shallow drawer for MSS 674mm | 579 | 372 | 74 | 3200 | 1 |
| 47282 | Deep drawer with logo for MSS 674mm | 579 | 372 | 153 | 4600 | 1 |
| 47491 | Deep drawer without logo for MSS 674mm | 579 | 372 | 153 | 4600 | 1 |
| 47641 | Extra deep drawer without logo for MSS 674mm | 579 | 372 | 232 | 6300 | 1 |
| 47642 | Extra deep drawer with logo for MSS 674mm | 579 | 372 | 232 | 6300 | 1 |
| 47297 | Shallow drawer for MSS 845mm | 750 | 432 | 74 | 4500 | 1 |
| 47298 | Deep drawer with logo for MSS 845mm | 750 | 432 | 153 | 6300 | 1 |
| 47414 | Deep drawer without logo for MSS 845mm | 750 | 432 | 153 | 6300 | 1 |

Available for MSS

# Empty storage solutions



## DRAWER






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47452 | Bin drawer | 604 | 432 | 785 | 9500 | 1 |

Available for MSS 47450

## DRAWERS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47464 | Shallow drawer for SWS 47457 (black) | 579 | 427 | 310 | 7600 | 1 |
| 47478 | Shallow drawer for SWS 47471 (red) | 579 | 427 | 310 | 7600 | 1 |
| 47465 | Deep drawer with logo for SWS 47457 (black) | 579 | 427 | 390 | 8400 | 1 |
| 47479 | Deep drawer with logo for SWS 47471 (red) | 579 | 427 | 390 | 8400 | 1 |

Available for SWS

## DRAWERS







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47477 | High drawer | 211 | 440 | 530 | 3700 | 1 |
| 47651 | Low drawer | 307 | 440 | 390 | 3900 | 1 |
| 47707 | Recycle bin | 400 | 190 | 465 | 1750 | 1 |

Available for MSS 47649

## DRAWERS







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47462 | Lower drawer for SWS 47456 (black) | 307 | 471 | 310 | 6200 | 1 |
| 47476 | Lower drawer for SWS 47470 (red) | 307 | 471 | 310 | 6200 | 1 |

Available for SWS

## DRAWERS







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47439 | Bin drawer | 604 | 432 | 530 | 8200 | 1 |

Available for MSS 47431

## DRAWERS







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47461 | Deep drawer for SWS 47456 (black) | 211 | 471 | 705 | 6500 | 1 |
| 47475 | Deep drawer for SWS 47470 (red) | 211 | 471 | 705 | 6500 | 1 |

Available for SWS

## DRAWERS









| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47466 | Shallow drawer for SWS 47458 (black) | 579 | 381 | 74 | 4200 | 1 |
| 47480 | Shallow drawer for SWS 47472 (red) | 579 | 381 | 74 | 4200 | 1 |
| 47467 | Deep drawer for SWS 47458 (black) | 579 | 381 | 153 | 5300 | 1 |
| 47481 | Deep drawer for SWS 47472 (red) | 579 | 381 | 153 | 5300 | 1 |
| 47468 | Deep drawer with logo for SWS 47458 (black) | 579 | 381 | 153 | 5300 | 1 |
| 47482 | Deep drawer with logo for SWS 47472 (red) | 579 | 381 | 153 | 5300 | 1 |

Available for MSS

## RECYCLE BIN







| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47652 | Recycle bin | 280 | 400 | 465 | 2000 | 1 |

Available for MSS 47431

## RECYCLE BIN






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47453 | Big recycle bin for | 280 | 400 | 650 | 2850 | 1 |
| 47454 | Small recycle bin | 280 | 195 | 650 | 1800 | 2 |

Available for MSS 47450

## SHELF



| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47460 | Shelf for SWS 47455 (black) | 615 | 450 | 25 | 2844 | 1 |
| 47474 | Shelf for SWS 47469 (red) | 615 | 450 | 25 | 2844 | 1 |

Available for SWS

## RECYCLE BINS






| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47463 | Recycle bin | 190 | 430 | 400 | 1800 | 1 |

Available for SWS

## KEY AND LOCK



| ART. NO. | DESCRIPTION | G | PCS/BAG |
|---|---|---|---|
| 47622 | Key for toolbox (2016) | 14 | 2 |
| 47623 | Masterkey for toolbox (2016) | 14 | 1 |
| 47624 | Key with lock (toolbox/MSS/MWS 180° - 2016) | 60 | 2 |
| 47625 | Key with lock (topbox/toolbox 90° - 2016) | 60 | 1 |

Available for S8, S9, S10, S11, S13, S14 toolbox, MSS and SWS

## SKIRTING BOARD



| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47275 | Front skirting board for MSS 47272 | 610 | 88 | 12 | 460 | 1 |
| 47289 | Front skirting board for MSS 674mm | 674 | 88 | 12 | 540 | 1 |
| 47303 | Front skirting board for MSS 845mm | 845 | 88 | 12 | 660 | 1 |
| 47541 | Front skirting board for MSS 47505 | 565 | 88 | 12 | 440 | 1 |
| 47310 | Side skirting board for MSS 47272 | 507 | 88 | 12 | 380 | 1 |
| 47389 | Side skirting board for MSS 674mm and 845mm | 477 | 88 | 12 | 380 | 1 |

Available for MSS

## KEY AND LOCK



| ART. NO. | DESCRIPTION | G | PCS/BAG |
|---|---|---|---|
| 47210 | Key | 14 | 2 |
| 47214 | Key with lock | 60 | 1 |

Available for S7, S8, S9, S10, S11, S12, S13, S14, S15 toolbox, MSS and SWS

## SHELF



| ART. NO. | DESCRIPTION | L (MM) | W (MM) | H (MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47367 | Shelf for MSS locker (47272) | 538 | 490 | 25 | 2700 | 1 |
| 47434 | Shelf for MSS locker (47433) | 847 | 495 | 25 | 4150 | 1 |
| 47287 | Shelf for MSS locker 674mm | 615 | 450 | 25 | 2800 | 1 |
| 47301 | Shelf for MSS locker 845mm | 785 | 450 | 25 | 3500 | 1 |
| 47543 | Shelf for MSS closet (47505) | 616 | 430 | 25 | 3400 | 1 |

Available for MSS

## KEY AND LOCK



| ART. NO. | DESCRIPTION | G | PCS/BAG |
|---|---|---|---|
| 47386 | Key | 14 | 2 |

Available for traditional and Jumbo toolbox, traditional and Jumbo topbox



# WORKING WILL BE DIFFERENT



02



## 02 > Filled storage solutions



> S7 toolbox
PAGE 68



> S8 toolbox
PAGE 69



> S9 toolbox
PAGE 70-85, 111



> S9 VAS toolbox
PAGE 100



> S10 toolbox
PAGE 71-85



> S11 toolbox
PAGE 86-91



> S12 toolbox
PAGE 86-91, 112



> S12 XD toolbox
PAGE 92-94



> S12 VAS toolbox
PAGE 101



> S13 toolbox
PAGE 95-96



> S14 toolbox
PAGE 89-94, 97



> S15 toolbox
PAGE 90, 92-94, 97



> Topboxes
PAGE 103



> Carry cases
PAGE 104-107



> Service topbox
PAGE 108



> Toolbox
PAGE 109

S7 TOOLS 140 PCS

B BASIC

# S7 toolbox






S S S
1/3 190 X 370MM

M
1X 570 X 370MM

Art. no. 713840

S7 toolbox 3 drawers filled with **138-PCS** tools

1 600823 204101 601903



2 300908 303805 600432



3 600430 600319 601227



Art. no. 714040

S7 toolbox 3 drawers filled with **140-PCS** tools

1 106105



2 206501



3 601404





# **S8** toolbox



**M**

1X 570 X 370MM

S8 TOOLS 206 PCS

BASIC

Art. no. 720606 S8 toolbox 3 drawers filled with **206-PCS** tools

1 602904



2 316001



3 601707




S8 TOOLS 241 PCS

BASIC

Art. no. 724006 S8 toolbox 4 drawers filled with **241-PCS** tools

1 602407



2 316001



3 604002



4 601707



S8 TOOLS 285 PCS

BASIC

Art. no. 728406 S8 toolbox 4 drawers filled with **285-PCS** tools

1 112102



2 310101



3 604002



4 602302



02

# S9 toolbox

**M**

1X 570 X 370MM





S9 TOOLS 173 PCS
BASIC

Art. no. 717331

S9 toolbox
4 drawers filled with **173-PCS** tools


1 602407



2 309302



3 603903



4 601707




S9 TOOLS 239 PCS
BASIC

Art. no. 723931

S9 toolbox
5 drawers filled with **239-PCS** tools

1 602407



2 313902



3 604901



4 601207



5 601601






Set 604901 contains
reversible ratcheting wrenches

S9 TOOLS 261 PCS
INTERMEDIATE

Art. no. 726131

S9 toolbox
6 drawers filled with **261-PCS** tools

1 602407



2 313902



3 604901



4 601207



5 601601



6 602104





Set 604901 contains
reversible ratcheting wrenches

S9 | S10

# S9 and S10 toolbox

S S S 1/3 190 X 370MM

M 1X 570 X 370MM






S9 TOOLS 262 PCS
INTERMEDIATE

S10 TOOLS 262 PCS
INTERMEDIATE

Art. no. 726231 (S9)
- Art. no. 726209 (S10)
- Art. no. 726215 (S10)
- Art. no. 726216 (S10)
- Art. no. 726219 (S10)

S9 and S10 toolbox
5 drawers filled with **262-PCS** tools

1 602407



2 316001



3 604002



4 601707



5 602104




S9 TOOLS 251 PCS
INTERMEDIATE

S10 TOOLS 251 PCS
INTERMEDIATE

Art. no. 725131 (S9)
- Art. no. 725109 (S10)
- Art. no. 725115 (S10)
- Art. no. 725116 (S10)
- Art. no. 725119 (S10)

S9 and S10 toolbox
5 drawers filled with **251-PCS** tools


1 600823 600824 106303




2 204101 300908 303805



3 601903 601225 601016



4 600319 601227 600614



5 600825 600705 600717




S9 TOOLS 277 PCS
INTERMEDIATE

S10 TOOLS 277 PCS
INTERMEDIATE

Art. no. 727731 (S9)
- Art. no. 727709 (S10)
- Art. no. 727715 (S10)
- Art. no. 727716 (S10)
- Art. no. 727719 (S10)

S9 and S10 toolbox
6 drawers filled with **277-PCS** tools

1 602407



2 313902



3 604002



4 603003



5 602302



6 602104



S9 + TOOLS 302 PCS

I INTERMEDIATE

S10 + TOOLS 302 PCS

I INTERMEDIATE

# S9 and S10 toolbox






S S S


1/3 190 X 370MM



- Art. no. 730231 (S9)
- Art. no. 730209 (S10)
- Art. no. 730215 (S10)
- Art. no. 730216 (S10)
- Art. no. 730219 (S10)

S9 and S10 toolbox 6 drawers filled with **302-PCS** tools


1 600823 600824 600822




2 106303 204101 202301



3 300908 303805 302003



4 601903 601225 601016



5 600319 601227 600614



6 600825 600705 600717





S9 TOOLS 339 PCS
INTERMEDIATE

S10 TOOLS 339 PCS
INTERMEDIATE

# S9 and S10 toolbox





S S S
1/3 190 X 370MM


- Art. no. 733831 (S9)
- Art. no. 733809 (S10)
- Art. no. 733815 (S10)
- Art. no. 733816 (S10)
- Art. no. 733819 (S10)



Set 601904 contains
reversible ratcheting wrenches

S9 and S10 toolbox 7 drawers filled with **339-PCS** tools


1 600823 600824 600822




2 106303 204101 202301



3 300908 303805 302003



4 601903 601225 601904




5 600319 601227 601017



6 600825 600705 600614



7 600913 600914 600717





S9 TOOLS 369 PCS
INTERMEDIATE

S10 TOOLS 369 PCS
INTERMEDIATE

# S9 and S10 toolbox






**M**
1X 570 X 370MM




- Art. no. 736931 (S9)
- Art. no. 736909 (S10)
- Art. no. 736915 (S10)
- Art. no. 736916 (S10)
- Art. no. 736919 (S10)


Set 603003 contains
reversible ratcheting wrenches

S9 and S10 toolbox 6 drawers filled with **369-PCS** tools

1 602407



2 215702



3 309502



4 604002



5 603003



6 602302





S9 TOOLS 378 PCS
A ADVANCED

S10 TOOLS 378 PCS
A ADVANCED

# S9 and S10 toolbox



**M**
1X 570 X 370MM





- Art. no. 737731 (S9)
- Art. no. 737709 (S10)
- Art. no. 737715 (S10)
- Art. no. 737716 (S10)
- Art. no. 737719 (S10)

S9 and S10 toolbox 7 drawers filled with **378-PCS** tools

1 604102




2 311101



3 310501



4 603903



5 604301



6 601802



7 602103





S9 +TOOLS 391 PCS
INTERMEDIATE

S10 +TOOLS 391 PCS
INTERMEDIATE

# S9 and S10 toolbox











**M**
1X 570 X 370MM

- Art. no. 739131 (S9)
- Art. no. 739009 (S10)
- Art. no. 739015 (S10)
- Art. no. 739016 (S10)
- Art. no. 739119 (S10)


Set 604702 contains
reversible ratcheting wrenches

S9 and S10 toolbox 7 drawers filled with **391-PCS** tools

1 602407


2 215702


3 309502


4 604002


5 604702


6 601207


7 601601




S9 TOOLS 420 PCS
A ADVANCED

S10 TOOLS 420 PCS
A ADVANCED

# S9 and S10 toolbox





**M**
1X 570 X 370MM


- Art. no. 742031 (S9)
- Art. no. 742009 (S10)
- Art. no. 742015 (S10)
- Art. no. 742016 (S10)
- Art. no. 742019 (S10)



Set 604901 contains
reversible ratcheting wrenches

S9 and S10 toolbox 6 drawers filled with **420-PCS** tools

1 602407



2 215702



3 309502



4 307302



5 604901



6 602209





S10 TOOLS 460 PCS
ADVANCED

# S10 toolbox








**M**
1X 570 X 370MM

- Art. no. 746009
- Art. no. 746015
- Art. no. 746016
- Art. no. 746019


HEAVY DUTY


Set 604702 contains
reversible ratcheting wrenches

S10 toolbox 8 drawers filled with **460-PCS** tools

1 112102


2 310101


3 603002


4 604702


5 307302


6 403201


7 403301


8 602302


S9 TOOLS 471 PCS

A ADVANCED

S10 TOOLS 471 PCS

A ADVANCED

# S9 and S10 toolbox





S S S

1/3 190 X 370MM


- Art. no. 747131 (S9)
- Art. no. 747109 (S10)
- Art. no. 747115 (S10)
- Art. no. 747116 (S10)
- Art. no. 747119 (S10)



Set 601904 contains reversible ratcheting wrenches

S9 and S10 toolbox 7 drawers filled with **471-PCS** tools

1 600823 600824 600822




2 201401 208001 203001




3 110201 300908 305605



4 302003 302204 302104



5 601903 601225 601904



6 600319 601227 600614



7 600825 600705 600717





S9 +TOOLS 527 PCS
A ADVANCED

S10 +TOOLS 527 PCS
A ADVANCED

# S9 and S10 toolbox






S S S
1/3 190 X 370MM




- Art. no. 752731 (S9)
- Art. no. 752709 (S10)
- Art. no. 752715 (S10)
- Art. no. 752716 (S10)
- Art. no. 752719 (S10)


Set 601904 contains
reversible ratcheting wrenches

S9 and S10 toolbox 8 drawers filled with **527-PCS** tools

1 600823 600824 600822




2 201401 208001 203001




3 110201 300908 305605



4 302003 302204 302104



5 601903 601225 601904



6 603004 601017 301603



7 600319 601227 600614



8 600825 600705 600717



S9 +TOOLS 539 PCS
A ADVANCED

S10 +TOOLS 539 PCS
A ADVANCED

# S9 and S10 toolbox





S S S
1/3 190 X 370MM


- Art. no. 753931 (S9)
- Art. no. 753909 (S10)
- Art. no. 753915 (S10)
- Art. no. 753916 (S10)
- Art. no. 753919 (S10)



Set 601904 contains
reversible ratcheting wrenches

S9 and S10 toolbox 8 drawers filled with **539-PCS** tools

1 600823 600824 600822




2 201401 208001 203001




3 110201 300908 305605



4 302003 302204 302104



5 601903 601225 601904



6 600319 601227 600614



7 600825 600705 603004



8 602205 301603 600717



S9 TOOLS 295 PCS
INTERMEDIATE

S10 TOOLS 295 PCS
INTERMEDIATE

# S9 and S10 toolbox










**M**
1X 570 X 370MM

- Art. no. 729531 (S9)
- Art. no. 729509 (S10)
- Art. no. 729515 (S10)
- Art. no. 729516 (S10)
- Art. no. 729519 (S10)

S9 and S10 toolbox 5 drawers filled with **295-PCS** tools

1 603506




2 213901



3 306101



4 603701



5 602304







## Toolbox configuration for **Volkswagen and Audi**

S9 TOOLS 328 PCS

I INTERMEDIATE

S10 TOOLS 328 PCS

I INTERMEDIATE

# S9 and S10 toolbox



M

1X 570 X 370MM






- Art. no. 732831 (S9)
- Art. no. 732809 (S10)
- Art. no. 732815 (S10)
- Art. no. 732816 (S10)
- Art. no. 732819 (S10)

S9 and S10 toolbox 6 drawers filled with **328-PCS** tools

1 602708




2 214201



3 306601



4 604101



5 603601



6 601706





Toolbox configuration for **BMW**

S9 TOOLS 274 PCS
INTERMEDIATE

S10 TOOLS 274 PCS
INTERMEDIATE

# S9 and S10 toolbox





M
1X 570 X 370MM






- Art. no. 727431 (S9)
- Art. no. 727409 (S10)
- Art. no. 727415 (S10)
- Art. no. 727416 (S10)
- Art. no. 727419 (S10)

S9 and S10 toolbox 6 drawers filled with **274-PCS** tools


1 602709




2 313802



3 604601



4 602406



5 601802



6 602103





Toolbox configuration for **Mercedes-Benz**

SAE SONIC SAE TOOLS

S9 | S10

# S9 and S10 toolbox

**M**

1X 570 X 370MM



S9 TOOLS 171 PCS

B BASIC

S10 TOOLS 171 PCS


B BASIC

- Art. no. 716931 (S9)
- Art. no. 717109 (S10)
- Art. no. 717115 (S10)
- Art. no. 717116 (S10)
- Art. no. 717119 (S10)

S9 and S10 toolbox
4 drawers filled with **171-PCS** tools

Drawers 2 + 3 SAE set


1 602407



2 309301



3 603101



4 602302



S9 TOOLS 357 PCS

I INTERMEDIATE

S10 TOOLS 357 PCS


I INTERMEDIATE

- Art. no. 735231 (S9)
- Art. no. 735709 (S10)
- Art. no. 735715 (S10)
- Art. no. 735716 (S10)
- Art. no. 735719 (S10)

S9 and S10 toolbox
6 drawers filled with **357-PCS** tools

Drawers 5 + 6 SAE set

1 602407



2 313902



3 604002




4 602302



5 310001



6 603101





S11 | S12

# S11 and S12 toolbox






**L**

1X 745 X 435MM




S12 TOOLS 263 PCS
INTERMEDIATE

Art. no. 726329 (S12)

S12 toolbox
4 drawers filled with **263-PCS** tools

1 603202






Set 605301 contains
reversible ratcheting wrenches

2 315601



3 605301



4 602204



S11 TOOLS 345 PCS
INTERMEDIATE


S12 TOOLS 345 PCS
INTERMEDIATE

- Art. no. 734511 (S11)
- Art. no. 734517 (S11)
- Art. no. 734518 (S11)
- Art. no. 734520 (S11)

Art. no. 734529 (S12)

S11 and S12 toolbox
6 drawers filled with **345-PCS** tools

1 603202



2 315601



3 605301



4 602204



5 604202



6 604001





S11 TOOLS 400 PCS
A ADVANCED

S12 TOOLS 400 PCS
A ADVANCED

# S11 and S12 toolbox




L
1X 745 X 435MM



- Art. no. 740011 (S11)
- Art. no. 740017 (S11)
- Art. no. 740018 (S11)
- Art. no. 740020 (S11)


Art. no. 740029 (S12)



Set 605101 contains
reversible ratcheting wrenches

S11 and S12 toolbox 6 drawers filled with **400-PCS** tools

1 603207



2 218502



3 308201




4 605101



5 602308



6 602710







Specially designed for the general working area specialized
in maintenance and repair for **Volkswagen, Audi, Seat and Skoda.**

S11 485 PCS TOOLS
A ADVANCED

S12 485 PCS TOOLS
A ADVANCED

# S11 and S12 toolbox






**L**

1X 745 X 435MM





- Art. no. 748512 (S11)
- Art. no. 748517 (S11)
- Art. no. 748518 (S11)
- Art. no. 748520 (S11)


Art. no. 748529 (S12)



Set 605301 contains
reversible ratcheting wrenches

S11 and S12 toolbox 7 drawers filled with **485-PCS** tools

1 603202



2 221201



3 308401



4 605301



5 602204



6 604202



7 604001





S11 TOOLS 533 PCS — A ADVANCED

S12 TOOLS 533 PCS — A ADVANCED

S14 TOOLS 533 PCS — A ADVANCED

# S11, S12 and S14 toolbox

**L**

1X 745 X 435MM









- Art. no. 753311 (S11)
- Art. no. 753317 (S11)
- Art. no. 753318 (S11)
- Art. no. 753320 (S11)

Art. no. 753329 (S12)
Art. no. 753308 (S14)




Set 605301 contains reversible ratcheting wrenches

*The S14 is equipped with deeper drawers. The inlay will be complemented by a spacer to fill up the drawer.*

S11, S12 and S14 toolbox 8 drawers filled with **533-PCS** tools

1 603202



2 221201




3 308401



4 605301



5 604801



6 602204



7 604202



8 604001



S11 TOOLS 575 PCS EXTREME | S12 TOOLS 575 PCS EXTREME | S14 TOOLS 575 PCS EXTREME | S15 TOOLS 575 PCS EXTREME

# S11, S12, S14 and S15 toolbox



L

1X 745 X 435MM




- Art. no. 757511 (S11)
- Art. no. 757517 (S11)
- Art. no. 757518 (S11)
- Art. no. 757520 (S11)

Art. no. 757529 (S12)
Art. no. 757508 (S14)
Art. no. 757544 (S15)




Set 605301 contains reversible ratcheting wrenches

*The S14 and S15 are equipped with deeper drawers. The inlay will be complemented by a spacer to fill up the drawer.*

S11, S12, S14 and S15 toolbox 7 drawers filled with **575-PCS** tools

1 114602



2 216401



3 311801



4 605301



5 602605



6 602803



7 604001





S11 TOOLS 644 PCS
EXTREME

S12 TOOLS 644 PCS
EXTREME

S14 TOOLS 644 PCS
EXTREME

# S11, S12 and S14 toolbox

**L**

1X 745 X 435MM








- Art. no. 764411 (S11)
- Art. no. 764417 (S11)
- Art. no. 764418 (S11)
- Art. no. 764420 (S11)

Art. no. 764429 (S12)
Art. no. 764408 (S14)




Set 605301 contains reversible ratcheting wrenches

*The S14 and S15 are equipped with deeper drawers. The inlay will be complemented by a spacer to fill up the drawer.*

S11, S12 and S14 toolbox 8 drawers filled with **644-PCS** tools

1 114602




2 216401



3 311801



4 605301



5 606901



6 602605



7 602803



8 604001



S12XD TOOLS 600 PCS
EXTREME

S14 TOOLS 600 PCS
EXTREME

S15 TOOLS 600 PCS
EXTREME

02

# S12XD, S14 and S15 toolbox





| | |
|---|---|
| S | S |
| S | S |
| S | S |

6X 1/3 190 X 370MM



Art. no. 760546 (S12XD)
Art. no. 760508 (S14)
Art. no. 760544 (S15)




Set 601904 contains
reversible ratcheting wrenches

S12XD, S14 and S15 toolbox 5 drawers filled with **600-PCS** tools


1

| | |
|---|---|
| 600719 | 600718 |
| 600822 | 600717 |
| 600823 | 600824 |



2

| | |
|---|---|
| 603004 | 202301 |
| 203001 | 208001 |
| 110201 | 201401 |



XD EXTRA DEEP


3

| | |
|---|---|
| 301603 | 302104 |
| 302003 | 302204 |
| 305605 | 300908 |



4

| | |
|---|---|
| 601225 | 600708 |
| 600709 | 601017 |
| 601903 | 601904 |



5

| | |
|---|---|
| 600614 | 602205 |
| 601227 | 600705 |
| 600319 | 600825 |



S12XD TOOLS 714 PCS
EXTREME

S14 TOOLS 714 PCS
EXTREME

S15 TOOLS 714 PCS
EXTREME

# S12XD, S14 and S15
## toolbox



XL


1X 745 X 570MM



Art. no. 771446 (S12XD)
Art. no. 771408 (S14)
Art. no. 771444 (S15)

S12XD toolbox 7 drawers filled with **714-PCS** tools

1 114101



2 221801



EXTRA DEEP

3 314901



4 607201





Set 607201 contains
reversible ratcheting wrenches


5 603402



6 604402 602007



7 601806 601807



S12XD TOOLS 735 PCS
EXTREME

S14 TOOLS 735 PCS
EXTREME

S15 TOOLS 735 PCS
EXTREME



# S12XD, S14 and S15 toolbox




XL

1X 745 X 570MM






Art. no. 773546 (S12XD)
Art. no. 773508 (S14)
Art. no. 773544 (S15)

S12XD toolbox 7 drawers filled with **735-PCS** tools

1 114101



2 221801



XD
EXTRA DEEP

3 314901



4 607201





Set 607201 contains
reversible ratcheting wrenches


5 603402



6 604402 602007



7 601806 303902



S13 TOOLS 290 PCS

INTERMEDIATE

# **S13** toolbox




**M**

1X 570 X 370MM

Art. no. 728907

S13 toolbox 5 drawers filled with **290-PCS** tools

1 112102



2 310101



3 604002



4 601601



5 601207







S13 TOOLS 540 PCS
EXTREME

# S13 toolbox






**M**
1X 570 X 370MM

Art. no. 754007


HEAVY DUTY

S13 toolbox 11 drawers filled with **540-PCS** tools



Set 604702 contains
reversible ratcheting wrenches

1 602407




2 215702



3 309502



4 603002



5 604702



6 601207



7 601601



8 307302



9 403301



10 403201



11 602104



S14 TOOLS 958 PCS
EXTREME

S15 TOOLS 958 PCS
EXTREME

# S14 and S15 toolbox

XL
1X 745 X 570MM

M
1X 570 X 370MM




Art. no. 795808 (S14) Art. no. 795844 (S15)

*The S15 is equipped with deeper drawers. The inlay will be complemented by a spacer to fill up the drawer.

S14 and S15 toolbox 12 drawers filled with **958-PCS** tools

1L 604501



1R 601808 47612*




2L 221801



2R 116901 47612*



3L 314901



3R 306402 47612*



4L 607201



4R 605001 47612*



5L 604402 602007




5R 303902 47612*



6L 603402



7L 601806 601807





Set 607201 contains reversible ratcheting wrenches




Set 314901 contains impact socket set 1/2", 3-pcs



Set 221801 contains torque wrench 732210100, 20-100Nm
Set 314901 contains torque wrench 732380400, 80-400Nm


Audi
Middle East
PMU
RACING
HANKOOK
sonic




***WORK EFFICIENT WORK WITH SONIC***

02

# Volkswagen chooses Sonic


## S9




Art. no. ASE27600300000

**Basic tool set** VAS 275 001









After a long selection procedure, Volkswagen has decided to start a collaboration with Sonic Equipment.
Especially for Volkswagen Sonic has developed 2 toolboxes, based on the S9 and S12 toolbox. These toolboxes will be delivered in the Volkswagen RAL colors and can be supplied with foam inlays specially developed for Volkswagen. The range consists of a basic tool set in foam inlays and additional extension sets for Audi, VW and body. These products are exclusively available at Volkswagen and their distribution centers.

# Volkswagen chooses Sonic

# S12





Art. no. ASE27600100000

**Basic tool set** VAS 275 001



**Audi tool set** VAS 275 001/1



**Body repair tool set** VAS 275 001/3



**Volkswagen tool set** VAS 275 001/2






SONIC-EQUIPMENT.COM

S9 TOPBOX TOOLS 206 PCS

B BASIC

S9 TOPBOX TOOLS 285 PCS

B BASIC

S9 TOPBOX

# S9 topbox

**M**

1X 570 X 370MM



Art. no. 720628

S9 topbox
3 drawers filled with **206-PCS** tools

Art. no. 720634

S9 topbox **trolley**
3 drawers filled with **206-PCS** tools

1 602904



2 316001



3 601707



Art. no. 728528

S9 topbox
4 drawers filled with **285-PCS** tools

Art. no. 728534

S9 topbox **trolley**
4 drawers filled with **285-PCS** tools

1 112102



2 310101



3 604002



4 602302





# **Filled** carry case



Art. no. 709102

02

Filled carry case with **91-PCS** tools

### SCREWDRIVER PH



| ART. NO. | CONTENTS |
|---|---|
| 1311 | Screwdriver PH.1 |
| 1312 | Screwdriver PH.2 |
| 1313 | Screwdriver PH.3 |

### SLOTTED SCREWDRIVER



| ART. NO. | CONTENTS |
|---|---|
| 13303 | Slotted screwdriver 3mm |
| 13304 | Slotted screwdriver 4mm |
| 13355 | Slotted screwdriver 5.5mm |
| 13365 | Slotted screwdriver 6.5mm |

### FLANK SOCKET



| ART. NO. | CONTENTS |
|---|---|
| 301201 | 1/2" socket on rail 6pt., 12-pcs<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

### COMBINATION WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 600904 | Combination wrench set in pouch, 9-pcs<br>6, 8, 10, 11, 12, 13, 14, 17, 19mm |

### COMBINATION PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4311175 | Combination pliers 7" |

### LONG NOSE PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4321200 | Long nose pliers 8" |

### DIAGONAL PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4341175 | Diagonal pliers 7" |

### WATERPUMP PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4351250 | Waterpump pliers 10" |

### LOCKING PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4380250 | Locking pliers 10" |

### ADJUSTABLE WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 42301250 | Adjustable wrench 10" |

### MACHINIST HAMMER



| ART. NO. | CONTENTS |
|---|---|
| 4611400 | Machinist hammer 400gr fibre handle TPR cover |

### UTILITY KNIFE



| ART. NO. | CONTENTS |
|---|---|
| 46806 | Utility knife including 10 blades |

### RATCHET HANDLE



| ART. NO. | CONTENTS |
|---|---|
| 7120903 | 1/2" ratchet 45 teeth |

### EMPTY CASE



| ART. NO. | CONTENTS |
|---|---|
| 47502 | Empty carry case XL (made in EU) |

### MEASURING TAPE



| ART. NO. | CONTENTS |
|---|---|
| 47013 | Measuring tape 5 meter |

### HEX KEY



| ART. NO. | CONTENTS |
|---|---|
| 600713 | Foldable hex key set, 7-pcs |

### FLANK SOCKET SET



| ART. NO. | CONTENTS |
|---|---|
| 104601 | Socket set 1/4", 46-pcs |

# **Filled** portable case trolley



Art. no. 709103

Filled portable case trolley with **91-PCS** tools

### SCREWDRIVER PH



| ART. NO. | CONTENTS |
|---|---|
| 1311 | Screwdriver PH.1 |
| 1312 | Screwdriver PH.2 |
| 1313 | Screwdriver PH.3 |

### SLOTTED SCREWDRIVER



| ART. NO. | CONTENTS |
|---|---|
| 13303 | Slotted screwdriver 3mm |
| 13304 | Slotted screwdriver 4mm |
| 13355 | Slotted screwdriver 5.5mm |
| 13365 | Slotted screwdriver 6.5mm |

### FLANK SOCKET



| ART. NO. | CONTENTS |
|---|---|
| 301201 | 1/2" socket on rail 6pt., 12-pcs<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

### COMBINATION WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 600904 | Combination wrench set in pouch, 9-pcs<br>6, 8, 10, 11, 12, 13, 14, 17, 19mm |

### COMBINATION PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4311175 | Combination pliers 7" |

### LONG NOSE PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4321200 | Long nose pliers 8" |

### DIAGONAL PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4341175 | Diagonal pliers 7" |

### WATERPUMP PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4351250 | Waterpump pliers 10" |

### LOCKING PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4380250 | Locking pliers 10" |

### ADJUSTABLE WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 42301250 | Adjustable wrench 10" |

### MACHINIST HAMMER



| ART. NO. | CONTENTS |
|---|---|
| 4611400 | Machinist hammer 400gr fibre handle TPR cover |

### UTILITY KNIFE



| ART. NO. | CONTENTS |
|---|---|
| 46806 | Utility knife including 10 blades |

### RATCHET HANDLE



| ART. NO. | CONTENTS |
|---|---|
| 7120903 | 1/2" ratchet 45 teeth |

### EMPTY CARRY CASE



| ART. NO. | CONTENTS |
|---|---|
| 47503 | Empty carry case L (made in EU) |

### MEASURING TAPE



| ART. NO. | CONTENTS |
|---|---|
| 47013 | Measuring tape 5 meter |

### HEX KEY



| ART. NO. | CONTENTS |
|---|---|
| 600713 | Foldable hex key set, 7-pcs |

### FLANK SOCKET SET



| ART. NO. | CONTENTS |
|---|---|
| 104601 | Socket set 1/4", 46-pcs |

# Filled carry case

Art. no. 713201
Filled carry case with **132-PCS** tools

02

Art. no. 47502
Empty carry case **XL** (made in EU)



### SCREWDRIVER PH



| ART. NO. | CONTENTS |
|---|---|
| 1311 | Screwdriver PH.1 |
| 1312 | Screwdriver PH.2 |
| 1313 | Screwdriver PH.3 |

### SLOTTED SCREWDRIVER



| ART. NO. | CONTENTS |
|---|---|
| 13303 | Slotted screwdriver 3mm |
| 13304 | Slotted screwdriver 4mm |
| 13355 | Slotted screwdriver 5.5mm |
| 13365 | Slotted screwdriver 6.5mm |

### SCREWDRIVER TX



| ART. NO. | CONTENTS |
|---|---|
| 13610 | Screwdriver T10 |
| 13615 | Screwdriver T15 |
| 13620 | Screwdriver T20 |
| 13625 | Screwdriver T25 |
| 13627 | Screwdriver T27 |
| 13630 | Screwdriver T30 |

### COMBINATION PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4311175 | Combination pliers 7" |

### LONG NOSE PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4321200 | Long nose pliers 8" |

### DIAGONAL PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4341175 | Diagonal pliers 7" |

### COMBINATION WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 601401 | Combination wrench set in pouch, 14-pcs<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22mm |

### WATERPUMP PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4351180 | Waterpump pliers 7" |
| 4351250 | Waterpump pliers 10" |

### ADJUSTABLE WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 42302150 | Adjustable wrench 6" |
| 42301250 | Adjustable wrench 10" |

### WIRE STRIPPER



| ART. NO. | CONTENTS |
|---|---|
| 4471250 | Wire stripper 10" |

### GRIP CHISEL



| ART. NO. | CONTENTS |
|---|---|
| 45112160 | Grip chisel 160mml 12 |
| 45118190 | Grip chisel 190mml 18 |

### GRIP TAPER PUNCH



| ART. NO. | CONTENTS |
|---|---|
| 4553185 | Grip taper punch 185mml 3 |

### MACHINIST HAMMER



| ART. NO. | CONTENTS |
|---|---|
| 4611400 | Machinist hammer 400gr fibre handle TPR cover |

### UTILITY KNIFE



| ART. NO. | CONTENTS |
|---|---|
| 46806 | Utility knife including 10 blades |

### MEASURING TAPE



| ART. NO. | CONTENTS |
|---|---|
| 47013 | Measuringtape 5 meter |

### TELESCOPIC MAGNET



| ART. NO. | CONTENTS |
|---|---|
| 4820110 | Telescopic magnet |

### FLASH PEN



| ART. NO. | CONTENTS |
|---|---|
| 4821105 | Flash Pen |

### HEX KEY




| ART. NO. | CONTENTS |
|---|---|
| 601008 | Hex ball key set extra long, 10-pcs |

### TX KEY



| ART. NO. | CONTENTS |
|---|---|
| 600902 | TX key set extra long, 9-pcs<br>T10, T15, T20, T25, T27, T30, T40 |

### FLANK SOCKET SET



| ART. NO. | CONTENTS |
|---|---|
| 104601 | Socket set 1/4", 46-pcs |

### SOCKET SET



| ART. NO. | CONTENTS |
|---|---|
| 302403 | 1/2" socket set MBS, 24-pcs |

# **Filled** portable case trolley

Art. no. 713202
Filled portable case trolley with **132-PCS** tools

Art. no. 47503
Empty portable case trolley **XL** (made in EU)



### SCREWDRIVER PH



| ART. NO. | CONTENTS |
|---|---|
| 1311 | Screwdriver PH.1 |
| 1312 | Screwdriver PH.2 |
| 1313 | Screwdriver PH.3 |

### SLOTTED SCREWDRIVER



| ART. NO. | CONTENTS |
|---|---|
| 13303 | Slotted screwdriver 3mm |
| 13304 | Slotted screwdriver 4mm |
| 13355 | Slotted screwdriver 5.5mm |
| 13365 | Slotted screwdriver 6.5mm |

### SCREWDRIVER TX



| ART. NO. | CONTENTS |
|---|---|
| 13610 | Screwdriver T10 |
| 13615 | Screwdriver T15 |
| 13620 | Screwdriver T20 |
| 13625 | Screwdriver T25 |
| 13627 | Screwdriver T27 |
| 13630 | Screwdriver T30 |

### COMBINATION PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4311175 | Combination pliers 7" |

### LONG NOSE PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4321200 | Long nose pliers 8" |

### DIAGONAL PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4341175 | Diagonal pliers 7" |

### COMBINATION WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 601401 | Combination wrench set in pouch, 14-pcs<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22mm |

### WATERPUMP PLIERS



| ART. NO. | CONTENTS |
|---|---|
| 4351180 | Waterpump pliers 7" |
| 4351250 | Waterpump pliers 10" |

### ADJUSTABLE WRENCH



| ART. NO. | CONTENTS |
|---|---|
| 42302150 | Adjustable wrench 6" |
| 42301250 | Adjustable wrench 10" |

### WIRE STRIPPER



| ART. NO. | CONTENTS |
|---|---|
| 4471250 | Wire stripper 10" |

### GRIP CHISEL



| ART. NO. | CONTENTS |
|---|---|
| 45112160 | Grip chisel 160mml 12 |
| 45118190 | Grip chisel 190mml 18 |

### GRIP TAPER PUNCH



| ART. NO. | CONTENTS |
|---|---|
| 4553185 | Grip taper punch 185mml 3 |

### MACHINIST HAMMER



| ART. NO. | CONTENTS |
|---|---|
| 4611400 | Machinist hammer 400gr fibre handle TPR cover |

### UTILITY KNIFE



| ART. NO. | CONTENTS |
|---|---|
| 46806 | Utility knife including 10 blades |

### MEASURING TAPE



| ART. NO. | CONTENTS |
|---|---|
| 47013 | Measuringtape 5 meter |

### TELESCOPIC MAGNET



| ART. NO. | CONTENTS |
|---|---|
| 4820110 | Telescopic magnet |

### FLASH PEN



| ART. NO. | CONTENTS |
|---|---|
| 4821105 | Flash Pen |

### HEX KEY




| ART. NO. | CONTENTS |
|---|---|
| 601008 | Hex ball key set extra long, 10-pcs |

### TX KEY



| ART. NO. | CONTENTS |
|---|---|
| 600902 | TX key set extra long, 9-pcs<br>T10, T15, T20, T25, T27, T30, T40 |

### FLANK SOCKET SET



| ART. NO. | CONTENTS |
|---|---|
| 104601 | Socket set 1/4", 46-pcs |

### SOCKET SET



| ART. NO. | CONTENTS |
|---|---|
| 302403 | 1/2" socket set MBS, 24-pcs |

02

# **Service** topbox

MINI TOPBOX



XS

472 X 202MM

## TOPBOX +TOOLS 96 PCS

Art. no. 709601

Service topbox
filled with **96-PCS** tools

1 602402



2 600929



3 305101



4 102502



## TOPBOX +TOOLS 47 PCS

Art. no. 704721

Service topbox
filled with **47-PCS** tools

1 102502



2 601018



## **Specially designed** for karting

3 601112



4 47030






# Toolbox



Art. no. 706201

Toolbox 5 trays
filled with **62-PCS** tools


















# Aviation A&P Solutions From Sonic

Our Aviation Airframe and Powerplant (A&P) Solutions are designed and manufactured by Sonic to fill the missing piece for aviation technicians and students who are starting their journey as A&P technicians. We created comprehensive solutions with direction from aviation industry experts. Our solutions are perfect for anyone working on aircraft or any plane and are the perfect foundation for every rising and experienced A&P technician to perform efficiently. We created Basic, Intermediate, and Advanced aviation solutions that present you suitable options, depending on the caliber of storage and tools desired. Nothing matches our level of aviation offerings that create organization, increase efficiency and adds value to your education.

AVIATION



## I INTERMEDIATE

Intermediate solutions
for mid-level to experienced techs.

Choose
Toolbox + Tools
4x

**M**
1X 570 X 370MM

## A ADVANCED

Advanced solutions
for experienced techs.

Choose
Toolbox + Tools
5x

**XL**
1X 745 X 570MM

AVIATION

S9 TOOLS 263 PCS

I INTERMEDIATE

# S9 toolbox




M

1X 570 X 370MM

AVIATION

Art. no. 726331

S9 toolbox 4 drawers filled with **263-PCS** tools

1 610301



2 108601



3 604906



4 602503



AVIATION

S12 XD TOOLS 454 PCS

A ADVANCED

EXTRA DEEP

02

# S12XD toolbox




Art. no. 745446

S12XD toolbox 6 drawers filled with **454-PCS** tools

XL

1X 745 X 570MM


1 219401




2 308601



3 605901



4 605201



5 606301






AVIATION





# CONFIDENCE IN TECHNICAL SERVICES


SEATRAX


sonic
sonic
sonic

# 03 > Sonic Foam System (SFS)

S S S

1/3 190 X 370MM



> Drawer foam system 190 x 370mm

PAGE 120

M

1X 570 X 370MM



> Drawer foam system 570 x 370mm

PAGE 129

L

1X 745 X 435MM




> Drawer foam system 745 x 435mm

PAGE 150

XL

1X 745 X 570MM



> Drawer foam system 745 x 570mm

PAGE 159

**20% FASTER** TIME IS MONEY RETRIEVAL AND RETURN USING SONIC FOAM SYSTEM

**78% FASTER** PEACE OF MIND INVENTORY OF TOOLBOX USING SONIC FOAM SYSTEM

**80% REDUCED** RISK VS REWARD MISPLACED TOOLS USING SONIC FOAM SYSTEM


SFS SONIC FOAM SYSTEM



Dual density foam

Independent time efficiency studies have **confirmed the effectiveness of our Sonic Foam System** with remarkable results.

- Laser engraved
- Two tone color system for convenient overview of missing tools
- Ergonomic lay out
- Oil and chemical resistant
- Delivered with inventory list
- Also available online










XS
472 X 202MM

## Sonic Foam System. Extra Small

Compatible with this toolbox:




S S S
1/3 190 X 370MM

## Sonic Foam System. Small

Compatible with these toolboxes:







M
1X 570 X 370MM

## Sonic Foam System. Medium

Compatible with these toolboxes:








L
1X 745 X 435MM

## Sonic Foam System. Large

Compatible with these toolboxes:








XL
1X 745 X 570MM

## Sonic Foam System. Extra Large

Compatible with these toolboxes:






# Visit our **new website**



*Visit our Vimeo channel*







*Corporate movie*



# Sonic Foam System (SFS)



## 600823 - SCREWDRIVER SET, SFS 1/3, 8-PCS

190 X 370MM

680 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1310...12 | 3 | Screwdriver PH, PH.0, PH.1, PH.2 |
| | 13303...08 | 5 | Screwdriver slotted, 3, 4, 5.5, 6.5, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600627 - LONG TX SCREWDRIVER SET SFS 1/3, 6-PCS

190 X 370MM

816 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 13625015...40 | 6 | Screwdriver extra long, TX T15, T20, T25, T27, T30, T40 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600625 - LONG SCREWDRIVER SET SFS 1/3, 6-PCS

190 X 370MM

654 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1342503...06 | 3 | Screwdriver extra long, hex 3, 4, 6mm |
| | 1312502 | 1 | Screwdriver extra long, PH.2 |
| | 13325004...55 | 2 | Screwdriver extra long, 4, 5.5mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600513 - GO-THROUGH SCREWDRIVER SET, SFS 1/3, 5-PCS

190 X 370MM

740 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 15101...02 | 2 | Hammer go-through screwdriver PH, PH.1, PH.2 |
| | 1530155...08 | 3 | Hammer go-through screwdriver slotted, 5.5, 6.5, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600626 - LONG SCREWDRIVER SET SFS 1/3, 6-PCS

190 X 370MM

638 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1342503...05 | 3 | Screwdriver extra long, hex 3, 4, 5mm |
| | 13325004...65 | 3 | Screwdriver extra long, 4, 5.5, 6.5mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600826 - VDE SCREWDRIVERS SET, SFS 1/3, 8-PCS

190 X 370MM

540 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1610...2 | 3 | VDE screwdriver PH, PH.0, PH.1, PH.2 |
| | 16325...65 | 4 | VDE scewdriver slotted, 2.5, 4, 5.5, 6.5mm |
| | 47016 | 1 | Electric main tester 120-250 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600824 - TX SCREWDRIVER SET, SFS 1/3, 8-PCS

190 X 370MM

700 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 13608...40 | 8 | Screwdriver TX, T8, T10, T15, T20, T25, T27, T30, T40 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600717 - SOCKET SCREWDRIVER HEX SET, SFS 1/3, 7-PCS

190 X 370MM

1080 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 12425006...11 | 5 | Hex nut driver 6, 8, 9, 10, 11mm |
| | 47537...38 | 2 | Flexible hex nut driver 7, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600718 - HEX BALL GRIP KEY SET, SFS 1/3, 7-PCS

190 X 370MM

670 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 19502025...08 | 7 | Hex ball point grip key 2.5, 3, 4, 5, 6, 7, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600913 - HEX KEY WRENCH SET 3 TIP T-HANDLE, SFS 1/3, 9-PCS

190 X 370MM

860 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 4840102...08 | 9 | 3 tip hex key T-handle 2, 2.5, 3, 4, 4.5, 5, 6, 7, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600719 - T-HANDLE TX KEY WRENCH SET, SFS 1/3, 7-PCS

190 X 370MM

534 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1960210...40 | 7 | T-handle TX key wrench<br>T10, T15, T20, T25, T27, T30, T40 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600914 - TX KEY SET, 3 TIP T-HANDLE, SFS 1/3, 9-PCS

190 X 370MM

5900 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 4840210...50 | 9 | 3 tip star key T-handle<br>T10, T15, T20, T25, T27, T30, T40, T45, T50 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 106303 - FLANK SOCKET SET 1/4" 6 PT., SFS 1/3, 61-PCS

190 X 370MM

1480 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21505...13 | 10 | Flank socket 1/4", 6 pt.<br>5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", TX E4, E5, E6, E7, E8, E10 |
| | | 601006 | 10 | Hex ball long key set 10-pcs |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4" 72 teeth |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | - | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | | 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| | | 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| | | 8163706...40 | 11 | Bit socket TX 1/4",<br>T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | | 8173706...40 | 11 | Bit socket TX tamperproof 1/4", T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 110201 - BIT SOCKET SET 1/4", SFS 1/3, 102-PCS

190 X 370MM

2168 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 2165004...10 | 6 | Deep socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4" 72 teeth |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | - | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | - | 7261250 | 1 | Wobble extension 1/4" 250mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | | 8113700...02 | 3 | Bit socket PH 1/4", PH.0, PH.1, PH.2 |
| | | 8123700...02 | 3 | Bit socket PZ 1/4", PZ.0, PZ.1, PZ.2 |
| | | 81337055...65 | 2 | Bit socket slotted 1/4", 5.5, 6.5mm |
| | | 8143703...10 | 9 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | | 8153708...45 | 9 | Tamper-resistant 1/4", TX plus (5 lobes) 8IPR, 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR, 45IPR |
| | | 8163708...40 | 9 | Bit socket TX 1/4",<br>T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | | 8173708...40 | 9 | Bit socket TX tamperproof 1/4",<br>T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | | 8183704...10 | 5 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |
| | | 8193704...10 | 6 | Bit socket ribe 1/4", M4, M5, M6, M7, M8, M10 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 201401 - COMBINATION SET 3/8", SFS 1/3, 14-PCS

S S S
190 X 370MM
2156 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121502 | 1 | Ratchet 3/8", 60 teeth |
| | - | 7110102 | 1 | Flexible ratchet 3/8", 45 teeth |
| | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | - | 7272250 | 1 | Swivel grip handle 3/8" 250mml |
| | - | 7142044...250 | 4 | Extension 3/8", 44, 75, 150, 250mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | | 7172214 | 1 | Spark plug clip socket 3/8", 12 pt. 14mm |
| | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 204101 - BIT SOCKET SET 3/8", SFS 1/3, 41-PCS

S S S
190 X 370MM
2300 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 22508...19 | 12 | Flank socket 3/8", 6 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | | 22607...14 | 6 | Socket TX 3/8", E7, E8, E10, E11, E12, E14 |
| | - | 7121502 | 1 | Ratchet 3/8", 60 teeth |
| | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | | 7172214 | 1 | Spark plug clip socket 3/8", 12 pt. 14mm |
| | | 7171216...21 | 3 | Spark plug socket 3/8", 16, 18, 21mm |
| | - | 7142044...200 | 4 | Extension 3/8", 44, 75, 150, 200mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | | 8244806...12 | 6 | Bit socket hex 3/8", 6, 7, 8, 9, 10, 12mm |
| | | 8264825...50 | 6 | Bit socket TX 3/8", T25, T27, T30, T40, T45, T50 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 202301 - DEEP SOCKET SET 3/8", SFS 1/3, 23-PCS

S S S
190 X 370MM
1840 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 2256310...22 | 13 | Flank deep socket 3/8", 6 pt.<br>10, 11, 12, 13, 14, 15, 16, 17, 18 ,19, 20, 21, 22mm |
| | | 2266306...20 | 10 | Deep socket TX 3/8",<br>E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 208001 - BIT SOCKET SET 3/8", SFS 1/3, 80-PCS

S S S
190 X 370MM
3856 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 22510...22 | 12 | Flank socket 3/8", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm |
| | | 2256310...22 | 12 | Flank deep socket 3/8", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm |
| | | 22610...20 | 7 | Socket TX 3/8", E10, E11, E12, E14, E16, E18, E20 |
| | | 2266310...20 | 7 | Deep socket TX 3/8", E10, E11, E12, E14, E16, E18, E20 |
| | | 8214801...03 | 3 | Bit socket PH 3/8", PH.1, PH.2, PH.3 |
| | | 8224801...03 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | | 8234806 | 1 | Bit socket slotted 3/8", 6mm |
| | | 8244805...12 | 7 | Bit socket hex 3/8", 5, 6, 7, 8, 9, 10, 12mm |
| | | 8264820...50 | 7 | Bit socket TX 3/8", T20, T25, T27, T30, T40, T45, T50 |
| | | 8274820...50 | 7 | Bit socket TX tamperproof 3/8",<br>T20H, T25H, T27H, T30H, T40H, T45H, T50H |
| | | 8284804...12 | 7 | Bit socket spline 3/8", M4, M5, M6, M8, M9, M10, M12 |
| | | 8294805...12 | 7 | Bit socket ribe 3/8", M5, M6, M7, M8, M9, M10, M12 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 203001 - BIT SOCKET SET 3/8", SFS 1/3, 30-PCS

S S S
190 X 370MM
1776 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 8249003...10 | 8 | Bit socket hex 3/8", 90mml 3, 4, 5, 6, 7, 8, 9, 10mm |
| | | 8269008...50 | 10 | Bit socket TX 3/8", 90mml<br>T8, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 8289005...12 | 6 | Bit socket spline 3/8", 90mml<br>M5, M6, M8, M9, M10, M12 |
| | | 8299005...12 | 6 | Bit socket ribe 3/8", 90mml M5, M6, M8, M9, M10, M12 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 300908 - ACCESSORY SET 1/2", SFS 1/3, 9-PCS

S S S
190 X 370MM
2758 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | - | 7273380 | 1 | Swivel grip handle 1/2" 380mml |
| | - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| | | 3310117...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 302301 - ACCESSORY SET 1/2", SFS 1/3, 23-PCS

190 X 370MM

2894 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 23508...32 | 12 | Flank socket 1/2", 6 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 303805 - BIT SOCKET SET 1/2", SFS 1/3, 38-PCS

190 X 370MM

3226 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23610...24 | 8 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E24 |
| | 83406208...17 | 5 | Bit socket hex 1/2", 8, 10, 12, 14, 17mm |
| | 83606245...70 | 5 | Bit socket TX 1/2", T45, T50, T55, T60, T70 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 305605 - BIT SOCKET SET 1/2", SFS 1/3, 56-PCS

190 X 370MM

4994 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23614...24 | 6 | Socket TX 1/2", E14, E16, E18, E20, E22, E24 |
| | 83406208...17 | 6 | Bit socket hex 1/2", 8, 9, 10, 12, 14, 17mm |
| | 83606240...70 | 6 | Bit socket TX 1/2", T40, T45, T50, T55, T60, T70 |
| | 83706240...70 | 6 | Bit socket TX tamperproof 1/2", T40H, T45H, T50H, T55H, T60H, T70H |
| | 83806209...16 | 5 | Bit socket spline 1/2", M9, M10, M12, M14, M16 |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | 83906209...14 | 6 | Bit socket ribe 1/2", M9, M10, M11, M12, M13, M14 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 301603 - IMPACT DEEP SOCKET SET 1/2", SFS 1/3, 16-PCS

190 X 370MM

4504 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 3358513...32 | 13 | Impact deep socket 1/2", 6 pt. 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm |
| | 3398530...36 | 2 | Impact deep socket 1/2", 12 pt. 30, 36mm |
| - | 7343125 | 1 | Impact extension 1/2" 125mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 302003 - DEEP SOCKET SET 1/2", SFS 1/3, 20-PCS

190 X 370MM

3760 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 2357710...32 | 20 | Flank deep socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 302204 - SOCKET & BIT SOCKET SET 1/2", SFS 1/3, 22-PCS

190 X 370MM

2490 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 2367710...24 | 8 | Deep socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E24 |
| | 83610030...70 | 7 | Bit socket TX 1/2", 100mml T30, T40, T45, T50, T55, T60, T70 |
| | 83710030...70 | 7 | Bit socket TX tamperproof 1/2", 100mml T30H, T40H, T45H, T50H, T55H, T60H, T70H |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 302104 - BIT SOCKET SET 1/2", SFS 1/3, 21-PCS

190 X 370MM

2508 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 83410006...17 | 8 | Bit socket hex 1/2", 100mml 6, 7, 8, 9, 10, 12, 14, 17mm |
| | 83810005...16 | 8 | Bit socket spline 1/2", 100mml M5, M6, M8, M9, M10, M12, M14, M16 |
| | 83910008...14 | 5 | Bit socket ribe 1/2", 100mml M8, M9, M10, M12, M14 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601017 - FLARE NUT WRENCH SET, SFS 1/3, 10-PCS

190 X 370MM

1566 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4110810...2427 | 7 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19, 19x22, 24x27mm |
| - | 4080809...1213 | 3 | Flexible flare nut wrench 8x9, 10x11, 12x13mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601904 - REVERSIBLE RATCHETING & OPEN WRENCH SET, SFS 1/3, 19-PCS

190 X 370MM

2118 GRAM




| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4140607...2022 | 8 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm |
| - | 4170208...19 | 11 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600708 - HINGED SOCKET WRENCH SET, SFS 1/3, 7-PCS

190 X 370MM

1452 GRAM




| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 4120607...1819 | 7 | Hinged socket wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601228 - 12 PT. FLAT RING RATCHET SET, SFS 1/3, 12-PCS

190 X 370MM

1318 GRAM




| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4170108...19 | 12 | Flat ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601103 - ANGLE WRENCH SET, SFS 1/3, 11-PCS

190 X 370MM

2333 GRAM




| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 41308...19 | 11 | Angle wrench 6 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601229 - 12 PT. REVERSIBLE RATCHETING WRENCH SET, SFS 1/3, 12-PCS

190 X 370MM

1526 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601016 - DOUBLE OPEN WRENCH SET, SFS 1/3, 10-PCS

190 X 370MM

1721 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4140607...3032 | 10 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601230 - 12 PT. FLEXIBLE RATCHETING WRENCH SET, SFS 1/3, 12-PCS

190 X 370MM

1460 GRAM




| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4170308...19 | 12 | Flexible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601903 - COMBINATION WRENCH SET, SFS 1/3, 19-PCS

190 X 370MM

2332 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 41506...24 | 19 | Combination wrench 6,7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601225 - WRENCH SET, SFS 1/3, 12-PCSS

190 X 370MM

1718 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4190607...2022 | 8 | 75° offset ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm |
| | 4160608....2024 | 4 | TX wrench E6xE8, E10xE12, E14xE18, E20xE24 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600435 - 75° OFFSET RING WRENCH SET, SFS 1/3, 4-PCS

190 X 370MM

2132 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 4192123...3032 | 4 | 75° offset ring wrench 21x23, 24x27, 25x28, 30x32mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603004 - WRENCH SET, SFS 1/3, 30-PCS

190 X 370MM

1930 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 42608...17 | 10 | Stubby combination wrench 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |
| | - | 42301250 | 1 | Adjustable wrench 10" |
| | | 601008 | 10 | Hex ball key set extra long 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | | 600902 | 9 | TX key set extra long, 9-pcs |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600709 - COMBINATION WRENCH SET, SFS 1/3, 7-PCS

190 X 370MM

3087 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 41525...32 | 7 | Combination wrench 25, 26, 27, 28, 29, 30, 32mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602205 - OIL FILTER SET, SFS 1/3, 22-PCS

190 X 370MM

2180 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 4831302 | 1 | Oil filter claw wrench |
| | - | 7142250 | 1 | 3/8" extension 250mml |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | | 4831401...07 | 7 | Square drain plug key 7, 8, 10, 11, 12, 13, 14mm |
| | | 4831408...09 | 2 | Square drain plug key 5/16", 3/8" |
| | | 4831410 | 1 | Drain plug key 10 (female) |
| | | 4831411 | 1 | Trianggular drain plug key 10 |
| | | 4831412...17 | 6 | Hex drain plug key 8, 9, 10, 11, 14, 17 |
| | - | 4830801 | 1 | 3 jaw oil filter wrench |
| | - | 4450250 | 1 | Oil filter pliers 10" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600432 - PLIERS SET, SFS 1/3, 4-PCS

190 X 370MM

1030 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600434 - VDE PLIERS SET, SFS 1/3, 4-PCS

190 X 370MM

1532 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 4312180 | 1 | VDE combination pliers |
| | - | 4322200 | 1 | VDE long nose pliers |
| | - | 4342160 | 1 | VDE diagonal pliers |
| | - | 4472160 | 1 | VDE stripping pliers |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600430 - SNAP RING PLIERS SET, SFS 1/3, 4-PCS

190 X 370MM

676 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600825 - PLIERS SET, SFS 1/3, 8-PCS

S S S

190 X 370MM

1532 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600319 - HAMMER SET, SFS 1/3, 3-PCS

S S S

190 X 370MM

2508 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601227 - GRIPPED CHISEL & PUNCH SET, SFS 1/3, 12-PCS

S S S

190 X 370MM

1740 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 45112160 | 1 | Grip chisel 160mml 12 |
| | - | 45116170 | 1 | Grip chisel 170mml 16 |
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 220mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4553185 | 1 | Grip taper punch 185mml 3 |
| | - | 4554185 | 1 | Grip taper punch 185mml 4 |
| | - | 4564185 | 1 | Grip center punch 185mml 4 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600614 - FILE SET, SFS 1/3, 6-PCS

S S S

190 X 370MM

700 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 46905 | 1 | Triangular file for brakes 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | - | 47003 | 1 | Stainless steel vernier caliper |
| | - | 47004 | 1 | Stainless steel straight ruler 30cm |
| | - | 4811254 | 1 | Steel wire brush |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600705 - PLIERS & TOOLS SET, SFS 1/3, 7-PCS

S S S
190 X 370MM
1640 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 46807 | 1 | Utility knife (incl. 13 blades) |
| | - | 4821301 | 1 | Wedge universal (190x30mm) |
| | - | 47002 | 1 | Feeler gauge 26-pcs |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 4820110 | 1 | Telescopic magnet |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600822 - HOOK SET, SFS 1/3, 8-PCS

S S S
190 X 370MM
1080 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 47901 | 1 | Door upholstery panel remover small 100mml |
| | - | 47902 | 1 | Door upholstery panel remover 110mml |
| | - | 47903 | 1 | Scraper |
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47906 | 1 | Trim pad tool 1/4" x 115mml |
| | - | 47907 | 1 | Trim pad tool 5/16" x 115mml |
| | - | 47908 | 1 | Door upholstery panel remover 132mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600623 - HOOK SET, SFS 1/3, 6-PCS

S S S
190 X 370MM
720 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47909 | 1 | Straight pick hook |
| | - | 47910 | 1 | Degree hook |
| | - | 47911 | 1 | Full hook |
| | - | 49712 | 1 | Small angle hook |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 47613 - FOAM SPACER 190X370MM, SFS 1/3

S S S
190 X 370MM
62 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| - | - | 47613 | 1 | Foam spacer |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 106304 - 1/4" SOCKET BIT SAE SET, SFS 1/3, 63-PCS

190 X 370MM

1476 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21905...13 | 9 | Flank socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | 601006 | 10 | Hex ball long key set 10-pcs |
| - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| - | 7110301 | 1 | Disc ratchet 1/4" 72 teeth |
| - | 72401 | 1 | Spinner 1/4" 150mml |
| - | 7141050...150 | 3 | Extension 1/4", 50, 100, 150mml |
| - | 71511 | 1 | Universal joint 1/4" |
| - | 72225 | 1 | Magnetic socket pick-up 1/4" |
| | 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| | 81413703...08 | 6 | Bit socket hex 1/4", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" |
| | 8163706...40 | 11 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 8173706...40 | 11 | Bit socket TX tamperproof 1/4", T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 204102 - 3/8" SOCKET BIT SAE SET, SFS 1/3, 41-PCS

190 X 370MM

2380 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 22906...18 | 10 | Flank socket 3/8", 12 pt. 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" |
| | 22607...18 | 8 | Socket TX 3/8", E7, E8, E10, E11, E12, E14, E16, E18 |
| - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| - | 7110302 | 1 | Disc ratchet 3/8" 72 teeth |
| | 7172214 | 1 | Spark plug socket 3/8", 12 pt. 14mm |
| | 7171216...18 | 3 | Spark plug socket 3/8", 16, 18, 21mm |
| - | 7142044...200 | 4 | Extension 3/8", 44, 75, 150, 200mml |
| - | 71521 | 1 | Universal joint 3/8" |
| | 82414805...12 | 6 | Bit socket hex 3/8", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16" |
| | 8264825...50 | 6 | Bit socket TX 3/8", T25, T27, T30, T40, T45, T50 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 202302 - 3/8" LONG SOCKET SAE SET, SFS 1/3, 23-PCS

190 X 370MM

1840 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 2296310...21 | 8 | Flank deep socket 3/8", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" |
| | 7152610...16 | 4 | Cardan socket TX 3/8", E10, E12, E14, E16 |
| - | 71521 | 1 | Universal joint 3/8" |
| | 2266306...20 | 10 | Deep socket TX 3/8", E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 302005 - 1/2" COMBINATION SAE SET, SFS 1/3, 20-PCS

190 X 370MM

2874 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23910...32 | 15 | Flank socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 302004 - 1/2" DEEP SOCKET SAE SET, SFS 1/3, 20-PCS

190 X 370MM

3760 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 2397710...32 | 15 | Flank deep socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 2367714...22 | 5 | Deep socket TX 1/2", E14, E16, E18, E20, E22 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 303806 - 1/2" SOCKET BIT SAE SET, SFS 1/3, 38-PCS

190 X 370MM

3226 GRAM




| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23910...32 | 15 | Flank socket 1/2" 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 3/4", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 23610...24 | 8 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E24 |
| | 834106205...17 | 10 | Bit socket hex 1/2", 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8" |
| | 83606245...70 | 5 | Bit socket TX 1/2", T45, T50, T55, T60, T70 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601406 - COMBINATION WRENCH SAE SET, SFS 1/3, 14-PCS

190 X 370MM

2332 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4150206...27 | 14 | Combination wrench 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603506 - SCREWDRIVER SET, SFS, 35-PCS

M
570 X 370MM
2400 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1311...13 | 3 | Screwdriver PH, PH.1, PH.2, PH.3 |
| | 1311S...2S | 2 | Screwdriver stubby, PH, PH.1, PH.2 |
| | 13303...08 | 5 | Screwdriver slotted, 3, 4, 5.5, 6.5, 8mm |
| | 133055S | 1 | Screwdriver stubby slotted, 5.5mm |
| | 13606...30 | 10 | Screwdriver TX, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 |
| | 1950205...08 | 3 | Hex ball point grip key 5, 6, 8mm |
| | 17320002 | 1 | Electronic screwdriver 2mm |
| | 601008 | 10 | Hex ball key set extra long 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602708 - SCREWDRIVERS SET, SFS, 27-PCS

M
570 X 370MM
2290 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1311...13 | 3 | Screwdriver PH, PH.1, PH.2, PH.3 |
| | 1311S | 1 | Screwdriver stubby, PH PH.1 |
| | 1321...23 | 3 | Screwdriver PZ, PZ.1, PZ.2, PZ.3 |
| | 1321S | 1 | Screwdriver stubby PZ, PZ.1 |
| | 13303...08 | 5 | Screwdriver slotted, 3, 4, 5.5, 6.5, 8mm |
| | 133055S | 1 | Screwdriver stubby slotted, 5.5mm |
| | 13606...40 | 11 | Screwdriver TX, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 47536...37 | 2 | Flexible hex nut driver 6, 7mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604102 - SCREWDRIVER SET, SFS, 41-PCS

M
570 X 370MM
3140 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | 1312S | 1 | Screwdriver stubby, PH, PH.2 |
| | 13304...08 | 4 | Screwdriver slotted, 4, 5.5, 6.5, 8mm |
| | 133055S | 1 | Screwdriver stubby slotted, 5.5mm |
| | 13608...40 | 9 | Screwdriver TX, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 47536...08 | 3 | Flexible hex nut driver 6, 7, 8mm |
| | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | 600912 | 9 | Hex ball stubby key set 9-pcs 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | 12425010 | 1 | Hex nut driver 10mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602709 - SCREWDRIVERS SET, SFS, 27-PCS

M
570 X 370MM
2144 GRAM




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | 1312S | 1 | Screwdriver stubby PH, PH.2 |
| | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | 133055S | 1 | Screwdriver stubby slotted, 5.5mm |
| | 16325 | 1 | VDE scewdriver slotted, 2.5mm |
| | 136...45 | 12 | Screwdriver TX, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 |
| | 47537...38 | 2 | Flexible hex nut driver 7, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602407 - SCREWDRIVER SET, SFS, 24-PCS

M
570 X 370MM
2200 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | 13605...40 | 12 | Screwdriver TX, T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 4821308...12 | 2 | Pry bar 200mml 8", 300mml 12" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601808 - SCREWDRIVER SET, SFS, 18-PCS

M

570 X 370MM

2222 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 1314502 | 1 | Screwdriver PH, PH.2 450mml |
| | | 13345065 | 1 | Screwdriver slotted, 6.5 450mml |
| | | 15101...02 | 2 | Hammer screwdriver PH, PH.1, PH.2 |
| | | 1530155...08 | 3 | Hammer screwdriver slotted, 5.5, 6.5, 8mm |
| | - | 47829 | 1 | Mini straight pick hook |
| | - | 47830 | 1 | Mini degree hook |
| | - | 47831 | 1 | Mini full hook |
| | - | 47832 | 1 | Mini small angle hook |
| | - | 47901 | 1 | Door upholstery panel remover 100mml |
| | - | 47909 | 1 | Straight pick (6x135) |
| | - | 47910 | 1 | Degree hook (6x135) |
| | - | 47911 | 1 | Full hook (6x135) |
| | - | 47912 | 1 | Small angle hook (6x135) |
| | - | 4821308...12 | 2 | Pry bar 200mml 8", 300mml 12" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 112102 - COMBINATION SET 1/4", SFS, 121-PCS

M

570 X 370MM

4020 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | - | 4821308 | 1 | Pry bar 200mml 8" |
| | multi | 601001 | 16 | 16 in 1 ratchet screwdriver |
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 2165004...10 | 6 | Deep socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 8143703...10 | 7 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8, 10mm |
| | | 8153710...40 | 7 | Tamper-resistant 1/4", TX plus (5 lobes)<br>10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |
| | | 8163708...40 | 8 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30, T40 |
| | | 8173708...40 | 8 | Bit socket TX tamperproof 1/4",<br>T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | | 600902 | 9 | TX key set extra long, 9-pcs,<br>T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 601008 | 10 | Hex ball key set extra long 10-pcs,<br>1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | - | 7110101 | 1 | Flexible ratchet 1/4", 45 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | - | 7120701 | 1 | Ratchet 1/4" 72 teeth |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 106105 - COMBINATION SET 1/4" SCREWDRIVER AND WRENCH, SFS, 61-PCS

M
570 X 370MM
3254 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1311...12 | 2 | Screwdriver PH, PH.1, PH.2 |
| | | 13303...65 | 4 | Screwdriver slotted, 3, 4, 5.5, 6.5mm |
| | | 21503...12 | 12 | Flank socket 1/4", 6 pt.<br>3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10 11, 12mm |
| | | 2155008...13 | 6 | Flank deep socket 1/4", 6 pt. 8, 9, 10, 11, 12, 13mm |
| | - | 41506...24 | 18 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm |
| | - | 7110301 | 1 | Disc ratchet 1/4" 72 teeth |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 8143703...07 | 6 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7mm |
| | | 8163710...30 | 6 | Bit socket TX 1/4", T10, T15, T20, T25, T27, T30 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602904 - SCREWDRIVERS & WRENCH SET, SFS, 29-PCS

M
570 X 370MM
4360 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1311...2 | 2 | Screwdriver PH, PH.1, PH.2 |
| | | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | - | 41506...32 | 21 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 116901 - SCREWDRIVER & 1/4" BIT SOCKET SET SFS, 169-PCS

M
570 X 370MM
4726 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21804...13 | 12 | Flank socket 1/4", 12 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2185004...13 | 12 | Flank deep socket 1/4", 12 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 2165004...10 | 6 | Deep socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 8113700...03 | 4 | Bit socket PH 1/4", PH.0, PH.1, PH.2, PH.3 |
| | | 8123700...03 | 4 | Bit socket PZ 1/4", PZ.0, PZ.1, PZ.2, PZ. 3 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...10 | 9 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | | 8103703...10 | 9 | Bit socket ball hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | | 8163706...40 | 11 | Bit socket TX 1/4",<br>T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | | 81613715...40 | 6 | Bit socekt ball TX 1/4", T15, T20, T25, T27, T30, T40 |
| | | 8173706...40 | 11 | Bit socket TX tamperproof 1/4", T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | | 8153708...50 | 10 | 1/4" Tamper-Res. TX plus 8IPR, 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR, 45IPR, 50IPR (5 lobes) |
| | | 8183704...10 | 5 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |
| | | 8193704...10 | 6 | Bit socket ribe 1/4", M4, M5, M6, M7, M8, M10 |
| | - | 72401 | 1 | Spinner 1/4", 150mml |
| | - | 7141100...250 | 4 | Extension 1/4", 100, 150, 250mml |
| | - | 7120101 | 1 | Stubby ratchet 1/4" -45 teeth |
| | - | 7271150 | 1 | Swivel grip handle 1/4" |
| | - | 7121501 | 1 | Ratchet 1/4", 60 teeth |
| | - | 7110201 | 1 | Ratchet 1/4", 72 teeth |
| | - | 72601 | 1 | Speedy T-grip 1/4" |
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | - | 73210525 | 1 | Torques wrench 1/4", 5-25Nm |
| | | 7151806...13 | 8 | Cardan socket 1/4" 12 pt. 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 7151605...08 | 4 | Cardan socket TX 1/4", E5, E6, E7, E8 |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | - | 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 7211 | 1 | Flexible extension 1/4" |
| | - | 71911110 | 1 | 1/4" Dr. Universal 2-in-1 SB-Adapter 110mml |
| | - | 41202 | 1 | Hinged driver 1/4" - 3/8" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 206501 - COMBINATION SET 3/8" & 1/2", SFS, 65-PCS

M

570 X 370MM

5846 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 22510...21 | 12 | Flank socket 3/8", 6 pt.<br>10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm |
| | 2256310...17 | 6 | Flank deep socket 3/8", 6 pt. 10, 13, 14, 15, 16, 17mm |
| | 22607...14 | 6 | Socket TX 3/8", E7, E8, E10, E11, E12, E14 |
| | 7110302 | 1 | Disc ratchet 3/8" 72 teeth |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142075...250 | 3 | Extension 3/8" 75, 150, 250mml |
| | 71521 | 1 | Universal joint 3/8" |
| | 7171216...21 | 2 | Spark plug socket 3/8" 16, 21mm |
| | 8244805...10 | 6 | Bit socket hex 3/8", 5, 6, 7, 8, 9, 10mm |
| | 8264820...50 | 6 | Bit socket TX 3/8", T25, T27, T30, T40, T45, T50 |
| | 23516...32 | 11 | Flank socket 1/2" 6 pt.<br>16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
| | 2357713...22 | 5 | Flank deep socket 1/2" 6 pt. 13, 15, 17, 19, 22mm |
| | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | 71531 | 1 | Universal joint 1/2" |
| | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 214201 - SCREWDRIVER & 1/4" BIT SOCKET SET, SFS, 169-PCS

M

570 X 370MM

6772 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21503...14 | 12 | Flank socket 1/4", 6 pt.<br>3, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 7131115 | 1 | Sliding T-handle 1/4" |
| | 71511 | 1 | Universal joint 1/4" |
| | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | 7261250 | 1 | Wobble extension 1/4" 250mml |
| | 7151608 | 1 | Cardan socket 1/4", TX E8 |
| | 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| | 72225 | 1 | Magnet socket pick-up 1/4" |
| | 72401 | 1 | Spinner 1/4" 150mml |
| | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | 8133704...065 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | 8143703...08 | 5 | Bit socket hex 1/4", 3, 4, 5, 6, 8mm |
| | 8163710...40 | 7 | Bit socket TX 1/4", T10, T15, T20, T25, T27, T30, T40 |
| | 22507...22 | 16 | Flank socket 3/8", 6 pt.<br>7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | 2256308...21 | 14 | Flank deep socket 3/8", 6 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm |
| | 22605...14 | 8 | Socket 3/8", TX E5, E6, E7, E8, E10, E11, E12, E14 |
| | 7110102 | 1 | Flexible ratchet 3/8", 45 teeth |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142075...250 | 3 | Extension 3/8" 75, 150, 250mml |
| | 7152610 | 1 | Cardan socket TX 3/8" E10 |
| | 7152810...16 | 7 | Cardan socket 3/8", 10, 11, 12, 13, 14, 15, 16mm |
| | 71521 | 1 | Universal joint 3/8" |
| | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | 71932 | 1 | Adaptor 1/2"(F) x 3/8"(M) |
| | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
| | 8244803...10 | 9 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8264815...55 | 9 | Bit socket TX 3/8",<br>T15, T20, T25, T27, T30, T40, T45, T50, T55 |
| | 8269025 | 1 | Bit socket TX 3/8", 90mml T25 |
| | 8284804...12 | 7 | Bit socket spline 3/8", M4, M5, M6, M8, M9, M10, M12 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 214702 - SOCKET 1/4", 1/2" AND WRENCH SET, SFS 130-PCS

M

570 X 370MM

6188 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21504...13 | 12 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 21604...10 | 6 | Socket 1/4", TX E4, E5, E6, E7, E8, E10 |
| | 8183704...08 | 4 | Bit socket spline 1/4", M4, M5, M6, M8 |
| | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | 8163706...40 | 11 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 8113700...03 | 4 | Bit socket PH 1/4", PH.0, PH.1, PH.2, PH.3 |
| | 8173706...40 | 11 | Bit socket TX tamperproof 1/4", T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | 8153708...50 | 10 | 1/4" TX Plus Biteinsatz, 8IPR, 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR, 45IPR, 50IPR |
| | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | 8143703...08 | 7 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8mm |
| | 72225 | 1 | Magnet socket pick-up 1/4" |
| | 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | 71511 | 1 | Universal joint 1/4" |
| | 41202 | 1 | Hinged driver 1/4"-3/8" |
| | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mmL |
| | 7261250 | 1 | Wobble extension 1/4" 250mmL |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 7121101 | 1 | Twister ratchet 1/4" |
| | 72402 | 1 | Spinner 1/4" 150mmL |
| | 100301-1 | 1 | 1/4"DR. drill adaptor |
| | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | 22510...19 | 10 | Flank socket 3/8", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 22608...14 | 5 | Socket 3/8", TX E8, E10, E11, E12, E14 |
| | 8284806...12 | 5 | Bit socket spline 3/8", M6, M8, M9, M10, M12 |
| | 8294804...12 | 8 | Bit socket ribe 3/8", M4, M5, M6, M7, M8, M9, M10, M12 |
| | 8264825...60 | 8 | Bit socket TX 3/8", T25, T27, T30, T40, T45, T50, T55, T60 |
| | 8244806...12 | 6 | Bit socket hex 3/8", 6, 7, 8, 9, 10, 12mm |
| | 71923 | 1 | Adaptor 3/8"(F)x 1/2"(M) |
| | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 8274830...60 | 6 | Bit socket TX tamperproof 3/8", T30H, T40H, T45H, T50H, T60H |
| | 7172216...21 | 3 | Spark plug 3/8" clip socket 16, 18, 21mm |
| | 7172214 | 1 | Spark plug clip socket 12-pt. 3/8" 14mm |
| | 71521 | 1 | Universal joint 3/8" |
| | 7142075..200 | 3 | Extension 3/8" 75, 150, 200mmL |
| | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7121102 | 1 | Twister ratchet 3/8" |
| | 7142450 | 1 | Extension 3/8" 450mmL |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 213901 - SOCKET COMBINATON SET 1/4" & 3/8", SFS, 139-PCS

M

570 X 370MM

5920 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21505...14 | 12 | Flank socket 1/4", 6 pt. 4.5, 5, 5.5, 6, 7, 8, 9, 10 ,11, 12, 13, 14mm |
| | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | 7110101 | 1 | Flexible ratchet 1/4" 45 teeth |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 7131115 | 1 | Sliding T-handle 1/4" |
| | 7141050...150 | 2 | Extension 1/4" 50, 150mml |
| | 71511 | 1 | Universal joint 1/4" |
| | 72401 | 1 | Spinner 1/4" 150mml |
| | 72225 | 1 | Magnet socket pick-up 1/4" |
| | 8113700...03 | 4 | Bit socket PH 1/4", PH.0, PH.1, PH.2, PH.3 |
| | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| | 8153710...40 | 7 | Tamper-resistant 1/4", TX PLUS (5 LOBES) 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |
| | 8163706...40 | 11 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 8183704...10 | 5 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |
| | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | 22604...14 | 9 | Socket TX 3/8", E4, E5, E6, E7, E8, E10, E11, E12, E14 |
| | 7110102 | 1 | Flexible ratchet 3/8" 45 teeth |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142044...250 | 4 | Extension 3/8" 44, 75, 150, 250mml |
| | 71521 | 1 | Universal joint 3/8" |
| | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
| | 8244803...10 | 9 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8264815...55 | 9 | Bit socket TX 3/8", T15, T20, T25, T27, T30, T40, T45 T50, T55 |
| | 8274815...55 | 9 | Bit socket TX tamperproof 3/8", T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H |
| | 8284804...12 | 7 | Bit socket spline 3/8", M4, M5, M6, M8, M9, M10, M12 |
| | 4160608...2024 | 4 | TX wrench E6XE8, E10XE12, E14XE18, E20XE24 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 215702 - COMBINATION SET 1/7", & 3/8", SFS, 157-PCS

M

570 X 370MM

5800 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | 2165004...10 | 6 | Deep socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | 601008 | 10 | Hex ball key set extra long 10-pcs,<br>1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | 600902 | 9 | TX key set extra long, 9-pcs,<br>T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | 7110101 | 1 | Flexible ratchet 1/4", 45 teeth |
| | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | 7110201 | 1 | Ratchet 1/4" 72 teeth |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | 71511 | 1 | Universal joint 1/4" |
| | 72225 | 1 | Magnet socket pick-up 1/4" |
| | 8143703...08 | 7 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8mm |
| | 8153710...40 | 7 | Tamper-Resistant 1/4", TX plus (5 lobes)<br>10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |
| | 8163706...25 | 8 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25 |
| | 8173706...25 | 8 | Bit socket TX tamperproof 1/4",<br>T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H |
| | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,<br>16, 17, 18, 19, 20, 21, 22mm |
| | 22604...14 | 9 | Socket TX 3/8", E4, E5, E6, E7, E8, E10, E11, E12, E14 |
| | 7110302 | 1 | Disc ratchet 3/8" 72 teeth |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142075...250 | 3 | Extension 3/8" 75, 150, 250mml |
| | 71521 | 1 | Universal joint 3/8" |
| | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 7171216...21 | 3 | Spark plug socket 3/8" 16, 18, 21mm |
| | 8244803...10 | 9 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8264815...55 | 9 | Bit socket TX 3/8",<br>T15, T20, T25, T27, T30, T40, T45, T50, T55 |
| | 8274815...55 | 9 | Bit socket TX tamperproof 3/8", T15H, T20H, T25H,<br>T27H, T30H, T40H, T45H, T50H, T55H |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 316001 - COMBINATION SET 1/4", 3/8" & 1/2", SFS, 160-PCS

M

570 X 370MM

8340 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21503...13 | 13 | Flank socket 1/4", 6 pt.<br>3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155005...13 | 9 | Flank deep socket 1/4", 6 pt.<br>5, 6, 7, 8, 9, 10 ,11, 12, 13mm |
| | 22510...21 | 12 | Flank socket 3/8", 6 pt.<br>10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm |
| | 23508...32 | 21 | Flank socket 1/2", 6 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17,<br>18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 30, 32mm |
| | 600902 | 9 | TX key set extra long, 9-pcs,<br>T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | 601008 | 10 | Hex ball key set extra long 10-pcs,<br>1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | 72401 | 1 | Spinner 1/4" 150mml |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | 71511 | 1 | Universal joint 1/4" |
| | 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| | 8143703...10 | 9 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8163708...40 | 8 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30, T40 |
| | 8183704...10 | 5 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142075...150 | 2 | Extension 3/8" 75, 250mml |
| | 71521 | 1 | Universal joint 3/8" |
| | 72023 | 1 | Bit holder 3/8"(F) x 10mm(F) |
| | 7171216...21 | 2 | Spark plug socket 3/8" 16, 21mm |
| | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | 7133250 | 1 | Sliding T-handle 1/2" |
| | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | 71531 | 1 | Universal joint 1/2" |
| | 72033 | 1 | Bit holder 1/2"(F) x 10mm(F) |
| | 9343004...12 | 7 | Bit hex 10mm, 30mml 4, 5, 6, 7, 8, 10, 12 |
| | 9347504...12 | 7 | Bit hex 10mm, 75mml 4, 5, 6, 7, 8, 10, 12 |
| | 9363020...60 | 8 | Bit TX 10mm, 30mml<br>T20, T25, T30, T40, T45, T50, T55, T60 |
| | 9367520...60 | 8 | Bit TX 10mm, 75mml<br>T20, T25, T30, T40, T45, T50, T55, T60 |
| | 9383005...12 | 5 | Bit spline 10mm, 30mml M5, M6, M8, M10, M12 |
| | 9387505...12 | 5 | Bit spline 10mm, 75mml M5, M6, M8, M10, M12 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 313802 - BIT SOCKET SET 1/4" & 1/2", SFS, 138-PCS

M
570 X 370MM
8660 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21504...14 | 12 | Flank socket 1/4", 6 pt. 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | 23510...32 | 21 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm |
| | 23611...24 | 7 | Socket TX 1/2", E11, E12, E14, E16, E18, E20, E24 |
| | 24936 | 1 | Socket 3/4", 12 pt. 36mm |
| | 3310117...19 | 2 | Wheel socket 1/2", 6 pt. 17, 19mm |
| | 1860106...09 | 4 | Key wrench TX extra long, T6, T7, T8, T9 |
| | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | 601008 | 10 | Hex ball key set extra long 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| - | 7131115 | 1 | Sliding T-handle 1/4" |
| - | 7141050...150 | 2 | Extension 1/4" 50, 150mml |
| - | 71511 | 1 | Universal joint 1/4" |
| - | 72401 | 1 | Spinner 1/4" 150mml |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7133250 | 1 | Sliding T-handle 1/2" |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71934 | 1 | Adaptor 1/2"(F) x 3/4"(M) |
| | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | 8123701...02 | 2 | Bit socket PZ 1/4", PZ.1, PZ.2 |
| | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| | 8163706...40 | 11 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 8173706...40 | 11 | Bit socket TX tamperproof 1/4", T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | 83406205...19 | 9 | Bit socket hex 1/2", 5, 6, 7, 8, 10, 12, 14, 17, 19mm |
| | 83606240...60 | 5 | Bit socket TX 1/2", T40, T45, T50, T55, T60 |
| | 83610025 | 1 | Bit socket TX 1/2", 100mml T25 |
| | 83806206...10 | 3 | Bit socket spline 1/2", M6, M8, M10 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 310101 - COMBINATION SET 3/8" & 1/2", SFS, 101-PCS

M
570 X 370MM
7300 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12,13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | 22604...14 | 9 | Socket TX 3/8", E4 E5, E6, E7, E8, E10, E11, E12, E14 |
| | 8244803...10 | 9 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8264815...55 | 9 | Bit socket TX 3/8", T15, T20, T25, T27, T30, T40, T45, T50, T55 |
| | 8274815...55 | 9 | Bit socket TX tamperproof 3/8", T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H |
| - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| - | 7142075...250 | 3 | Extension 3/8" 75, 150, 250mml |
| - | 71521 | 1 | Universal joint 3/8" |
| - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 7171216...21 | 3 | Spark plug socket 3/8" 16, 18, 21mm |
| | 23508...32 | 24 | Flank socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm |
| | 23610...24 | 9 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 309502 - COMBINATION SET 1/2", SFS, 95-PCS

M
570 X 370MM
10440 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 23508...32 | 24 | Flank socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm |
| | 23610...24 | 9 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 7273380 | 1 | Swivel handle 1/2" 380mml |
| | 83406206...17 | 8 | Bit socket hex 1/2", 6, 7, 8, 9, 10, 12, 14, 17mm |
| | 83410006...17 | 8 | Bit socket hex 1/2", 100mml 6, 7, 8, 9, 10, 12, 14, 17mm |
| | 83606227...70 | 8 | Bit socket TX 1/2", T27, T30, T40, T45, T50, T55, T60, T70 |
| | 83610027...70 | 8 | Bit socket TX 1/2", 100mml T27, T30, T40, T45, T50, T55, T60, T70 |
| | 83706227...70 | 8 | Bit socket tamperproof 1/2", TX T27H, T30H, T40H, T45H, T50H, T55H, T60H, T70H |
| | 83806205...16 | 8 | Bit socket spline 1/2", M5, M6, M8, M9, M10, M12, M14, M16 |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | 83906208...14 | 7 | Bit socket ribe 1/2", M8, M9, M10, M11, M12, M13, M14 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 309507 - COMBINATION SET 1/2", SFS 95-PCS

M

570 X 370MM

11854 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23612...24 | 7 | Socket 1/2", TX E12, E14, E16, E18, E20, E22, E24 |
| | 33510...19 | 10 | Impact socket 1/2", 6pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 3398530...36 | 4 | Impact socket 1/2", 12pt. deep 30, 32, 34, 36mm |
| | 3310717...21 | 3 | Wheel socket 1/2", 6pt. 17, 19, 21mm |
| - | 7273380 | 1 | Swivel grip handle 1/2" 370mmL |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125..250 | 2 | Extension 1/2" 125, 250mmL |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 7263050 | 1 | Wobble extension 1/2" 50mmL |
| | 83406206...17 | 8 | Bit socket hex 1/2", 6, 7, 8, 9, 10, 12, 14, 17mm |
| | 83706227...70 | 8 | Bit socket tamperproof 1/2", TX T27H, T30H, T40H, T45H, T50H, T55H, T60H, T70H |
| | 83606227...70 | 8 | Bit socket TX 1/2", T27, T30, T40, T45, T50, T55, T60, T70 |
| | 83906208...14 | 7 | Bit socket ribe 1/2", M8, M9, M10, M11, M12, M13, M14 |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | 83806205...16 | 8 | Bit socket spline 1/2", M5, M6, M8, M9, M10, M12, M14, M16 |
| | 86404314...19 | 3 | Bit socket impact hex 1/2", one-piece 14, 17, 19mm |
| - | 73531 | 1 | Impact universal joint 1/2" |
| | 83805517 | 1 | Bit socket XZN 1/2", M17 55mmL |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 306101 - COMBINATION SET 1/2", SFS, 61-PCS

M

570 X 370MM

8220 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23510...32 | 19 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 28, 30, 32mm |
| | 23809...13 | 3 | Socket 1/2", 12 pt. 9, 10, 13mm |
| | 3310117...19 | 2 | Wheel socket 1/2", 6 pt. 17, 19mm |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7133250 | 1 | Sliding T-handle 1/2", 250mml |
| - | 7143125...250 | 2 | Extension 1/2", 125mml, 250mml |
| - | 7263050...250 | 3 | Wobble extension 1/2", 50, 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71934 | 1 | Adaptor for extension 1/2"(F) x 3/4"(M) |
| | 83010005...10 | 6 | Bit socket hex ball 1/2", 100mml 5, 6, 7, 8, 9, 10mm |
| | 83410006...08 | 2 | Bit socket hex 1/2", 100mml 6, 8mm |
| | 83414010 | 1 | Bit socket hex 1/2", 140mml 10mm |
| | 83424806 | 1 | Bit socket hex 1/2", 248mml 6 |
| | 83606245...60 | 4 | Bit socket TX 1/2", T45, T50, T55, T60mm |
| | 83610045 | 1 | Bit socket TX 1/2", 100mml T45 |
| | 83806208...14 | 5 | Bit socket spline 1/2", M8, M9, M10, M12, M14 |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | 83810008...14 | 4 | Bit socket spline 1/2", 100mml M8, M10, M12, M14 |
| | 83910009 | 1 | Bit socket ribe 1/2", 100mml M9 |
| | 24934 | 1 | Socket 3/4", 12 pt. 34mm |
| | 87810518 | 1 | Impact bit spline 3/4", M18 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 310501 - COMBINATION SET 1/2", SFS, 105-PCS

M

570 X 370MM

8320 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 103101 | 31 | Bit set 1/4", 31-pcs |
| | | 23610...24 | 9 | Socket TX 1/2",<br>E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| | - | 7273380 | 1 | Swivel grip handle 1/2" 380mml |
| | | 83406205...19 | 10 | Bit socket hex 1/2", 5, 6, 7, 8, 9, 10, 12, 14, 17, 19mm |
| | | 83410005...14 | 7 | Bit socket hex 1/2", 100mml 5, 6, 7, 8, 10 ,12, 14mm |
| | | 83414010 | 1 | Bit socket hex 1/2", 140mml 10mm |
| | | 83424806 | 1 | Bit socket hex 1/2", 248mml 6mm |
| | | 83606225...70 | 9 | Bit socket TX 1/2",<br>T25, T27, T30, T40, T45, T50, T55, T60, T70 |
| | | 83610025...70 | 9 | Bit socket TX 1/2", 100mml<br>T25, T27, T30, T40, T45, T50, T55, T60, T70 |
| | | 83614070 | 1 | Bit socket TX 1/2", 140mml T70 |
| | | 83806205...14 | 7 | Bit socket spline 1/2", M5, M6, M8, M9, M10, M12, M14 |
| | | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | | 83810006...14 | 5 | Bit socket spline 1/2", 100mml M6, M8, M10, M12, M14 |
| | | 86807818 | 1 | Impact bit socket spline 1/2", 78mml M18 |
| | | 83910009 | 1 | Bit socket ribe 1/2", 100mml M9 |
| | | 83912011 | 1 | Bit socket ribe 1/2", 120mml M10-1 |
| | | 83914010 | 1 | Bit socket ribe 1/2", 140mml M10 |
| | | 83924007...8 | 2 | Bit socket ribe 1/2", 240mml M7, M8 |
| | - | 818026-6...12 | 5 | Twist socket 1/4", 6, 8, 10, 11, 12mm |
| | - | 818026-13...21 | 6 | Twist socket 1/2", 13, 14, 15, 17, 19, 21mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 306601 - COMBINATION SET 1/2", SFS, 66-PCS

M

570 X 370MM

8340 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 23510...32 | 19 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 28, 30, 32mm |
| | | 23610...24 | 9 | Socket TX 1/2",<br>E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| | | 3310117...19 | 2 | Wheel socket 1/2", 6 pt. 17, 19mm |
| | | 4160608...2024 | 4 | TX wrench E6XE8, E10XE12, E14XE18, E20XE24 |
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | - | 7133250 | 1 | Sliding T-handle 1/2", 250mml |
| | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71923 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| | - | 71932 | 1 | Adaptor 1/2"(F) x 3/8"(M) |
| | - | 7263050...500 | 2 | Wobble extension 1/2", 50, 500mml |
| | - | 7273380 | 1 | Swivel grip handle 1/2" 380mml |
| | | 83406206...19 | 9 | Bit socket hex 1/2", 6, 7, 8, 9, 10, 12, 14, 17, 19mm |
| | | 83606220...60 | 9 | Bit socket TX 1/2",<br>T20, T25, T27, T30, T40, T45, T50, T55, T60 |
| | | 83706230...50 | 4 | Bit socket TX tamperproof 1/2",<br>T30H, T40H, T45H, T50H |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 311201 - BIT SOCKET SET 1/4", 3/8" & 1/2", SFS 112-PCS

M

570 X 370MM

6188 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21504...13 | 12 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 8143703...10 | 9 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8163706...40 | 11 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | 71511 | 1 | Universal joint 1/4" |
| | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mmL |
| | 72225 | 1 | Magnet socket pick-up 1/4" |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 72402 | 1 | Spinner 1/4" 150mmL |
| | 7261250 | 1 | Wobble extension 1/4" 250mmL |
| | 22506...19 | 14 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 8244804...12 | 9 | Bit socket hex 3/8", 4, 5, 5.5, 6, 7, 8, 9, 10, 12mm |
| | 71521 | 1 | Universal joint 3/8" |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142075...200 | 3 | Extension 3/8" 75, 150, 200mmL |
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 71531 | 1 | Universal joint 1/2" |
| | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | 7143125...250 | 1 | Extension 1/2" 125mmL |
| | 7133250 | 1 | Sliding T handle 1/2" |
| | 601008 | 10 | Hex ball extra long key set 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | 600902 | 9 | TX wrench, extra long key set 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 313902 - BIT SOCKET SET 1/4", 3/8" & 1/2", SFS, 139-PCS

M

570 X 370MM

8554 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 21505...13 | 10 | Flank socket 1/4", 6 pt. 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155005...13 | 10 | Flank deep socket 1/4", 6 pt. 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | 7141050...100 | 2 | Extension 1/4" 50,100mml |
| | 71511 | 1 | Universal joint 1/4" |
| | 72401 | 1 | Spinner 1/4" 150mml |
| | 8143703...07 | 5 | Bit socket hex 1/4", 3, 4, 5, 6, 7mm |
| | 8153710...45 | 8 | Tamper-Resistant 1/4", TX plus (5 lobes) 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR, 45IPR |
| | 8163706...10 | 5 | Bit socket TX 1/4", T6, T7, T8, T9, T10 |
| | 8173706...10 | 5 | Bit socket TX tamperproof 1/4", T6H, T7H, T8H, T9H, T10H |
| | 22508...19 | 12 | Flank socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7142075...150 | 2 | Extension 3/8" 75, 150mml |
| | 71521 | 1 | Universal joint 3/8" |
| | 7171216...21 | 3 | Spark plug socket 3/8" 16, 18, 21mm |
| | 8214802 | 1 | Bit socket PH 3/8", PH.2 |
| | 8244805...12 | 8 | Bit socket hex 3/8", 5, 5.5, 6, 7, 8, 9, 10, 12mm |
| | 8264815...50 | 8 | Bit socket TX 3/8", T15, T20, T25, T27, T30, T40, T45, T50 |
| | 8274815...50 | 8 | Bit socket TX tamperproof 3/8", T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H |
| | 8284804...12 | 7 | Bit socket spline 3/8", M4, M5, M6, M8, M9, M10, M12 |
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | 71531 | 1 | Universal joint 1/2" |
| | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| | 83406210...17 | 4 | Bit socket hex 1/2", 10, 12, 14, 17mm |
| | 83606255...70 | 3 | Bit socket TX 1/2", T55, T60, T70 |
| | 83706255...70 | 3 | Bit socket TX tamperproof 1/2", T55H, T60H, T70H |
| | 83806210...16 | 4 | Bit socket spline 1/2", M10, M12, M14, M16 |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 309302 - SOCKET SET 1/4" 3/8" 12", SFS, 93-PCS

M

570 X 370MM

9040 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21505...13 | 9 | Flank socket 1/4", 6 pt. 5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155005...13 | 9 | Flank deep socket 1/4", 6 pt. 5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 22514...21 | 7 | Flank socket 3/8", 6 pt. 14, 15, 16, 17, 18, 19, 21mm |
| | 2256314...21 | 7 | Flank deep socket 3/8", 6 pt. 14, 15, 16, 17, 18, 19, 21mm |
| | 23522...32 | 8 | Flank socket 1/2", 6 pt. 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 2357722...32 | 8 | Flank deep socket 1/2", 6 pt. 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 8153715...30 | 4 | Tamper-Resistant 1/4", TX plus (5 lobes) 15IPR, 20IPR, 25IPR, 30IPR |
| | 8264808...45 | 9 | Bit socket TX 3/8", T8, T10, T15, T20, T25, T27, T30, T40, T45 |
| | 83406210...19 | 5 | Bit socket hex 1/2", 10, 12, 14, 17, 19mm |
| | 601008 | 10 | Hex ball key set extra long 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| - | 7110201 | 1 | Rotor ratchet 1/4", 72 teeth |
| - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| - | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| - | 7110202 | 1 | Rotor ratchet 3/8", 72 teeth |
| - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| - | 7142044...250 | 4 | Extension 3/8" 44, 75, 150, 250mml |
| - | 71522 | 1 | Universal ball joint 3/8" |
| - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 7110203 | 1 | Rotor ratchet 1/2", 72 teeth |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 311101 - BIT SOCKET SET 1/4", 3/8" & 1/2", SFS, 111-PCS

M

570 X 370MM

7780 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21504...13 | 10 | Flank socket 1/4", 6 pt. 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| - | 71511 | 1 | Universal joint 1/4" |
| - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | 8113702 | 1 | Bit socket PH 1/4", PH.2 |
| | 81337055 | 1 | Bit socket slotted 1/4", 5.5mm |
| | 8143703...7 | 5 | Bit socket hex 1/4", 3, 4, 5, 6, 7mm |
| | 8153710...40 | 7 | Tamper-Resistant 1/4", TX plus (5 lobes) 10IPR, 15PR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |
| | 8163710...40 | 7 | Bit socket TX 1/4", T10, T15, T20, T25, T27, T30, T40 |
| | 8173710...40 | 7 | Bit socket TX tamperproof 1/4", T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | 22508...19 | 12 | Flank socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 2256308...19 | 12 | Flank deep socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| - | 71521 | 1 | Universal joint 3/8" |
| - | 7142075...150 | 2 | Extension 3/8" 75, 150mml |
| - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 7172214 | 1 | Spark plug clip socket 12 pt. 3/8" 14mm |
| | 7171216...18 | 3 | Spark plug socket 3/8" 16, 18, 21mm |
| | 7176208...16 | 6 | Glow plug socket 3/8", 8, 9, 10, 12, 14, 16mm |
| | 23510...32 | 19 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 27, 28, 30, 32mm |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 7133250 | 1 | Sliding T-handle 1/2" |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| | 4476004 | 1 | Glow plug pliers bent 240mml |
| | 4476005 | 1 | Spark plug pliers 290mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 306402 - BIT SOCKET SET 1/2", SFS, 64-PCS

M
570 X 370MM
8080 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 83710025...80 | 10 | Bit socket TX tamperproof 1/2", 100mml T25H, T27H, T30H, T40H, T45H, T50H, T55H, T60H, T70H, T80H |
| | 83810005...16T | 9 | Bit socket spline 1/2", 100mml M5, M6, M8, M9, M10, M12, M14, M16, M16T |
| | 83910005...16 | 10 | Bit socket ribe 1/2", 100mml M5, M6, M7 M8, M9, M10, M12, M13, M14, M16 |
| | 83912011 | 1 | Bit socket ribe 1/2", 120mml M10-1 |
| | 83410005...17 | 11 | Bit socket hex 1/2", 100mml 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 |
| | 83010005...14 | 10 | Bit socket ball hex 1/2", bit 100mml 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 |
| | 83610027...100 | 11 | Bit socket TX 1/2", 100mml T27, T30, T40, T45, T50, T55, T60, T70, T80, T90, T100 |
| | 817006 | 1 | Alternator bit socket 1/2", T50x110L |
| | 817007 | 1 | Alternator bit socket 1/2", M10x110L |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 303101 - IMPACT WRENCH & SOCKET SET 1/2", SFS, 31-PCS

M
570 X 370MM
8580 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| - | 4240201 | 1 | Super duty impact wrench 1/2" |
| - | 4240202 | 1 | Super duty air ratchet wrench 1/2" |
| - | 4240203 | 1 | Super duty air die grinder |
| | 33510...24 | 11 | Impact socket 1/2" 6 pt. 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24mm |
| | 3358510...21 | 7 | Impact deep socket 1/2" 6 pt. 10, 11, 13, 14, 17, 19, 21mm |
| | 3310117...21 | 3 | Wheel socket 1/2" 17, 19, 21mm |
| - | 7343075...250 | 3 | Impact extension 1/2", 75, 125, 250mml (ball) |
| - | 73531 | 1 | Impact universal joint (ball) 1/2" |
| - | 73623 | 1 | Impact adaptor 3/8"(F) x 1/2"(M) ball |
| - | 73632 | 1 | Impact adaptor 1/2"(F) x 3/8"(M) ball |
| - | 73634 | 1 | Impact adaptor 1/2"(F) x 3/4"(M) ball |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 303902 - IMPACT SOCKET SET 1/2", SFS, 39-PCS

M
570 X 370MM
10720 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 3358510...38 | 27 | Impact deep socket 1/2" 6 pt. 78mml 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34, 35, 36, 38 |
| | 3310115...22 | 5 | Wheel socket 1/2" 15, 17, 19, 21, 22mm |
| | 3310617 | 1 | Impact socket 1/2", 17mm for Mercedes-Benz |
| | 86404314...19 | 3 | Impact bit socket hex one-piece 1/2" 43L 14, 17, 19mm |
| - | 7343075...250 | 3 | Impact extension 1/2", 75, 125, 250mml (ball) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 307302 - IMPACT SOCKET SET 3/8" & 1/2", SFS, 73-PCS

M
570 X 370MM
11080 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 32508...19 | 10 | Impact socket 3/8", 6 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm |
| | 3256308...19 | 9 | Impact deep socket 3/8", 6 pt. 8, 10, 11, 12, 13, 14, 16, 17, 19mm |
| - | 7342075 | 1 | Impact extension 3/8" 75mml |
| - | 73521 | 1 | Impact universal joint 3/8" |
| - | 73621 | 1 | Impact adaptor 3/8"(F) x 1/4"(M) |
| - | 73623 | 1 | Impact adaptor 3/8"(F) x 1/2"(M) |
| - | 73721 | 1 | Bit holder 3/8"(F) x 1/4"(F) |
| | 33508...32 | 23 | Impact socket 1/2", 6 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 26, 27 28, 29, 30, 32mm |
| | 3358510...32 | 20 | Impact deep socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 28, 29, 30, 32mm |
| - | 7343075...250 | 2 | Impact extension 1/2" 75, 125, 250mml |
| - | 73531 | 1 | Impact universal joint 1/2" |
| - | 73632 | 1 | Impact adaptor 1/2"(F) x 3/8"(M) |
| - | 73634 | 1 | Impact adaptor 1/2"(F) x 3/4"(M) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 403201 - SOCKET SET 3/4" METRIC & SAE, SFS, 32-PCS

M

570 X 370MM

15820 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 24919...50 | 14 | Socket 3/4", 12 pt. 19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm |
| | 24822...47 | 14 | Socket 3/4", 12 pt. 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4", 1.5/16", 1.3/8", 1.7/16", 1.1/2", 1.5/8", 1.3/4", 1.7/8" |
| - | 7120704 | 1 | Ratchet 3/4" 60 teeth |
| - | 7134450 | 1 | Sliding T-handle 3/4" |
| - | 7234500 | 1 | Swivel handle 3/4" 500mml |
| - | 7184400 | 1 | Lock-in 3/4" extension 400mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 403301 - IMPACT SOCKET SET 3/4", SFS, 33-PCS

M

570 X 370MM

19260 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 34519...46 | 15 | Impact socket 3/4", 6 pt. 19, 21, 22, 23, 24, 27, 28, 30, 32, 33, 34, 36, 38, 41, 46mm |
| | 3459019...46 | 14 | Impact socket 3/4", 6 pt. deep 90mml 19, 21, 22, 23, 24, 27, 30 32, 33, 34, 36, 38, 41, 46 |
| - | 73643 | 1 | Impact adaptor 3/4"(F) x 1/2"(M) |
| - | 73645 | 1 | Impact adaptor 3/4"(F) x 1"(M) pin |
| - | 7344150 | 1 | Impact extension 3/4" 150mml |
| - | 73541 | 1 | Impact universal joint 3/4" (90mml) (ball) |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604301 - TOOLS SET, SFS, 43-PCS

M

570 X 370MM

5186 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 46905 | 1 | Triangular file for brakes 8" |
| - | 4811254 | 1 | Steel wire brush |
| - | 4811260 | 1 | Brass brush |
| - | 47023 | 1 | Digital brake fluid tester |
| - | 47817 | 1 | Plastric scraper 22mm |
| | 3310117...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |
| - | 4474001 | 1 | Wheel weight balance pliers 10" |
| - | 4560201 | 1 | Cotter pin driver for brake 175L (point 4) |
| - | 4560202 | 1 | Cotter pin driver for brake 175L 6 (point 3) |
| - | 47024 | 1 | Stainless steel vernier caliper for disc brakes |
| - | 812006 | 1 | Brake piston rewinding cube |
| - | 4081011...1213 | 1 | Brake line spanner 10x11, 12x13mm |
| - | 4391175 | 1 | Mole wrench 100mml |
| - | 811003-27...36 | 3 | 3-pcs oil filter cartridge inserts 27, 32, 36mm |
| - | 812007 | 1 | Oil filter cap 14pt. 74mm |
| - | 4450300 | 1 | Oil filter pliers 12" |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | 300306-1 | 1 | Pentagon brake socket 1/2", 19mm |
| | 300306-2 | 1 | Pentagon brake socket 1/2", 14mm |
| | 300306-3 | 1 | Pentagon brake socket 1/2", 10mm |
| | 4831401...07 | 7 | Square drain plug key 7, 8, 10, 11, 12, 13, 14mm |
| | 4831408...09 | 2 | Square drain plug key 5/16", 3/8" |
| | 4831411 | 1 | Triangular drain plug key 10 |
| | 4831410 | 1 | Drain plug key 10 (female) |
| | 4831412...17 | 1 | Hex drain plug key 8, 9, 10, 12, 14, 17mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603002 - WRENCH SET, SFS, 30-PCS

M

570 X 370MM

8680 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 41506...38 | 30 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34, 36, 38mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604002 - WRENCH SET, SFS, 40-PCS

M
570 X 370MM
6800 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4140607...3032 | 10 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24X27, 30X32mm |
| | - | 41506...32 | 22 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm |
| | - | 4190607...2022 | 8 | 75° offset ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20X22mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603003 - WRENCH SET, SFS, 30-PCS

M
570 X 370MM
4600 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | | 4120607...1819 | 7 | Hinged socket wrench 6x7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19mm |
| | - | 4110810...2427 | 7 | Flare nut wrench 8x10, 11X13, 12X14, 16X18, 17X19, 19X22, 24X27mm |
| | | 4160608...2024 | 4 | TX wrench E6XE8, E10XE12, E14XE18, E20XE24 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602406 - WRENCH SET, SFS, 24-PCS

M
570 X 370MM
5176 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | - | 4190607...3436 | 12 | 75° offset ring wrench 6x7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27, 25X28, 34X36mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603701 - WRENCH SET, SFS, 38-PCS

M
570 X 370MM
5046 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 41506...22 | 17 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | - | 4140607...3032 | 10 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32mm |
| | - | 4190607...2022 | 8 | 75° offset ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm |
| | - | 4200113 | 1 | Injection pump wrench 13mm |
| | - | 40811 | 1 | Flexible flare nut wrench 11mm |
| | - | 4821105 | 1 | Flash Pen |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604101 - WRENCH SET, SFS, 41-PCS

M
570 X 370MM
6592 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4110810...1113 | 2 | Flare nut wrench 8x10, 11x13mm |
| | - | 4140607...2427 | 10 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27mm |
| | - | 41506...32 | 20 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm |
| | - | 4190607...2123 | 9 | 75° offset ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604601 - WRENCH SET, SFS, 46-PCS

M
570 X 370MM
6436 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4110810...1719 | 5 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19mm |
| | - | 4140607...3436 | 12 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x23, 22x24, 24x27, 30x32, 34x36mm |
| | - | 41506...27 | 18 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm |
| | | 4160608...2024 | 4 | TX wrench E6xE8, E10XE12, E14XE18, E20XE24 |
| | - | 4200607...1819 | 7 | Flat double ring wrench 6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603903 - WRENCH SET, SFS, 39-PCS

M
570 X 370MM
5440 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 41506...24 | 19 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm |
| | - | 4190607...2123 | 8 | 75° offset ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x23mm |
| | | 4120809...18x19 | 6 | Hinged socket wrench 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |
| | | 4160608...2024 | 6 | TX wrench E6xE8, E7xE11, E10xE12, E14xE18, E16xE22, E20xE24 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604702 - WRENCH SET, SFS, 47-PCS

M
570 X 370MM
6160 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4110810...3032 | 8 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19, 19x22, 24x27, 30x32mm |
| | | 4120607...1819 | 7 | Hinged socket wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |
| | - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | - | 4200607...1819 | 7 | Flat double ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |
| | - | 4211012...1417 | 3 | Half-moon wrench 10x12, 11x13, 14x17mm |
| | - | 42608...17 | 10 | Stubby combination wrench 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604901 - WRENCH SET, SFS, 49-PCS

M
570 X 370MM
6580 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 41506...24 | 19 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm |
| | | 4120809...1819 | 6 | Hinged socket wrench 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |
| | | 4160608...2024 | 6 | TX wrench E6xE8, E7xE11, E10xE12, E14xE18, E16xE22, E20xE24 |
| | - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | - | 4110810...1922 | 6 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19, 19x22mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 605001 - WRENCH SET, SFS, 50-PCS

M
570 X 370MM
4906 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 40808...12 | 5 | Flexible flare nut wrench 8, 9, 10, 11, 12mm |
| | - | 41202 | 1 | Hinged driver 1/4" - 3/8" |
| | | 4120809...1617 | 5 | Hinged socket wrench 8x9, 10X11, 12X13, 14X15, 16X17mm |
| | | 41210608...1418 | 3 | Hinged TX wrench E6XE8, E10xE12, E14XE18 |
| | - | 4150310...19 | 10 | Combination wrench extra long 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | - | 4200607...1819 | 7 | Flat double ring wrench 6x7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19mm |
| | | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 601008 | 10 | Hex ball key set extra long 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601404 - PLIERS, CHISEL AND HAMMER SET, SFS, 14-PCS

M
570 X 370MM
2912 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 45118190...24220 | 2 | Grip chisel 190mml 18, 220mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7" |
| | - | 4534180...5200 | 2 | Grip pin punch 180mml 4", 200mml 5" |
| | - | 4552185 | 1 | Grip taper punch 185mml 2" |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 46806 | 1 | Utility knife (incl. 10 blades) |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 4820110 | 1 | Telescopic magnet |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601506 - PLIERS AND HAMMER SET, SFS, 15-PCS

M
570 X 370MM
4918 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 45118190...24220 | 2 | Grip chisel 190mml 18, 220mml 24 |
| | - | 47013 | 1 | Measuring tape 5 meter |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602302 - CHISEL, HAMMER, PLIERS & FILE SET, SFS, 23-PCS

M
570 X 370MM
5894 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 45118190...24220 | 2 | Grip chisel 190mml 18, 220mml 24 |
| | - | 4533150...6210 | 4 | Grip pin punch<br>150mml 3, 180mml 4, 200mml 5, 210mml 6 |
| | - | 4552185...4185 | 3 | Grip taper punch 185mml 2, 3, 4 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512GR |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 46806 | 1 | Utility knife (incl. 10 blades) |
| | - | 46911 | 1 | Flat file 8" |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601707 - PLIERS, CHISEL AND HAMMER SET, SFS, 12-PCS

M
570 X 370MM
5496 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 45118190...24220 | 2 | Grip chisel 190mml 18, 220mml 24 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 46911 | 1 | Flat file 8" |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 4820110 | 1 | Telescopic magnet |
| | - | 4811254 | 1 | Steel wire brush |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602209 - CHISEL, HAMMER & PLIERS SET, SFS, 22-PCS

M
570 X 370MM
5654 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512GR |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 45118190...24220 | 2 | Grip chisel 190mml 18, 220mml 24 |
| | - | 4533150...6210 | 4 | Grip pin punch<br>150mml 3", 180mml 4", 200mml 5", 210mml 6" |
| | - | 4552185...4185 | 3 | Grip taper punch 185mml 2", 3", 4" |
| | - | 47013 | 1 | Measuring tape 5 meter |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602304 - PLIER SET, SFS, 23-PCS

M
570 X 370MM
4624 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 4471180 | 1 | Automatic wire stripper 0.5-4mm |
| | - | 4471250 | 1 | Wire stripper 10" |
| | - | 45116170...18190 | 2 | Grip chisel 170mml 16, 190mml 18 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4532140...8220 | 6 | Grip pin punch 140mml 2, 150mml 3, 180mml 4, 200mml 5, 210mml 6, 220mml 8 |
| | - | 4564185 | 1 | Grip center punch 185mml 4 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 47903 | 1 | Scraper |
| | - | 4811254 | 1 | Steel wire brush |
| | - | 4821301 | 1 | Wedge universal 190x30mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601207 - PLIERS SET, SFS, 12-PCS

M
570 X 370MM
3326 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 4381225 | 1 | Long nose locking pliers 225mml |
| | - | 4382125 | 1 | Curved jaw locking pliers 125mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601802 - PLIERS SET, SFS, 18-PCS

M
570 X 370MM
4144 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 46807 | 1 | Utility knife (incl. 13 blades) |
| | - | 46911 | 1 | Flat file 8" |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | - | 47002 | 1 | Feeler gauge 26-pcs |
| | - | 47003 | 1 | Vernier caliper |
| | - | 47013 | 1 | Measuring tape 5 meter |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603601 - PLIERS SET, SFS, 36-PCS

M

570 X 370MM

3894 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 46807 | 1 | Utility knife (incl. 13 blades) |
| | - | 4820110 | 1 | Telescopic magnet |
| | - | 4821105 | 1 | Flash pen |
| | - | 4820207 | 1 | Flexible magnet pickup 500g-400L |
| | | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 601006 | 10 | Hex ball long key set 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | | 1860106...09 | 4 | Key wrench TX extra long, T6, T7, T8, T9 |
| | - | 47003 | 1 | Vernier caliper |
| | - | 47013 | 1 | Measuring tape 5 meter |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602103 - CHISEL & HAMMER SET, SFS, 21-PCS

M

570 X 370MM

4580 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 190mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4538220 | 1 | Grip pin punch 220mml 8 |
| | - | 4552185 | 1 | Grip taper punch 185mml 2 |
| | - | 4553185 | 1 | Grip taper punch 185mml 3 |
| | - | 4554185 | 1 | Grip taper punch 185mml 4 |
| | - | 4564185 | 1 | Grip center punch 185mml 4 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 47903 | 1 | Scraper |
| | - | 4820110 | 1 | Telescopic magnet |
| | - | 4811254 | 1 | Steel wire brush |
| | - | 4821301 | 1 | Wedge universal 190x30mm |
| | - | 48212380 | 1 | Pry bar 380mml |
| | - | 4820207 | 1 | Flexible magnet pickup 500g-400L |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601601 - CHISEL & HAMMER SET, SFS, 16-PCS

M
570 X 370MM
3700 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 45110141 | 1 | Grip chisel 140mml 10 |
| | - | 45112160 | 1 | Grip chisel 160mml 12 |
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 220mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4552185 | 1 | Grip taper punch 185mml 2 |
| | - | 4553185 | 1 | Grip taper punch 185mml 3 |
| | - | 4554185 | 1 | Grip taper punch 185mml 4 |
| | - | 4564185 | 1 | Grip center punch 185mml 4 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601706 - CHISEL & HAMMER SET, SFS, 15-PCS

M
570 X 370MM
4044 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 220mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4538220 | 1 | Grip pin punch 220mml 8 |
| | - | 4564185 | 1 | Grip center punch 185mml |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 47019 | 1 | Volt circuit tester |
| | - | 47903 | 1 | Scraper |
| | - | 4811254 | 1 | Steel wire brush |
| | - | 4821301 | 1 | Wedge universal 190x30mm |
| | - | 48212380 | 1 | Pry bar 380mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602007 - CHISEL & HAMMER SET, SFS, 20-PCS

M
570 X 370MM
4503 GRAM




| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 45110141 | 1 | Grip chisel 140mml 10 |
| | - | 45112160 | 1 | Grip chisel 160mml 12 |
| | - | 45116170 | 1 | Grip chisel 170mml 16 |
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 220mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4532140 | 1 | Grip pin punch 140mml 2 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4538220 | 1 | Grip pin punch 220mml 8 |
| | - | 4552185 | 1 | Grip taper punch 185mml 2 |
| | - | 4553185 | 1 | Grip taper punch 185mml 3 |
| | - | 4554185 | 1 | Grip taper punch 185mml 4 |
| | - | 4611200 | 1 | Machinist hammer with ash handle, 262gr |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 4822102 | 1 | Install hammer soft/hard, with ash handle, 366gr |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 600928 - HEX NUT DRIVER T-HANDLE SET, SFS, 9-PCS

M
570 X 370MM
1620 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 14423005 | 9 | Hex nut driver T-handle 5, 6, 7, 8, 9, 10, 11, 12, 13mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604402 - UTILITY TOOLS SET, SFS, 44-PCS

M

570 X 370MM

2738 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 45602 | 1 | Auto center punch |
| | - | 46602 | 1 | Mini hacksaw |
| | - | 46603 | 1 | Saw blade (3-pcs) |
| | - | 46806 | 1 | Utility knife (incl. 10- spare blades) |
| | - | 46806-1 | 1 | 10-pcs spare blades dispenser (46806) |
| | - | 46905 | 1 | Brake caliper file |
| | - | 46911 | 1 | Flat file 8" |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | - | 47002 | 1 | Feeler gauge 26-pcs |
| | - | 47003 | 1 | Vernier caliper |
| | - | 47004 | 1 | Stainless steel straight ruler 30cm |
| | - | 47005 | 1 | Stainless steel protractor |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 47028 | 1 | Tire profile gauge 50mm |
| | - | 4811254 | 1 | Steel wire brush |
| | - | 48212380 | 1 | Pry bar 380mml |
| | - | 4821301 | 1 | Wedge (190x30mm) universal |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602104 - SOCKET SCREWDRIVER, HEX & GRIPS KEY SET, SFS, 21-PCS

M

570 X 370MM

3100 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 12425008...13 | 9 | Hex nut driver 4, 5, 5.5, 6, 9, 10, 11, 12, 13mm |
| | | 1950202...12 | 10 | Hex ball point grip key 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12mm |
| | | 47537...38 | 2 | Flexible hex nut driver 7, 8mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602105 - SOCKET SCREWDRIVER, HEX & GRIP KEY SET, SFS, 21-PCS

M

570 X 370MM

2796 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 12425004...13 | 9 | Hex nut driver 4, 5, 5.5, 6, 9, 10, 11, 12, 13mm |
| | | 1960208...50 | 10 | TX grip key T8, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 47537...38 | 2 | Flexible hex nut screwdriver 7, 8mm |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 601806 - HEX BALL GRIP KEY SET, SFS, 18-PCS

M

570 X 370MM

1762 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1950202...10 | 9 | Hex ball point grip key 2, 2.5, 3, 4, 5, 6, 7, 8, 10mm |
| | | 1960208...45 | 9 | TX grip key T8, T10, T15, T20, T25, T27, T30, T40, T45 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 310001 - SOCKET SET 1/4", 3/8" & 1/2", 12 PT., SFS, 100-PCS

M SAE SONIC SAE TOOLS

570 X 370MM

7360 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21905...13 | 9 | Socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | 2195005...12 | 9 | Socket deep 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | 22910...21 | 8 | Socket 3/8", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",13/16" |
| | 2296310...21 | 8 | Socket deep 3/8", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" |
| | 23910...32 | 15 | Socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 2397710...32 | 15 | Socket 1/2", 12 pt. deep 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 81413703...10 | 7 | Bit socket hex 1/4" 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |
| | 82414803...13 | 9 | Bit socket hex 3/8", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2" |
| | 834106205...17 | 10 | Bit socket hex 1/2", 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8" |
| | 601003 | 10 | Hex key wrench, extra long set 10-pcs , 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 309301 - SOCKET SET 12 PT. 1/4" 3/8" 1/2", SFS, 93-PCS

M SAE SONIC SAE TOOLS

570 X 370MM

8420 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21905...13 | 9 | Socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16",1/2" |
| | 2195005...12 | 9 | Deep socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | 22910...19 | 7 | Socket 3/8", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" |
| | 2296310...19 | 7 | Deep socket 3/8", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" |
| | 23921...32 | 8 | Socket 1/2", 12 pt. 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 2397721...32 | 8 | Deep socket 1/2", 12 pt. 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 81413703...06 | 4 | Bit socket hex 1/4", 1/8", 5/32", 3/16", 7/32" |
| | 82414803...13 | 9 | Bit socket hex 3/8", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2" |
| | 834106210...17 | 5 | Bit socket hex 1/2", 3/8", 7/16", 1/2", 9/16", 5/8" |
| | 601003 | 10 | Hex key wrench, extra long set 10-pcs, 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |
| | 7110201 | 1 | Rotor ratchet 1/4", 72 teeth |
| | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | 7110202 | 1 | Rotor ratchet 3/8", 72 teeth |
| | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | 7142044...250 | 4 | Extension 3/8" 44mml, 75mml, 150mml, 250mml |
| | 71522 | 1 | Universal ball joint 3/8" |
| | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 7110203 | 1 | Rotor ratchet 1/2", 72 teeth |
| | 7143125...250 | 2 | Extension 1/2" 125mml, 250mml |
| | 71531 | 1 | Universal ball joint 1/2" |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603101 - WRENCH SET, SFS, 31-PCS

M SAE SONIC SAE TOOLS

570 X 370MM

5000 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 4150206...24 | 12 | Combination wrench 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 1 5/16" |
| | 4220608...2932 | 8 | Double open wrench 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x11/16", 11/16"x3/4", 13/16"x7/8", 15/16"x1", 1.1/8"x1.1/4" |
| | 4270608...2425 | 7 | 45° offset ring wrench 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 9/16"x5/8", 11/16"x3/4", 13/16"x7/8", 15/16"x1" |
| | 4250608...1617 | 4 | Flare nut wrench 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x11/16" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 47612 - S15 FOAM SPACER, SFS

102 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 47612 | 1 | S15 foam spacer |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603202 - SCREWDRIVER SET, SFS, 32-PCS

L

745 X 435MM

3300 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | | 13605...40 | 12 | Screwdriver TX, T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | - | 47901...2 | 2 | Door upholstery panel remover small 100mml, 110mml |
| | - | 47903 | 1 | Scraper |
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47906 | 1 | Trim pad tool 1/4" x 115mml |
| | - | 47907 | 1 | Trim pad tool 5/16" x 115mml |
| | - | 47908 | 1 | Door upholstery panel remover 132mml |
| | - | 4821308...12 | 2 | Pry bar 200mml 8", 300mml 12" |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603207 - SCREWDRIVER SET, SFS, 32-PCS

L

745 X 435MM

3346 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1310...3 | 5 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | | 13303...65 | 8 | Screwdriver slotted, 3, 4, 5.5, 5,5S, 6.5, 8, 10, 12mm |
| | | 13606...30 | 10 | Screwdriver TX, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 |
| | | 13625015...45 | 5 | Screwdriver TX extra long, 250mml T15, T20, T25, T30, T45 |
| | | 17320002 | 1 | Electronic screwdriver 2mm |
| | - | 4821105 | 1 | Flash pen |
| | - | 4821308...12 | 2 | Pry bar 200mml 8", 300mml 12" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 114602 - SCREWDRIVER & 1/4" BIT SOCKET SET, SFS, 146-PCS

L

745 X 435MM

5070 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | | 1311S | 1 | Screwdriver stubby PH, PH.1 |
| | | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | | 133055S | 1 | Screwdriver stubby slotted, 5.5mm |
| | | 13605...40 | 12 | Screwdriver TX, T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | - | 47903 | 1 | Scraper |
| | - | 4821312 | 1 | Pry bar 300mml 12" |
| | - | 4821105 | 1 | Flash pen |
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 2165004...10 | 6 | Deep socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | - | 7110201 | 1 | Rotor ratchet 1/4", 72 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mml |
| | - | 7261250 | 1 | Wobble extension 1/4" 250mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 8103703...10 | 9 | Bit socket hex ball 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | | 8113700...02 | 3 | Bit socket PH 1/4", PH.0, PH.1, PH.2 |
| | | 8123700...02 | 3 | Bit socket PZ 1/4", PZ.0, PZ.1, PZ.2 |
| | | 81337055...065 | 2 | Bit socket slotted 1/4", 5.5, 6.5mm |
| | | 8143703...10 | 9 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | | 8153708...45 | 9 | Tamper-Resistant 1/4", TX plus (5 lobes) 8IPR, 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR, 45IPR |
| | | 81613710...40 | 7 | Bit socket TX ball 1/4", T10, T15, T20, T25, T27, T30, T40 |
| | | 8163706...27 | 9 | Bit socket TX 1/4", T6, T7, T8, T9, T10, T15, T20, T25, T27 |
| | | 8173707...27 | 9 | Bit socket TX tamperproof 1/4", T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H |
| | | 8183704...10 | 5 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |
| | | 8193704...10 | 6 | Bit socket ribe 1/4", M4, M5, M6, M7, M8, M10 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 213001 - SOCKET 1/4", 1/2" AND WRENCH SET, SFS 130-PCS

L

745 X 435MM

6940 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 2357710...22 | 5 | Flank socket 1/2", 6 pt. deep 10, 13, 17, 19, 22mm |
| - | 41506...24 | 19 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm |
| | 601006 | 10 | Hex ball long key set 10-pcs,<br>1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | 600902 | 9 | TX wrench, extra long key set 9-pcs,<br>T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| - | 7211 | 1 | Flexible extension 1/4" |
| - | 7141050...150 | 3 | Extension 1/4" 50, 100, 150mmL |
| - | 71511 | 1 | Universal joint 1/4" |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mmL |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 72402 | 1 | Spinner 1/4" 150mmL |
| | 8113700...02 | 3 | Bit socket PH 1/4", PH.0, PH.1, PH.2 |
| | 8123700...02 | 3 | Bit socket PZ 1/4", PZ.0, PZ.1, PZ.2 |
| | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| | 8163708...40 | 8 | Bit socket TX 1/4",<br>T8, T10, T15, T20, T25, T27, T30, T40 |
| | 8173710...40 | 7 | Bit socket TX tamperproof 1/4",<br>T10H, T15H, T20H, T25H, T27H, T30H, T40H |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 216401 - SOCKET SET 3/8", SFS, 164-PCS

L

745 X 435MM

12360 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | 2256306...22 | 17 | Flank deep socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | 22606...20 | 10 | Deep socket TX 3/8",<br>E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 |
| | 2266306...20 | 10 | Deep socket TX 3/8",<br>E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 |
| - | 7110202 | 1 | Rotor ratchet 3/8", 72 teeth |
| - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| - | 7142044...250 | 4 | Extension 3/8" 44, 75, 150, 250mml |
| - | 7262044...450 | 5 | Wobble extension 3/8", 44, 150, 200, 300, 450mml |
| - | 71521 | 1 | Universal joint 3/8" |
| - | 7152450 | 1 | T-wrench universal joint 3/8", 450mml |
| - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | 7172214 | 1 | Spark plug clip socket 12 pt. 3/8" 14mm |
| | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
| - | 72602 | 1 | Speedy T-grip 3/8" |
| - | 7272250 | 1 | Swivel grip handle 3/8" 250mml |
| - | 732210100 | 1 | Torque wrench 3/8" 10-100NM |
| | 8214801...03 | 3 | Bit socket PH 3/8", PH.1, PH.2, PH.3 |
| | 8224801...03 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | 82348055...08 | 4 | Bit socket slotted 3/8", 5.5, 6, 7, 8mm |
| | 8244803...12 | 10 | Bit socket hex 3/8" 3, 4, 5, 5.5, 6, 7, 8, 9, 10, 12mm |
| | 8249004...10 | 8 | Bit socket hex 3/8", 90mml 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8264808...60 | 12 | Bit socket TX 3/8", T8, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60 |
| | 8269010...50 | 9 | Bit socket TX 3/8", 90mml<br>T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | 8274808...60 | 12 | Bit socket TX tamperproof 3/8",<br>T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H, T60H |
| | 8284804...12 | 7 | Bit socket spline 3/8", M4, M5, M6, M8, M9, M10, M12 |
| | 8289005...12 | 6 | Bit socket spline 3/8", 90mml<br>M5, M6, M8, M9, M10, M12 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

# Sonic Foam System (SFS)



## 218502 - SOCKET COMBINATON SET 1/4" & 3/8", SFS, 185-PCS

L

745 X 435MM

9480 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 100301-1...2 | 2 | Drill adaptor 3/8", 1/4" |
| | | 21504...55 | 12 | Flank socket 1/4", 6 pt.<br>4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | - | 7110201 | 1 | Swivel ratchet 1/4" 72 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7141050...150 | 3 | Extension 1/4", 50, 100, 150mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | - | 72401 | 1 | Spinner 150mml 1/4" |
| | - | 7261250 | 1 | Wobble extension 1/4", 250mml |
| | | 8113701...2 | 2 | Bit socket PH 1/4", bit PH.1, PH.2 |
| | | 81337055 | 1 | Bit socket slotted 1/4", 5.5mm |
| | | 8143703...8 | 6 | Bit socket hex 1/4" 3, 4, 5, 6, 7, 8mm |
| | | 8153715...40 | 6 | Tamper-resistant 1/4", TX plus (5 lobes)<br>15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |
| | | 8163706...40 | 11 | Bit socket TX 1/4"<br>T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | | 9182504...5 | 2 | Bit spline 1/4", 25mml M4, M5 |
| | | 22506...19 | 14 | Flank socket 3/8", 6 pt.<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | | 22608...20 | 8 | Socket 3/8", TX E8, E10, E11, E12, E14, E16, E18, E20 |
| | | 22808...21 | 12 | Flank socket 3/8", 12 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm |
| | | 2286306...19 | 14 | Flank deep socket 3/8", 12 pt.<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | - | 7110202 | 1 | Flexible ratchet 3/8", 45 teeth |
| | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | - | 7142044...600 | 2 | Extension 3/8", 44, 600mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | | 7152810...19 | 10 | Cardan socket 3/8", 12 pt.<br>10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | | 7172214 | 1 | Spark plug clip socket 12 pt. 3/8" 14mm |
| | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
| | - | 7262044...450 | 5 | Wobble extension 3/8" 44, 75, 150, 250, 450mm |
| | - | 7272250 | 1 | Swivel grip handle 3/8", 250mml |
| | | 8244805...12 | 8 | Bit socket spline 3/8", 5, 5,5, 6, 7, 8, 9, 10, 12mm |
| | | 8264825...60 | 8 | Bit socket TX 3/8",<br>T25, T27, T30, T40, T45, T50, T55, T60 |
| | | 8284804...12 | 7 | Bit socket spline 3/8" M4, M5, M6, M8, M9, M10, M12 |
| | | 9283006...10 | 3 | Bit spline 5/16", 30mml M6, M8, M10 |
| | | 601008 | 10 | Hex ball key set extra long 10-pcs,<br>1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | | 600902 | 9 | TX key set extra long, 9-pcs,<br>T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | - | 7201001 | 1 | 9x12 insert holder for bits 1/4" |
| | - | 7202001 | 1 | 9x12 insert holder for bits 5/16" |
| | - | 71932 | 1 | Adaptor 1/2"(F) x 3/8"(M) |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 72032 | 1 | Bit holder 1/2"(F) x 5/16"(F) |
| | - | 72011 | 1 | Bit holder 1/4"(F) x 1/4"(F) |
| | - | 41201 | 1 | Hinged driver 1/4" - 1/4" in hex |
| | - | 41202 | 1 | Hinged driver 1/4" - 3/8" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 221201 - SOCKET SET 1/4" & 3/8", SFS, 212-PCS

L

745 X 435MM

11000 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4" 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 2165004...10 | 6 | Deep TX socket 1/4", E4, E5, E6, E7, E8, E10 |
| | | 8143703...10 | 7 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8, 10mm |
| | | 8113700...02 | 3 | Bit socket PH 1/4", PH.0, PH.1, PH.2 |
| | | 8123700...02 | 3 | Bit socket PZ 1/4", PZ.0, PZ.1, PZ.2 |
| | | 8133704...065 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8153710...40 | 7 | Tamper-Resistant 1/4", TX plus (5 lobes)<br>10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |
| | | 8163708...40 | 8 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30, T40 |
| | | 8173708...40 | 8 | Bit socket TX tamperproof 1/4",<br>T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7120701 | 1 | Ratchet 1/4" 72 teeth |
| | - | 7110101 | 1 | Flexible ratchet 1/4", 45 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | - | 7141050...150 | 3 | Extension 1/4", 50, 100, 150mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | | 22506...22 | 17 | Flank socket 3/8", 6 pt.<br>6 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | | 2256306...22 | 17 | Flank deep socket 3/8", 6 pt.<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | | 22604...16 | 10 | Socket TX 3/8", E4, E5, E6, E7, E8, E10, E11, E12, E14, E16 |
| | | 2266304...16 | 10 | Deep socket TX 3/8",<br>E4, E5, E6, E7, E8, E10, E11, E12, E14, E16 |
| | | 8214801...03 | 3 | Bit socket PH 3/8", PH.1, PH.2, PH.3 |
| | | 8224801...03 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | | 82348055...07 | 3 | Bit socket slotted 3/8", 5.5, 6, 7mm |
| | | 8244803...12 | 10 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10, 12mm |
| | | 8264808...60 | 12 | Bit socket TX 3/8", T8, T10, T15, T20, T25, T27, T30,<br>T40, T45, T50, T55, T60 |
| | | 8274808...60 | 12 | Bit socket TX tamperproof 3/8",<br>T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H,<br>T45H, T50H, T55H, T60H |
| | | 8284805...12 | 6 | Bit socket spline 3/8", M5, M6, M8, M9, M10, M12 |
| | | 8294804...12 | 8 | Bit socket ribe 3/8", M4, M5, M6, M7, M8, M9, M10, M12 |
| | - | 7120102 | 1 | Stubby ratchet 3/8" 45 teeth |
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | - | 7110102 | 1 | Flexible ratchet 3/8", 45 teeth |
| | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | - | 732210100 | 1 | Torque wrench 3/8" 10-100Nm |
| | - | 7142044...250 | 4 | Extension 3/8", 44, 75, 150, 250mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 7152450 | 1 | T-wrench universal joint 3/8" , 450mml |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
| | - | 7273250 | 1 | Swivel handle 3/8", 250mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 308201 - COMBINATION SET 1/2", SFS, 82-PCS

L

745 X 435MM

13460 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23517...32 | 10 | Flank socket 1/2", 6 pt. 17, 18, 19, 20, 21, 22, 24, 27, 29, 30, 32mm |
| | 23614...24 | 6 | Socket TX 1/2", E14, E16, E18, E20, E22, E24 |
| | 23817...32 | 10 | Flank socket 1/2" 12 pt. 17, 18, 19, 20, 21, 22, 24, 27, 29, 30, 32mm |
| | 2387717...32 | 10 | Flank deep socket 1/2", 12 pt. 17, 18, 19, 20, 21, 22, 24, 27, 29, 30, 32mm |
| | 3310117...19 | 2 | Wheel socket 1/2", 17, 19mm |
| | 3398534...36 | 2 | Deep impact socket 1/2", 12 pt. 85mml 34, 36mm |
| - | 7110203 | 1 | Flexible ratchet 1/2", 72 teeth |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| - | 71923 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| - | 71934 | 1 | Adaptor 1/2"(F) x 3/4"(M) |
| - | 71943 | 1 | Adaptor 3/4"(F) x 1/2"(M) |
| - | 7263050...500 | 4 | Wobble extension 1/2", 50, 125, 250, 500mm |
| - | 7273380 | 1 | Swivle handle 1/2", 380mml |
| | 83014006...10 | 4 | Bit socket ball hex 1/2", 140mml bit 6, 7, 8, 10mm |
| | 83406208...19 | 6 | Bit socket hex 1/2", 8, 10, 12, 14, 17, 19mm |
| | 83424806 | 1 | Bit socket hex 1/2", 248mml 6 |
| | 83606240...70 | 6 | Bit socket TX 1/2", T40, T45, T50, T55, T60, T70 |
| | 83805517 | 1 | Bit socket spline 1/2", M17 |
| | 83806209...16 | 5 | Bit socket spline 1/2", M9, M10, M12, M14, M16 |
| | 83806216T | 1 | Bit socket spline 1/2", M16T |
| | 83810008...14 | 3 | Bit socket spline 1/2", 100mml M8, M9, M14 |
| | 83814010...12 | 2 | Bit socket spline 1/2", 140mml M10, M12 |
| | 86807818 | 1 | Impact bit socket spline 1/2", M18 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 311801 - SOCKET SET 1/2", SFS, 118-PCS

L

745 X 435MM

15600 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23508...32 | 22 | Flank socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 2357708...32 | 22 | Flank deep socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23610...22 | 8 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E22 |
| | 3310117...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| - | 7273380 | 1 | Swivel grip handle 1/2" 380mml |
| - | 732320200 | 1 | Torque wrench 1/2" 20-200NM |
| | 83406205...14 | 8 | Bit socket hex 1/2", 5, 6, 7, 8, 9, 10, 12, 14mm |
| | 83410005...14 | 8 | Bit socket hex 1/2", 100mml 5, 6, 7, 8, 9, 10, 12, 14mm |
| | 83606227...70 | 8 | Bit socket TX 1/2", T27, T30, T40, T45, T50, T55, T60, T70 |
| | 83610027...70 | 8 | Bit socket TX 1/2", 100mml T27, T30, T40, T45, T50, T55, T60, T70 |
| | 83706227...70 | 8 | Bit socket TX tamperproof 1/2", T27H, T30H, T40H, T45H, T50H, T55H, T60H, T70H |
| | 83806205...14 | 7 | Bit socket spline 1/2", M5, M6, M8, M9, M10, M12, M14 |
| | 83806216T | 1 | Bit socket spline 1/2", M16-T |
| | 83906207...16 | 8 | Bit socket ribe 1/2", M7, M8, M9, M10, M12, M13, M14, M16 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 315601 - COMBINATION SET 1/4", 3/8" & 1/2", SFS, 156-PCS

L

745 X 435MM

9820 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 21503...13 | 13 | Flank socket 1/4", 6 pt.<br>3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155005...13 | 9 | Flank deep socket 1/4", 6 pt.<br>5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 8143703...10 | 7 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8, 10mm |
| | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | 8133704...065 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | 8163708...40 | 8 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30, T40 |
| - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| - | 7141050...100 | 2 | Extension 1/4" 50,100mml |
| - | 71511 | 1 | Universal joint 1/4" |
| - | 72401 | 1 | Spinner 1/4" 150mml |
| | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | 22604...14 | 9 | Socket TX 3/8", E4, E5, E6, E7, E8, E10, E11, E12, E14 |
| | 8244803...10 | 9 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | 8264815...55 | 9 | Bit socket TX 3/8",<br>T15, T20, T25, T27, T30, T40, T45, T50, T55 |
| | 8274815...55 | 9 | Bit socket TX tamperproof 3/8", T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H |
| - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 7171216...21 | 3 | Spark plug socket 3/8" 16, 18, 21mm |
| - | 7142075...250 | 3 | Extension 3/8" 75, 150, 250mml |
| - | 71521 | 1 | Universal joint 3/8" |
| - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | 23508...32 | 24 | Flank socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28,29, 30, 32mm |
| | 23610...24 | 9 | Socket 1/2", TX<br>E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| | 3310117...19 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |
| - | 7273380 | 1 | Swivel grip handle 1/2" 380mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 308401 - SOCKET SET, SFS, 84-PCS

L

745 X 435MM

14020 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 23508...32 | 22 | Flank socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 2357708...32 | 22 | Flank deep socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23610...24 | 8 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E24 |
| | 2367710...24 | 8 | Deep socket TX 1/2",<br>E10, E11, E12, E14, E16, E18, E20, E24 |
| | 83410005...12 | 6 | Bit socket hex 1/2", 100mml 5, 6, 7, 8, 10, 12mm |
| | 83610040...55 | 4 | Bit socket TX 1/2", 100mml T40, T45, T50, T55 |
| | 83810006...14 | 5 | Bit socket spline 1/2", 100mml M6, M8, M10, M12, M14 |
| | 3310117...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |
| - | 732320200 | 1 | Torque wrench 1/2" 20-200NM |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 7273380 | 1 | Swivel handle 1/2" 380mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 605101 - WRENCHSET, SFS, 51-PCS

L

745 X 435MM

8220 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| - | 4081011 | 1 | Flexible flare nut wrench 10x11mm |
| - | 41506...32 | 21 | Combination wrench 6, 7, 8, 10, 11, 12 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
| | 4160608...2024 | 6 | TX wrench E6XE8, E7xE11, E10XE12, E14XE18, E16xE22, E20XE24 |
| - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| - | 4190607...3032 | 10 | 75 offset ring wrench 6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 21X22, 24X27, 30X32mm |
| - | 4200113 | 1 | Injection pump wrench 13mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 605301 - WRENCH SET, SFS, 53-PCS

L

745 X 435MM

9680 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| - | 41506...32 | 26 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm |
| - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| - | 4190607...2022 | 8 | 75° offset ring wrench<br>6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm |
| | 4120809...1819 | 7 | Hinged socket wrench<br>6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604801 - WRENCH SET, SFS, 48-PCS

L

745 X 435MM

6980 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4110810...3032 | 8 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19, 19x22, 24x27, 30x32mm |
| | - | 4140607...3032 | 12 | Double open wrench 6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x23, 20x22, 24x27, 25x28, 30x32mm |
| | - | 4180607...2123 | 8 | 45° offset ring wrench 6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 21X23mm |
| | - | 4200607...1819 | 7 | Flat double ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |
| | - | 4211012...1417 | 3 | Half-moon wrench 10x12, 11x13, 14x17mm |
| | - | 42608...17 | 10 | Stubby combination wrench 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 606901 - WRENCH SET, SFS, 69-PCS

L

745 X 435MM

7900 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4110810...3032 | 8 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19, 19x22, 24x27, 30x32mm |
| | - | 4140607...3032 | 12 | Double open wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm |
| | - | 4170401...02 | 2 | 4-in-1 ring ratcheting wrench 8-10,12-13; 16-17, 18-19mm |
| | - | 4200607...1819 | 9 | Flat double ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm |
| | - | 4211012...1417 | 3 | Half-moon wrench 10x12, 11x13, 14x17mm |
| | - | 42608...17 | 10 | Stubby combination wrench 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |
| | - | 41760608...2024 | 4 | TX ratcheting wrench E6xE8, E10XE12, E14XE18, E20XE24 |
| | | 4160608...2024 | 4 | TX wrench E6xE8, E10XE12, E14XE18, E20XE24 |
| | | 601007 | 10 | Hex extra long key set 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |
| | | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602204 - PLIERS & CUTTING SET, SFS, 22-PCS

L

745 X 435MM

4600 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 46701 | 1 | Straight shears |
| | - | 46602 | 1 | Mini hacksaw |
| | - | 46603 | 1 | Saw blade 3-pcs |
| | - | 46806 | 1 | Utility knife (incl. 10 blades) |
| | - | 47004 | 1 | Stainless steel straight ruler 30cm |
| | - | 47005 | 1 | Stainless steel protractor |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 4471250 | 1 | Wire stripper 10" |
| | - | 4820110 | 1 | Telescopic magnet |
| | - | 45602 | 1 | Auto center punch |
| | - | 47002 | 1 | Feeler gauge 26-pcs |
| | - | 47003 | 1 | Stainless steel vernier caliper |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602605 - PLIERS & CUTTING SET, SFS, 26-PCS

L

745 X 435MM

6659 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4323275 | 1 | Long nose pliers 11" straight |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4333270 | 1 | Long nose pliers 11" 90 degree bent |
| | - | 4333275 | 1 | Long nose pliers 11" 45 degree bent |
| | - | 4341175 | 1 | Diagonal pliers 7" |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 4393002 | 1 | Circle nose pliers 11"-1/2" |
| | - | 4471250 | 1 | Wire stripper 10" |
| | - | 46601 | 1 | Super heavy duty hacksaw |
| | - | 46701 | 1 | Straight shears |
| | - | 46807 | 1 | Utility knife (incl. 13 blades) |
| | - | 47002 | 1 | Feeler gauge 26-pcs |
| | - | 47003 | 1 | Vernier caliper |
| | - | 47004 | 1 | Stainless steel straight ruler 30cm |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 4820110 | 1 | Telescopic magnet |
| | - | 48212380 | 1 | Pry bar 380mml |
| | - | 4811254 | 1 | Steel wire brush |
| | - | 4821301 | 1 | Wedge (190x30mm) universal |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602308 - PLIERS, CHISEL AND HAMMER SET, SFS, 23-PCS

L

745 X 435MM

4554 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 14423008...13 | 3 | Hex nut driver T-handle 8, 10, 13mm |
| | | 1950205...08 | 3 | Hex ball point grip key 5, 6, 8mm |
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 4321200 | 1 | Long nose pliers 8" |
| | - | 4322160 | 1 | Long nose pliers |
| | - | 4331200 | 1 | Bent long nose pliers 8" |
| | - | 4333275 | 1 | Long nose pliers 11" 45 degree bent |
| | - | 4341180 | 1 | Diagonal pliers |
| | - | 4351250 | 1 | Waterpump pliers 10" |
| | - | 43611 | 1 | Snap ring pliers (straight-open) |
| | - | 43612 | 1 | Snap ring pliers (straight-close) |
| | - | 43613 | 1 | Snap ring pliers (bent-open) |
| | - | 43614 | 1 | Snap ring pliers (bent-close) |
| | - | 4380250 | 1 | Locking pliers 10" |
| | - | 4471180 | 1 | Wire stripper 7" |
| | - | 47902 | 1 | Door upholstery panel remover 110mml |
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47907 | 1 | Trim pad tool 5/16"x115mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604001 - CHISEL, HAMMER & IMPACT SET, SFS, 40-PCS

L

745 X 435MM

9960 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 3358510...32 | 22 | Deep impact socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm |
| | - | 45110141 | 1 | Grip chisel 140mml 10 |
| | - | 45112160 | 1 | Grip chisel 160mml 12 |
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 220mml 24 |
| | - | 4527190 | 1 | Grip cape chisel 190mml 7 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4552185 | 1 | Grip taper punch 185mml 2 |
| | - | 4553185 | 1 | Grip taper punch 185mml 3 |
| | - | 4554185 | 1 | Grip taper punch 185mml 4 |
| | - | 4564185 | 1 | Grip center punch 185mml 4 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | - | 7343125 | 1 | Impact extension 1/2" 125mml |
| | - | 73531 | 1 | Impact universal joint 1/2" |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602710 - PLIERS AND CHISEL SET, SFS, 27-PCS

L

745 X 435MM

5186 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 45118190 | 1 | Grip chisel 190mml 18 |
| | - | 45124220 | 1 | Grip chisel 220mml 24 |
| | - | 4533150 | 1 | Grip pin punch 150mml 3 |
| | - | 4534180 | 1 | Grip pin punch 180mml 4 |
| | - | 4535200 | 1 | Grip pin punch 200mml 5 |
| | - | 4536210 | 1 | Grip pin punch 210mml 6 |
| | - | 4538220 | 1 | Grip pin punch 220mml 8 |
| | - | 4564185 | 1 | Grip center punch 185mml 4 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | - | 46807 | 1 | Utility knife (incl. 13 blades) |
| | - | 46807-1 | 1 | Spare blades dispenser 10-pcs (46807) |
| | - | 46905 | 1 | Brake caliper file |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | - | 47003 | 1 | Vernier caliper |
| | - | 47006 | 1 | Feeler gauge 20-pcs, 0.05-1.00mm |
| | - | 47013 | 1 | Measuring tape 5 meter |
| | - | 47023 | 1 | Brake fluid tester |
| | - | 47028 | 1 | Tire profile gauge 50mm |
| | - | 47903 | 1 | Scraper |
| | - | 4811254 | 1 | Steel wire brush |
| | - | 4820110 | 1 | Magnet pickup |
| | - | 4820111 | 1 | Telescopic mirror 31-61cm |
| | - | 4821301 | 1 | Wedge (190x30mm) universal |
| | - | 4822102 | 1 | Install hammer soft/hard, with ash handle, 366gr |
| | - | 48222500 | 1 | Pry bar with plastic cover 500mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604202 - HEX NUT & KEY GRIP SET, SFS, 42-PCS

L

745 X 435MM

3940 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 12425004...13 | 10 | Hex nut driver 4, 5, 5.5, 6, 8, 9, 10, 11, 12, 13mm |
| | | 47537 | 1 | Flexible hex nut driver 7mm |
| | | 1950202...08 | 8 | Hex ball point grip key 2, 2.5, 3, 4, 5, 6, 7, 8mm |
| | - | 46911 | 1 | Flat file 8" |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | | 600902 | 9 | TX key set extra long, 9-pcs, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 601008 | 10 | Hex ball key set extra long 10-pcs, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 602803 - HEX NUT & KEY GRIP SET, SFS, 27-PCS

L

745 X 435MM

4280 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 14423006...13 | 8 | Hex nut driver T-handle 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 47537...38 | 2 | Flexible hex nut driver 7, 8mm |
| | | 1950202...8 | 8 | Hex ball point grip key 2, 2.5, 3, 4, 5, 6, 7, 8mm |
| | - | 46911 | 1 | Flat file 8" |
| | - | 46912 | 1 | Half round file 8" |
| | - | 46913 | 1 | Round file 8" |
| | - | 46914 | 1 | Triangular file 8" |
| | - | 47901 | 1 | Door upholstery panel remover 100mml |
| | - | 47902 | 1 | Door upholstery panel remover 110mml |
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47906 | 1 | Trim pad tool 1/4" x 115mml |
| | - | 4820207 | 1 | Flexible magnet pickup 500g |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 47309 - S14 FOAM SPACER, SFS

102 GRAM




| ART. NO. | | CONTENTS |
|---|---|---|
| 47309 | - | S14 foam spacer 750 x 145mm |

## 114101 - SCREWDRIVER & 1/4" BIT SOCKET SET, SFS, 141-PCS

XD

745 X 570MM

5820 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | | 13303...10 | 7 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8, 10mm |
| | | 13605...40 | 12 | Screwdriver TX, T5, T6, T7, T8, T9, T10, T15, T20, T25, T37, T30, T40 |
| | - | 47902 | 1 | Door upholstery panel remover 110mml |
| | - | 47903 | 1 | Scraper |
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47906 | 1 | Trim pad tool 1/4"x115mml |
| | - | 47907 | 1 | Trim pad tool 5/16"x115mm |
| | - | 47908 | 1 | Door upholstery panel remover 132mm |
| | - | 47833 | 2 | Straight removal tool 3X63mm, 3X133mm |
| | - | 47835 | 2 | Angle removal tool 3X63mm, 3X133mm |
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 2165004...10 | 6 | Deep socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7110101 | 1 | Flexible ratchet 1/4", 45 teeth |
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | - | 7110201 | 1 | Ratchet 1/4" 72 teeth |
| | - | 71911110 | 1 | Universal 2-in-1 SB-Adapter 1/4", 110mml |
| | - | 7271150 | 1 | Swivel grip handle 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | - | 7141050...150 | 3 | Extension 1/4", 50,100,150mml |
| | - | 7261250 | 1 | Wobble extension 1/4", 250mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| | - | 7211 | 1 | Flexible extension 1/4" |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | | 8113700...02 | 3 | Bit socket PH 1/4", PH.0, PH.1, PH.2 |
| | | 8123700...02 | 3 | Bit socket PZ 1/4", PZ.0, PZ.1, PZ.2 |
| | | 81337055...65 | 2 | Bit socket slotted 1/4",5.5, 6.5mm |
| | | 8143703...10 | 9 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |
| | | 8153708...45 | 9 | Tamper-Res.TX plus (5 lobes) 1/4", 8IPR, 10IPR, 15IPR, 20IPR, 25IPR, 27IPR,30IPR, 40IPR, 45IPR |
| | | 8163708...40 | 9 | Bit socket TX 1/4", T8, T9, T10. T15, T20, T25, T27, T30, T40 |
| | | 8173708...40 | 9 | Bit socket TX tamperproof 1/4", T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | | 8183704...10 | 5 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |
| | | 8193704...10 | 6 | Bit socket ribe 1/4", M4, M5, M6, M7, M8, M10 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 221801 - COMBINATINATION SET 3/8", SFS, 218-PCS

XD

745 X 570MM

15560 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | | 2256306...22 | 17 | Flank deep socket 3/8", 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | | 22806...22 | 17 | Flank socket 3/8", 12 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | | 2286306...22 | 17 | Flank deep socket 3/8", 12 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | | 22606...20 | 10 | Socket TX 3/8", E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 |
| | | 2266306...20 | 10 | Deep socket TX 3/8", E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 |
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | - | 7120102 | 1 | Stubby ratchet 3/8" 45 teeth |
| | - | 7110302 | 1 | Disc ratchet 3/8" 72 teeth |
| | - | 7110202 | 1 | Flexible ratchet 3/8" 72 teeth |
| | - | 7142044...600 | 6 | Extension 3/8" 44, 75, 150, 200, 450, 600mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71923 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| | - | 71932 | 1 | Adaptor 1/2"(F) x 3/8"(M) |
| | - | 7272250 | 1 | Swivel grip handle 3/8" 250mml |
| | - | 72602 | 1 | Speedy T-grip 3/8" |
| | - | 7152450 | 1 | T-wrench universal joint 3/8" 450mml |
| | | 7172214 | 1 | Spark plug clip socket 12 pt. 3/8", 14mm |
| | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
| | - | 732210100 | 1 | Torques wrench 3/8", 10-100NM |
| | | 8214801...3 | 3 | Bit socket PH 3/8", PH.1, PH. 2, PH.3 |
| | | 8224801...3 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | | 8244803...12 | 11 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12mm |
| | | 8249003...11 | 9 | Bit socket hex 3/8", 90mml 3, 4, 5, 6, 7, 8, 9, 10, 11mm |
| | | 8209003...11 | 9 | Bit socket ball hex 3/8", 90mml 3, 4, 5, 6, 7, 8, 9, 10, 11mm |
| | | 8264808...60 | 12 | Bit socket TX 3/8", T8, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60 |
| | | 8269008...50 | 10 | Bit socket TX 3/8", 90mml T8, T10, T15, T20, T25, T27, T30, T40, T45, T50 |
| | | 8274808...60 | 12 | Bit socket TX tamperproof 3/8", T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H, T60H |
| | | 8279008...50 | 10 | Bit socket TX tamperproof 3/8", 90mml T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H |
| | | 8284804...12 | 7 | Bit socket spline 3/8", M4, M5, M6, M8, M9, M10, M12 |
| | | 8289005...12 | 6 | Bit socket spline 3/8", 90mml M5, M6, M8, M9, M10, M12 |
| | | 8294804...12 | 8 | Bit socket ribe 3/8", M4, M5, M6, M7, M8, M9, M10, M12 |
| | | 8299005...12 | 7 | Bit socket ribe 3/8", 90mml M5, M6, M7, M8, M9, M10, M12 |
| | - | 41202 | 1 | Hinged driver 1/4"-3/8" |
| | - | 100301-2 | 1 | Drill adaptor 3/8" |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 314901 - COMBINATION SET 1/2", SFS, 149-PCS

XD

745 X 570MM

20200 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 23510...32 | 20 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23810...32 | 20 | Flank socket 1/2", 12 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | 23910...32 | 15 | Flank socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | 23610...24 | 9 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| | 3310717...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |
| | 3310617 | 1 | Impact socket 1/2", 17mm for Mercedes-Benz 88mml |
| - | 7110403 | 1 | Swivel stubby ratchet 1/2" 72 teeth |
| - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| - | 7110203 | 1 | Swivel ratchet 1/2" 72 teeth |
| - | 71531 | 1 | Universal joint 1/2" |
| - | 7273380 | 1 | Swivel grip handle 1/2" 380mml |
| - | 7233600 | 1 | Swivel handle 1/2" 600mml |
| - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| - | 7263050...500 | 4 | Wobble extension 1/2" 50, 125, 250, 500mml |
| - | 71923 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| - | 71932 | 1 | Adaptor 1/2"(F) x 3/8"(M) |
| - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| - | 71943 | 1 | Adaptor 3/4"(F) x 1/2"(M) |
| - | 71934 | 1 | Adaptor 1/2"(F) x 3/4"(M) |
| - | 732380400 | 1 | 1/2" torques wrench 80-400NM |
| | 83406204...19 | 12 | Bit socket hex 1/2", 4, 5, 5.5, 6, 7, 8, 9, 10, 12, 14, 17, 19mm |
| | 834106205...17 | 10 | Bit socket hex 1/2", 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8" |
| | 83606220...70 | 10 | Bit socket TX 1/2", T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 |
| | 83706220...70 | 10 | Bit socket TX tamperproof 1/2", T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H, T60H, T70H |
| | 83806205...16 | 8 | Bit socket spline 1/2", M5, M6, M7, M8, M9, M10, M12, M14, M16, M16T |
| | 83806216T | 1 | Bit socket spline 1/2", M16T |
| | 83805517 | 1 | Bit socket spline 1/2", M17 |
| | 83906205...16 | 11 | Bit socket ribe 1/2", M5, M6, M7, M8, M9, M10, M10-1, M12, M13, M14, M16 |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 603402 - PLIERS & CUTTING SET, SFS, 34-PCS

XD

745 X 570MM

6948 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 4311175 | 1 | Combination pliers 7" |
| - | 4321160 | 1 | Long nose pliers |
| - | 4321200 | 1 | Long nose pliers 8" |
| - | 4331200 | 1 | Bent long nose pliers 8" |
| - | 4341175 | 1 | Diagonal pliers 7" |
| - | 4341190 | 1 | Universal diagonal pliers |
| - | 4351180 | 1 | Waterpump pliers 7" |
| - | 4351250 | 1 | Waterpump pliers 10" |
| - | 43611 | 1 | Snap ring pliers (straight-open) |
| - | 43612 | 1 | Snap ring pliers (straight-close) |
| - | 43613 | 1 | Snap ring pliers (bent-open) |
| - | 43614 | 1 | Snap ring pliers (bent-close) |
| - | 4380250 | 1 | Locking pliers 10" |
| - | 4381150 | 1 | Long nose locking pliers 150mml |
| - | 4382125 | 1 | Curved jaw locking pliers 125mml |
| - | 4391175 | 1 | Locking pliers for brake and air plug |
| - | 4333270 | 1 | Long nose pliers 11" 90 degree bent |
| - | 4393003 | 1 | Circle nose pliers 11"-1" |
| - | 4471180 | 1 | Wire stripper 7" |
| - | 44005 | 1 | Multi-grip pliers straight jaw |
| - | 46702 | 1 | Shears left 7" |
| - | 46703 | 1 | Shears right 7" |
| - | 47023 | 1 | Brake fluid tester |
| - | 4820207 | 1 | Flexible magnet pickup 500g |
| - | 81301 | 1 | Crimping pliers |
| - | 81302 | 1 | Jaw for crimping insulated terminals A |
| - | 81303 | 1 | Jaw for crimping non-insulated terminals B |
| - | 81304 | 1 | Jaw for crimping open barrel terminals C |
| - | 81305 | 1 | Jaw for cord-end terminal D (small sizes) |
| - | 81306 | 1 | Jaw for cord-end terminal F (big sizes) |
| - | 81307 | 1 | Jaw for crimping open barrel Terminals H (small sizes) |
| - | 600308 | 3 | Hose line clamp set 3-pcs |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 607201 - WRENCH SET, SFS, 72-PCS

XD

745 X 570MM

11900 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 4081011 | 1 | Flexible flare nut wrench 10x11mm |
| | - | 4110810...1719 | 5 | Flare nut wrench 8x10, 11x13, 12x14, 16x18, 17x19mm |
| | - | 41506...36 | 28 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34, 36mm |
| | - | 42608...17 | 10 | Stubby combination wrench 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |
| | - | 4190607...2122 | 8 | 75 offset ring wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x22mm |
| | - | 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | | 4160608...2024 | 4 | TX wrench E6xE8, E10xE12, E14xE18, E20xE24 |
| | - | 41760608...2024 | 4 | TX wrench E6xE8, E10xE12, E14xE18, E20xE24 |


FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE

## 604501 - SCREWDRIVER SET, SFS, 45-PCS

XD

745 X 570MM

4240 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | | 1311S...2S | 2 | Screwdriver stubby PH, PH.1, PH.2 |
| | | 13303...10 | 7 | Screwdriver slotted, 3.0, 3.5, 4, 5.5, 6.5, 8, 10 |
| | | 133055S...65S | 2 | Screwdriver stubby slotted, 5.5, 6.5mm |
| | | 13605...40 | 12 | Screwdriver TX, T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | | 13625015...45 | 7 | Screwdriver TX, 250mml T15, T20, T25, T27, T30, T40, T45 |
| | - | 47902 | 1 | Door upholstery panel remover 110mml |
| | - | 47903 | 1 | Scraper |
| | - | 47904 | 1 | Cotter pin puller |
| | - | 47905 | 1 | Radiator hose remover |
| | - | 47906 | 1 | Trim pad tool 1/4"x115mml |
| | - | 47907 | 1 | Trim pad tool 5/16"x115mml |
| | - | 47908 | 1 | Door upholstery panel remover 132mml |
| | - | 47833...34 | 2 | Straight removal tool 3x63, 3x133mml |
| | - | 47835...36 | 2 | Angle removal tool 3x63, 3x133mml |

FOR A COMPLETE INVENTORY ORDER LIST SEE OUR WEBSITE



# WORKING WILL BE DIFFERENT




SONIC FOAM SYSTEM

# Taking organization and efficiency to the next level




Multiple sizes available



Our Sonic BMCS is **equipped with high quality** hard cover foam inlays.

- Clear overview
- Easy to grab
- Tools lay firm in inlay







Metal spring locking clips

BMCS
BLOW MOULD CASE STORAGE



# 04 > Blow Mould Case Storage (BMCS)



> BMCS 1/4"
PAGE 167, 173



> BMCS SAE
PAGE 175



> BMCS 3/8"
PAGE 168, 174




> BMCS empty
PAGE 176



> BMCS 1/2"
PAGE 170

BMCS
BLOW MOULD CASE STORAGE

# BMCS



Our Blow Mould Case Storage (BMCS) is an efficient tool storage solution with injection bi-color grip handles and solid metal spring locking clips. BMCS is equipped with high quality foam inlays with a unique design ensuring a clear overview of your tools.














## 101105 - TPMS SET 11-PCS BMCS

1600 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 73310002 | 1 | 1/4" Torques driver 0.4-2Nm 3-15 inch-pounds |
| | - | 73310109 | 1 | 1/4" Torques driver 1-9Nm 10-80 inch-pounds |
| | - | 47825 | 1 | Trim removal |
| | - | 47826 | 1 | Tyre valve driver 0.25Nm |
| | - | 47827 | 1 | Tyre valve driver 0.45Nm |
| | | 2155011...12 | 2 | Flank deep socket 1/4", 6 pt. 11, 12mm |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7191125 | 1 | Adaptor bit 1/4" hex-1/4" square 25mml |
| | | 8163710...20 | 2 | Bit socket TX 1/4", T10, T20 |

## 104001 - COMBINATION SET 1/4", 40-PCS BMCS

1360 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | | 21503...14 | 14 | Flank socket 1/4", 6 pt. 3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| | | 8143703...08 | 5 | Bit socket hex 1/4", 3, 4, 5, 6,8mm |
| | | 8163710...40 | 6 | Bit socket TX 1/4", T10, T15, T20, T25, T30, T40 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |

## 103502 - SOCKET & BIT SET 1/4", 35-PCS BMCS

1220 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5 6, 7, 8, 9, 10, 11, 12, 13mm |
| | - | 7141050 | 1 | Extension 1/4" 50mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 8113700...03 | 4 | Bit socket PH 1/4", PH.0, PH.1, PH.2, PH.3 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...06 | 4 | Bit socket hex 1/4", 3, 4, 5, 6mm |
| | | 8163710...40 | 7 | Bit socket TX 1/4", T10, T15, T20, T25, T27, T30, T40 |

## 104602 - COMBINATION SET 1/4", 46-PCS BMCS

1660 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 184-3 | 3 | Hex key wrench 1.5, 2, 2.5mm |
| | - | 7191125 | 1 | Adaptor bit 1/4" hex-1/4" square 25mml |
| | | 21504...14 | 13 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 7211 | 1 | Flexible extension 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| | | 8163710...40 | 6 | Bit socket TX 1/4", T10, T15, T20, T25, T30, T40 |

## 107403 - COMBINATION SET 1/4", 74-PCS BMCS

2680 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 2155004...13 | 12 | Flank deep socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7 E8, E10 |
| | | 2165004...10 | 6 | Deep TX socket 1/4", E4, E5, E6, E7 E8, E10 |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72225 | 1 | Magnet socket pick-up 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| | | 8163708...40 | 8 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30, T40 |
| | | 8173708...40 | 8 | Bit socket TX tamperproof 1/4", T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |



## 200804 - SAMPLE SET SONIC, 8-PCS BMCS

1700 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | | 1312 | 1 | Screwdriver, PH.2 |
| | | 22517 | 1 | Flank socket 3/8", 6 pt. 17mm |
| | | 2256317 | 1 | Flank deep socket 3/8", 6 pt. 17mm |
| | - | 41517 | 1 | Combination wrench 17mm |
| | - | 4311175 | 1 | Combination pliers 7" |
| | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | | 8264840 | 1 | Bit socket TX 3/8", T40 |

## 202803 - SOCKET SET 3/8", 28-PCS BMCS

3320 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | - | 7142044...250 | 4 | Extension 3/8" 44, 75, 150, 250mml |
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | | 7171216...21 | 3 | Spark plug socket 3/8" 16, 18, 21mm |
| | - | 7272250 | 1 | Swivel handle 3/8" 250mml |

## 203703 - SOCKET AND WRENCH SET 3/8", 37-PCS BMCS

3540 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | - | 41506...19 | 14 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | - | 7142044...150 | 3 | Extension 3/8" 44, 75, 150mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |

## 204003 - COMBINATION SET 3/8", 40-PCS BMCS

3080 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | | 22506...22 | 17 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |
| | - | 7142044...150 | 3 | Extension 3/8" 44, 75,150mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | | 8244804...08 | 5 | Bit socket hex 3/8", 4, 5, 6, 7, 8mm |
| | | 8264820...50 | 7 | Bit socket TX 3/8", T20, T25, T27, T30, T40, T45, T50 |
| | | 8284805...12 | 5 | Bit socket spline 3/8", M5, M6, M8, M10, M12 |

## 206102 - SOCKET & BIT SOCKET SET 3/8", 61-PCS BMCS

4380 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | | 22506...24 | 18 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm |
| | | 2256308...19 | 10 | Flank deep socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm |
| | - | 7142075...250 | 2 | Extension 3/8" 75, 250mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
| | | 7171216...21 | 2 | Spark plug socket 3/8" 16, 21mm |
| | | 8214801...03 | 3 | Bit socket PH 3/8", PH.1, PH.2, PH.3 |
| | | 8224801...03 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | | 82348055...08 | 3 | Bit socket slotted 3/8", 5.5, 7, 8mm |
| | | 8244803...10 | 7 | Bit socket hex 3/8", 3, 4, 5, 6, 7, 8, 10mm |
| | | 8264810...55 | 10 | Bit socket TX 3/8", T10, T15, T20, T25, T27, T30, T40, T45, T50, T55 |

## 207601 - SOCKET & BIT SOCKET SET 1/2", 76-PCS BMCS

1140 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 7121502 | 1 | Ratchet 3/8" 60 teeth |
| | 22506...24 | 18 | Flank socket 3/8", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm |
| | 2256308...22 | 13 | Flank deep socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm |
| | 8244803...10 | 7 | Bit socket hex 3/8", 3, 4, 5, 6, 7, 8, 10mm |
| | 8214801...03 | 3 | Bit socket PH 3/8", PH.1, PH.2, PH.3 |
| | 8224801...03 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | 82348055...08 | 4 | Bit socket slotted 3/8", 5.5, 6, 7, 8mm |
| | 8264808...55 | 11 | Bit socket TX 3/8", T8, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55 |
| | 8274810...55 | 10 | Bit socket TX tamperproof 3/8", T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H |
| - | 7142075...250 | 2 | Extension 3/8" 75, 250mml |
| - | 71521 | 1 | Universal joint 3/8" |
| | 7171216...21 | 2 | Spark plug socket 3/8" 16, 21mm |
| - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |

## 300817 - BIT SOCKET TX SET 1/2", 8-PCS BMCS

1400 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 83606227...70 | 8 | Bit socket TX 1/2", T27, T30, T40, T45, T50, T55, T60, T70 |

## 300818 - TX BIT SOCKET SET 1/2", 8-PCS BMCS

1380 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 83610027...70 | 8 | Bit socket TX 1/2", 100mml T27, T30, T40, T45, T50, T55, T60, T70 |

## 300816 - BIT SOCKET HEX SET 1/2", 8-PCS BMCS

1480 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 83410006...17 | 8 | Bit socket hex 1/2", 100mml 6, 7, 8, 9, 10, 12, 14, 17mm |

## 300819 - BIT SOCKET SPLINE SET 1/2", 8-PCS BMCS

1220 GRAM



| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 83806205...16 | 8 | Bit socket spline 1/2", M5, M6, M8, M9, M10, M12, M14, M16 |

## 300820 - BIT SOCKET SPLINE SET 1/2", 8-PCS BMCS

1480 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 83810005...16 | 8 | Bit socket spline 1/2", 100mml<br>M5, M6, M8, M9, M10, M12, M14, M16 |

## 300823 - BIT SOCKET HEX SET 1/2", 8-PCS BMCS

1280 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 83406206...17 | 8 | Bit socket hex 1/2", 6, 7, 8, 9, 10, 12, 14, 17mm |

## 300821 - BIT SOCKET RIBE SET 1/2" 8-PCS BMCS

1220 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 83906206...14 | 8 | Bit socket ribe 1/2",<br>M6, M7, M8, M9, M10, M12, M13, M14 |

## 301702 - BIT SOCKET TX 1/2", 17-PCS BMCS

1280 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 23610...24 | 9 | Socket TX 1/2",<br>E10, E11, E12, E14, E16, E18, E20, E22, E24 |
| | | 83606225...60 | 8 | Bit socket TX 1/2",<br>T25, T27, T30, T40, T45, T50, T55, T60 |

## 300822 - BIT SOCKET RIBE SET 1/2", 8-PCS BMCS

1440 GRAM



| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 83910006...14 | 8 | Bit socket ribe 1/2", 100mml<br>M6, M7, M8, M9, M10, M12, M13, M14 |

## 301904 - SOCKET SET 1/2", 19-PCS BMCS

3800 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | | 23510...24 | 14 | Flank socket 1/2", 6 pt.<br>10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24mm |
| | - | 7133250 | 1 | Sliding T-handle 1/2" |
| | - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |

# Blow Mould Case Storage (BMCS)

## 304501 - SOCKET AND WRENCH SET 1/2", 45-PCS BMCS

6660 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | | 23508...32 | 23 | Flank socket 1/2", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm |
| | - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | | 7171316...21 | 2 | Spark plug socket 1/2" 16, 21mm |
| | - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| | - | 41506...22 | 15 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm |

## 306701 - TX SET, 67-PCS BMCS

4880 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 13606...40 | 9 | Screwdriver TX, T6, T8, T10, T15, T20, T25, T27, T30, T40 |
| | | 1860108...70 | 14 | Key wrench TX, extra long T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 23611...24 | 8 | Socket TX 1/2", E11, E12, E14, E16, E18, E20, E22, E24 |
| | | 4160608...2024 | 4 | TX wrench E6xE8, E10xE12, E14xE18, E20xE24 |
| | | 8163708...40 | 9 | Bit socket TX 1/4", T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| | | 83706250...60 | 3 | Bit socket TX tamperproof 1/2", TX T50H, T55H, T60H |
| | | 9367520...55 | 7 | Bit TX 10mm, 75mml T20, T25, T30, T40, T45, T50, T55 |
| | | 9373015...45 | 6 | Bit TX 10mm tamperproof, 30mml T15H, T20H, T25H, T30H, T40H, T45H |
| | - | 72033 | 1 | Bitholder, 1/2"(F)x10mm(F) |

## 302404 - SOCKET SET 1/2", 24-PCS BMCS

5040 GRAM



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | | 23510...32 | 18 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm |
| | - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| | - | 7273380 | 1 | Swivel handle 1/2" 380mml |

BMCS
BLOW MOULD CASE STORAGE



## 307603 - SOCKET SET 1/4" & 1/2", 76-PCS BMCS

5740 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...10 | 7 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8, 10mm |
| | | 8163708...40 | 8 | Bit socket TX 1/4",<br>T8, T10, T15, T20, T25, T27, T30, T40 |
| | | 8173708...40 | 8 | Bit socket TX tamperproof 1/4",<br>T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...150 | 3 | Extension 1/4" 50mml, 100, 150mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 150mml 1/4" |
| | | 23508...32 | 20 | Flank socket 1/2" , 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,<br>18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm |
| | - | 7121503 | 1 | Ratchet 3/8" 60 teeth |
| | - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |

## 309101 - SOCKET SET 1/4" & 1/2", 91-PCS BMCS

8500 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21503...14 | 14 | Flank socket 1/4", 6 pt.<br>3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| | | 2155006...13 | 8 | Flank deep socket 1/4", 6 pt.<br>6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| | | 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| | | 8133704...065 | 3 | Bit socket slotted 1/4" 4, 5.5, 6.5mm |
| | | 8143703...06 | 4 | Bit socket hex 1/4" 3, 4, 5, 6mm |
| | | 8163708...40 | 8 | Bit socket TX 1/4"<br>T8, T10, T15, T20, T25, T27, T30, T40 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 23510...32 | 14 | Flank socket 1/2", 6 pt.<br>10, 13, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
| | | 2357714...19 | 4 | Flank deep socket 1/2", 6 pt. 14, 15, 17, 19mm |
| | | 7171316...21 | 2 | Spark plug socket 1/2", 16, 21mm |
| | | 83606250...60 | 3 | Bit socket TX 1/2", T50, T55, T60 |
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | - | 7143125...250 | 2 | Extension 1/2" 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71623 | 1 | Adaptor for extension 3/8"(F) x 1/2"(M) |
| | - | 72032 | 1 | Bit holder 1/2"(F) x 5/16"(F) |
| | | 9213002...04 | 3 | Bit PH 5/16" 30mml, PH.2, PH.3, PH.4 |
| | | 9223002...04 | 3 | Bit PZ 5/16" 30mml, PZ.2, PZ.3, PZ.4 |
| | | 9233006...12 | 4 | Bit slotted 5/16" 30mml, 6, 8, 10, 12mm |
| | | 9263030...45 | 3 | Bit TX 5/16" 30mml, T30, T40, T45 |

## 309402 - SOCKET SET 1/4" & 1/2", 94-PCS BMCS

6460 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | - | 184-3 | 3 | Hex key wrench 1.5, 2, 2.5mm |
| | | 21504...14 | 13 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10 ,11, 12, 13, 14mm |
| | | 2155006...13 | 8 | Flank deep socket 1/4", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| | | 8123701...02 | 2 | Bit socket PZ 1/4", PZ.1, PZ.2 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...06 | 4 | Bit socket hex 1/4" 3, 4, 5, 6mm |
| | | 8163708...30 | 7 | Bit socket TX 1/4" T8, T10, T15, T20, T25, T27, T30 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4" 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 1/4" 150mml |
| | | 23510...32 | 17 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17,<br>18, 19, 20, 21, 22, 24, 27, 30, 32mm |
| | | 2357713...22 | 5 | Flank deep socket 1/2", 6 pt. 13, 15, 17, 19, 22mm |
| | | 7171316...21 | 2 | Spark plug socket 1/2", 16, 21mm |
| | - | 7121503 | 1 | Ratchet 1/2", 60 teeth |
| | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71623 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| | - | 72032 | 1 | Bit holder 1/2"(F) x 5/16"(F) |
| | | 9213003...04 | 2 | Bit PH 5/16", 30mml PH.3, PH.4 |
| | | 9223003...04 | 2 | Bit PZ 5/16", 30mml PZ.3, PZ.4 |
| | | 9233008...12 | 3 | Bit slotted 5/16", 30mml 8, 10, 12mm |
| | | 9243007...14 | 5 | Bit hex 5/16", 30mml 7, 8, 10, 12, 14mm |
| | | 9263040...55 | 4 | Bit TX 5/16", 30mml T40, T45, T50, T55 |

## 309901 - SOCKET SET 1/4", 3/8'' & 1/2", 99-PCS BMCS

8500 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21504...13 | 12 | Flank socket 1/4", 6 pt.<br>4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | | 22510...19 | 10 | Flank socket 3/8", 6 pt.<br>10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | | 23517...32 | 13 | Flank socket 1/2", 6 pt.<br>17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm |
| | | 21604...10 | 6 | Socket TX 1/4", E4, E5, E6, E7, E8, E10 |
| | | 22611...20 | 6 | Socket TX 3/8", E11, E12, E14, E16, E18, E20 |
| | - | 41506 | 16 | Combination wrench<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm |
| | | 7171316...21 | 2 | Spark plug socket 1/2", 16, 21mm |
| | | 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| | | 8123701...02 | 2 | Bit socket PZ 1/4", PZ.1, PZ.2 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| | | 8143703...06 | 4 | Bit socket hex 1/4", 3, 4, 5, 6 |
| | | 8163708...30 | 8 | Bit socket TX 1/4", T8, T9, T10, T15, T20, T25, T27, T30 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7121502 | 1 | Ratchet 3/8", 60 teeth |
| | - | 7121503 | 1 | Ratchet 1/2", 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4", 50, 100mml |
| | - | 7262075...150 | 2 | Wobble extension 3/8", 75, 150mml |
| | - | 7263125...250 | 2 | Wobble extension 1/2", 125, 250mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 71521 | 1 | Universal joint 3/8" |
| | - | 71531 | 1 | Universal joint 1/2" |
| | - | 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| | - | 71932 | 1 | Adaptor 1/2"(F)x 3/8"(M) |

## 103202 - COMBINATION SET 1/4", 32-PCS BMCS (SAE)

1074 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 21905...13 | 9 | Flank socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | | 8113700...03 | 4 | Bit socket PH 1/4", bit PH.0, PH.1, PH.2, PH.3 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5 |
| | | 81413703...06 | 4 | Bit socket hex 1/4", 1/8", 5/32", 3/16", 7/32" |
| | | 8163710...40 | 7 | Bit socket TX 1/4", T10, T15, T20, T25, T27, T30, T40 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050 | 1 | Extension 1/4", 50mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 1/4", 150mml |

## 205301 - SOCKET & BITSOCKET SET 3/8" 53-PCS BMCS (SAE)

4418 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 22906...21 | 10 | Flank socket 3/8", 12 pt. 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" 11/16", 3/4", 13/16" |
| | | 2296306...21 | 10 | Flank deep socket 3/8", 12 pt. 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" 11/16", 3/4", 13/16" |
| | | 82414803...12 | 7 | Bit socket hex 3/8" 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 7/16" |
| | | 8214801...03 | 3 | Bit socket PH 3/8", PH.1, PH.2, PH.3 |
| | | 8224801...03 | 3 | Bit socket PZ 3/8", PZ.1, PZ.2, PZ.3 |
| | | 82348055...08 | 3 | Bit socket slotted 3/8", 5.5, 7, 8 |
| | | 8264810...55 | 10 | Bit socket TX 3/8", T10, T15, T20, T25, T27, T30, T40, T45, T50, T55 |
| | - | 7121502 | 1 | Ratchet 3/8", 60 teeth |
| | - | 7142075...250 | 2 | Extension 3/8", 75, 250mml |
| | - | 71521 | 1 | Universal joint 3/8" |
| | | 7171216...21 | 2 | Spark plug socket 3/8", 16, 21 |
| | - | 71632 | 1 | Adaptor 1/2"(F)x3/8"(M) |

## 302801 - SOCKET SET 1/2", 28-PCS BMCS (SAE)

4704 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 23910...32 | 15 | Flank socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | | 834106206...17 | 8 | Bit socket hex 1/2" 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 9/16", 5/8" |
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| | - | 71623 | 1 | Adaptor 3/8"(F)x1/2"(M) |
| | - | 71531 | 1 | Universal joint 1/2" |

## 303401 - SOCKET AND WRENCH SET 1/2", 34-PCS BMCS (SAE)

6346 GRAM



| TOOLS | | ART. NO. | | CONTENTS |
|---|---|---|---|---|
| | | 23910...32 | 15 | Flank socket 1/2" 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | | 7171316...21 | 2 | Spark plug socket 1/2", 16, 21 |
| | - | 71623 | 1 | Adaptor 3/8"(F)x1/2"(M) |
| | - | 4150206...24 | 12 | Combination wrench 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" |

## 308502 - SOCKET SET 1/4" & 1/2", 85-PCS BMCS (SAE)

5984 GRAM

SAE SONIC SAE TOOLS



| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
| | | 21905...13 | 9 | Flank socket 1/4", 12 pt. 3/16" , 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | | 2195006...12 | 7 | Flank deep socket 1/4", 12 pt. 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |
| | | 81413703...06 | 4 | Bit socket hex 1/4", 1/8", 5/32", 3/16", 7/32" |
| | | 8163708...30 | 7 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30 |
| | | 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5 |
| | | 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| | | 8123701...02 | 2 | Bit socket PZ 1/4", PZ.1, PZ.2 |
| | - | 7121501 | 1 | Ratchet 1/4" 60 teeth |
| | - | 7131115 | 1 | Sliding T-handle 1/4" |
| | - | 7141050...100 | 2 | Extension 1/4", 50, 100mml |
| | - | 71511 | 1 | Universal joint 1/4" |
| | - | 72401 | 1 | Spinner 1/4", 150mml |
| | - | 184-3 | 3 | Hex key 1.5, 2, 2.5 |
| | | 23910...32 | 15 | Flank socket 1/2" 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16, 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |
| | | 2397713...22 | 5 | Flank deep socket 1/2" 12 pt. 1/2", 5/8", 11/16", 3/4", 7/8" |
| | - | 7121503 | 1 | Ratchet 1/2" 60 teeth |
| | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
| | - | 71531 | 1 | Universal joint 1/2" |
| | | 7171316...21 | 2 | Spark plug socket 1/2", 16, 21 |
| | - | 71623 | 1 | Adaptor 3/8"(F)x1/2"(M) |
| | - | 72032 | 1 | Bit holder 1/2"(F)x5/16"(F) |
| | | 9243007...14 | 5 | Bit hex 5/16" 30mml, 7, 8, 10, 12, 14mm |
| | | 9263040...55 | 4 | Bit TX 5/16" 30mml, T40, T45, T50, T55 |
| | | 9233008...12 | 3 | Bit slotted 5/16" 30mml, 8, 10, 12mm |
| | | 9213003...04 | 2 | Bit PH 5/16" 30mml, PH.3, PH.4 |
| | | 9223003...04 | 2 | Bit 5/16" 30mml, PZ.3, PZ.4 |

## S403 - EMPTY BLOW MOULD CASE 240 X 120 X 45MM

386 GRAM



## S404 - EMPTY BLOW MOULD CASE 280 X 150 X 45MM

554 GRAM



## S407 - EMPTY BLOW MOULD CASE 340 X 220 X 60MM

936 GRAM



## S409 - EMPTY BLOW MOULD CASE 380 X 250 X 65MM

1328 GRAM



## S409-1 - EMPTY BLOW MOULD CASE 380 X 250 X 85MM

1256 GRAM



## S413 - EMPTY BLOW MOULD CASE 440 X 310 X 75MM

1772 GRAM




SONIC


SONIC
PILOT SPORT
RR


SONIC



> Sets 1/4''
PAGE 181





> Sets 3/8''
PAGE 182



> Set 1/4''+3/8''
PAGE 184



> Sets 1/2''
PAGE 184



> Sets universal
PAGE 184

# Socket/bit sockets always perfectly organized



Tools are always organized

The Sonic chrome vanadium sockets/bit sockets are **mounted on an efficient durable alloy rail** for quick, easy identification and usage.

- Identification display label with article number and EAN-code
- Wide assortment variety of socket/bit sockets on rails

6.3 1/4" | 10 3/8" | 12.5 1/2" | SAE SONIC SAE TOOLS



Easy click-on & click-off function





## 101001 - FLANK SOCKET SET 1/4", 6 PT. ON RAIL 10-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21505...13 | Flank socket 1/4", 6 pt. 5, 5.5, 6 ,7 ,8 ,9 ,10, 11, 12, 13mm |

## 101203 - FLANK SOCKET SET 1/4", 6 PT. ON RAIL 12-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21504...13 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |

## 101204 - FLANK DEEP SOCKET SET 1/4", 6 PT. ON RAIL 12-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2155004...13 | Flank deep socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |

## 101201 - SOCKET SET 1/4", 12 PT. ON RAIL 12-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21804...13 | Socket 1/4", 12 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |

## 101202 - DEEP SOCKET SET 1/4", 12 PT. ON RAIL 12-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2185004...13 | Deep socket 1/4", 12 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |

## 100901 - DEEP SOCKET SET 1/4", 12 PT. ON RAIL 12-PCS

6.3 1/4" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21905...13 | Socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |

## 100902 - DEEP SOCKET SET 1/4", 12 PT. ON RAIL 9-PCS

6.3 1/4" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2195005...12 | Deep socket 1/4", 12 pt. 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" |

## 101002 - TX SOCKET SET 1/4", TX ON RAIL 10-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21605...10 | Socket TX 1/4", E5, E6, E7, E8, E10 |
| | 2165005...10 | Deep socket TX 1/4", E5, E6, E7, E8, E10 |

## 101003 - BIT SOCKET SET 1/4", ON RAIL 10-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8113701...02 | Bit socket PH 1/4", PH.1, PH.2 |
| | 8123701...02 | Bit socket PZ 1/4", PZ.1, PZ.2 |
| | 8143703...08 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |

## 100904 - BIT SOCKET SET 1/4", HEX ON RAIL 9-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8143703...10 | Bit socket hex 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |

## 100903 - BIT SOCKET SET 1/4", HEX WITH BALL END ON RAIL 9-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8103703...10 | Bit socket hex ball 1/4", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |

## 100702 - BIT SOCKET SET 1/4", HEX ON RAIL 7-PCS

6.3 1/4" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 81413703...10 | Bit socket hex 1/4", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |

# Socket rails



## 101004 - BIT SOCKET SET 1/4", TX ON RAIL 10-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8163708...25 | Bit socket TX 1/4", T8, T10, T15, T20, T25 |
| | 8173708...25 | Bit socket TX tamperproof 1/4", T8H, T10H, T15H, T20H, T25H |

## 100704 - BIT SOCKET SET 1/4", TX WITH BALL END ON RAIL 7-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 81613710...40 | Bit socket TX ball 1/4", T10, T15, T20, T25, T27, T30, T40 |

## 100701 - BIT SOCKET SET 1/4", TX TAMPERPROOF ON RAIL 7-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8153710...40 | Tamper-resistant 1/4", TX plus (5 lobes) 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR |

## 101005 - BIT SOCKET SET 1/4", TX TAMPERPROOF ON RAIL 10-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8153708...50 | Tamper-resistant 1/4", TX plus (5 lobes) 8IPR, 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR, 40IPR, 45IPR, 50IPR |

## 100501 - BIT SOCKET SET 1/4", SPLINE ON RAIL 5-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8183704...10 | Bit socket spline 1/4", M4, M5, M6, M8, M10 |

## 100601 - BIT SOCKET SET 1/4", RIBE ON RAIL 6-PCS

6.3 1/4"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8193704...10 | Bit socket ribe 1/4", M4, M5, M6, M7, M8, M10 |

## 201001 - SOCKET SET 3/8", 6 PT. ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 22508...17 | Flank socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |

## 201008 - FLANK DEEP SOCKET 3/8", 6 PT. ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2256308...17 | Flank deep socket 3/8", 6 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17mm |

## 201009 - SOCKET SET 3/8", 12 PT. ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 22808...19 | Socket 3/8", 12 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm |

## 201010 - DEEP SOCKET SET 3/8", 12 PT. ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2286308...19 | Deep socket 3/8", 12 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm |

## 200801 - SOCKET SET 3/8", 12 PT. ON RAIL 8-PCS

10 3/8" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 22910...21 | Socket 3/8", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" |

## 200802 - DEEP SOCKET SET 3/8", 12 PT. ON RAIL 8-PCS

10 3/8" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2296310...21 | Socket 3/8", 12 pt. deep 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" |

## 201002 - SOCKET SET 3/8", TX ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 22610...16 | Socket TX 3/8", E10, E11, E12, E14, E16 |
| | 2266310...16 | Deep socket TX 3/8", E10, E11, E12, E14, E16 |

## 201014 - CARDAN SOCKET SET 3/8", 12 PT. ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 7152810...19 | Cardan socket 3/8" 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 201003 - BIT SOCKET SET 3/8", HEX ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8244803...12 | Bit socket hex 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10, 12mm |

## 200903 - HEX LONG BIT SOCKET SET 3/8", HEX ON RAIL 9-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8249003...10 | Bit socket hex 3/8", 90mml 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |

## 200901 - BIT SOCKET HEX BALL SET 3/8", HEX WITH BALL ON RAIL 9-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8209003...10 | Bit socket hex ball 3/8", 3, 4, 5, 5.5, 6, 7, 8, 9, 10mm |

## 200902 - BIT SOCKET HEX SET 3/8", HEX ON RAIL 9-PCS

10 3/8" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 82414803...13 | Bit socket hex 3/8", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2" |

## 201005 - BIT SOCKET SET 3/8", TX ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8264808...50 | Bit socket TX 3/8", T8, T10, T15, T20, T25, T27, T30, T40, T45, T50 |

## 201012 - BIT SOCKET SET 3/8", TX LONG ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8269008...50 | Bit socket TX 3/8", 90mml T8, T10, T15, T20, T25, T27, T30, T40, T45, T50 |

## 201006 - BIT SOCKET SET 3/8", TX TAMPERPROOF ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8274808...50 | Bit socket TX tamperproof 3/8", T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H |

## 201013 - BIT SOCKET SET 3/8", TX TAMPERPROOF LONG ON RAIL 10-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8279008...50 | Bit socket TX tamperproof 3/8", 90mml T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H |

## 201201 - BIT SOCKET SET 3/8", RIBE & SPLINE ON RAIL 12-PCS

10 3/8"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 8284805...12 | Bit socket spline 3/8", M5, M6, M8, M9, M10, M12 |
| | 8294805...10 | Bit socket ribe 3/8", M5, M6, M7, M8, M9, M10 |

# Socket rails



## 200805 - 1/4" & 3/8" PORSCHE SOCKETS 10MM ON RAIL 8-PCS



6.3 1/4" 10 3/8"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21510 | Flank socket 1/4" 6 pt. 10mm |
| | 2155010 | Flank deep socket 1/4" 6 pt. 10mm |
| | 22510 | Flank socket 3/8" 6 pt. 10mm |
| | 2256310 | Flank deep socket 3/8" 6 pt. 10mm |
| | 71511 | Universal joint 1/4" |
| | 7151810 | Cardan socket 1/4" 12 pt. 10mm |
| | 71521 | Universal joint 3/8" |
| | 7152810 | Cardan socket 3/8", 10mm |

## 201015 - 1/4" & 3/8" VW/ AUDI SOCKET SET ON RAIL 10-PCS



6.3 1/4" 10 3/8"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 21510...13 | Flank socket 1/4" 6 pt. 10, 13mm |
| | 8163720...30 | Bit socket TX 1/4", T20, T25, T30 |
| | 8244805...06 | Bit socket hex 3/8", 5, 6mm |
| | 8284806...10 | Bit socket spline 3/8" M6, M8, M10 |

## 301201 - FLANK SOCKET SET 1/2", 6 PT. ON RAIL 12-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 23508...19 | Flank socket 1/2", 6 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 301007 - FLANK SOCKET SET 1/2", 6 PT. ON RAIL 10-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 23510...24 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 17, 19, 21, 24mm |

## 301202 - FLANK DEEP SOCKET SET 1/2", 6 PT. ON RAIL 12-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2357708...19 | Flank deep socket 1/2", 6 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 301203 - SOCKET SET 1/2", 12 PT. ON RAIL 12-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 23808...19 | Socket 1/2", 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 301204 - DEEP SOCKET SET 1/2", 12 PT. ON RAIL 12-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2387708...19 | Deep socket 1/2", 12 pt.<br>8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 301503 - SOCKET SET 1/2", 12 PT. ON RAIL 15-PCS



12.5 1/2" SAE SONIC SAE TOOLS

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 23910...32 | Socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |

## 301504 - DEEP SOCKET SET 1/2", 12 PT. ON RAIL 15-PCS



12.5 1/2" SAE SONIC SAE TOOLS

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2397710...32 | Deep socket 1/2", 12 pt. 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4" |

## 300902 - SOCKET SET 1/2", TX ON RAIL 9-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 23610...24 | Socket TX 1/2", E10, E11, E12, E14, E16, E18, E20, E22, E24 |

## 300903 - DEEP SOCKET SET 1/2", TX ON RAIL 9-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 2367710...24 | Deep TX socket 1/2", E10, E11, E12, E14, E16, E18, E20, E22, E24 |

## 301003 - BIT SOCKET SET 1/2", HEX ON RAIL 10-PCS



12.5 1/2"

| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 83406204...14 | Bit socket hex 1/2", 4, 5, 5.5, 6, 7, 8, 9, 10, 12, 14mm |

## 301002 - BIT SOCKET SET 1/2", HEX ON RAIL 10-PCS

12.5 1/2" SAE SONIC SAE TOOLS



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 834106205...17 | Bit socket hex 1/2", 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8" |

## 301005 - BIT SOCKET SET 1/2", TX ON RAIL 10-PCS

12.5 1/2"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 83606220...70 | Bit socket TX 1/2", T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 |

## 301006 - BIT SOCKET SET 1/2", TX TAMPERPROOF ON RAIL 10-PCS

12.5 1/2"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 83706220...70 | Bit socket TX tamperproof 1/2", T20H, T25H, T27H, T30H, T40H, T45H, T50H, T55H, T60H, T70H |

## 300906 - BIT SOCKET SET 1/2", SPLINE ON RAIL 9-PCS

12.5 1/2"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 83806205...16 | Bit socket spline 1/2", M5, M6, M8, M9, M10, M12, M14, M16 |
| | 83806216T | Bit socket spline 1/2", M16-T |

## 301008 - BIT SOCKET SET 1/2", RIBE ON RAIL 10-PCS

12.5 1/2"



| TOOLS | ART. NO. | CONTENTS |
|---|---|---|
| | 83906205...14 | Bit socket ribe 1/2", M5, M6, M7, M8, M9, M10, M10-1, M12, M13, M14 |

## 300308 - UNIVERSAL JOINT 3-PCS




| ART. NO. | CONTENTS |
|---|---|
| 300308-1 | Universal joint 1/4" |
| 300308-2 | Universal joint 3/8" |
| 300308-3 | Universal joint 1/2" |

05

## 300814 - ADAPTOR & UNIVERSAL JOINT 8-PCS



| ART. NO. | CONTENTS |
|---|---|
| 72011 | Bit holder 1/4"(F) x 1/4"(F) |
| 71912 | Adaptor 1/4"(F) X 3/8"(M) |
| 71511 | Universal joint 1/4" |
| 71921 | Adaptor 3/8"(F) x 1/4"(M) |
| 71923 | Adaptor 3/8"(F)X 1/2"(M) |
| 71521 | Universal joint 3/8" |
| 71932 | Adaptor 1/2"(F)x 3/8"(M) |
| 71531 | Universal joint 1/2" |

# Flexibility always at hand



Wide variety of screwdriver sets

Choose from a **wide variety of tool sets that will improve productivity.** Ranging from screwdriver, sockets and wrench sets up to a wide variety of specialty tool sets and many more.






Sets available in convenient pouches

06



# General tools



## 602006 - SCREWDRIVER SET IN COLORED BOX, 20-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 1311...3 | 3 | Screwdriver PH, PH.1, PH.2, PH.3 |
| 1312S | 1 | Screwdriver stubby PH, PH.2 |
| 1321...3 | 3 | Screwdriver PZ, PZ.1, PZ.2, PZ.3 |
| 1322S | 1 | Screwdriver stubby PZ, PZ.2 |
| 13303...8 | 5 | Screwdriver slotted, 3, 4, 5.5, 6.5, 8mm |
| 133065S | 1 | Screwdriver stubby slotted, 6.5mm |
| 13610...30 | 6 | Screwdriver TX, T10, T15, T20, T25, T27, T30 |

## 600618 - SCREWDRIVER SET IN COLORED BOX, 6-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 1311...12 | 2 | Screwdriver PH, PH.1, PH.2 |
| 13303...65 | 4 | Screwdriver slotted, 3, 4, 5.5, 6.5mm |

## 600514 - GO-THROUGH SCREWDRIVER SET IN COLORED BOX, 5-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 15101...2 | 2 | Hammer go-through screwdriver PH, PH.1 , PH.2 |
| 1530155...08 | 3 | Hammer go-through screwdriver slotted, 5.5, 6,5, 8mm |

## 600619 - SCREWDRIVER SET TX IN COLORED BOX, 6-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 13610...30 | 6 | Screwdriver TX, T10, T15, T20, T25, T27, T30 |

## 600512 - SCREWDRIVER SET IN COLORED BOX, 5-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 1311...2 | 2 | Screwdriver PH, PH.1, PH.2 |
| 13304...65 | 3 | Screwdriver slotted, 4, 5.5, 6.5mm |

## 600620 - SCREWDRIVER SET TX-H IN COLORED BOX, 6-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 13710...30 | 6 | Screwdriver TX tamperproof, T10H, T15H, T20H, T25H, T27H, T30H |

## 601001 - 16 IN 1 RATCHET SCREWDRIVER



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 601001-1 | 1 | Ratchet grip |
| 601001-2 | 1 | Bit holder |
| 601001-3 | 1 | Bit PH.1+PH.2 |
| 601001-4 | 1 | Bit PZ.1+PZ.2 |
| 601001-5 | 1 | Bit slotted 3.5mm + 5mm |
| 601001-6 | 1 | Bit 1/4" |
| 601001-7 | 1 | Bit T10+T15 |
| 601001-8 | 1 | Bit T20+T25 |
| 601001-9 | 1 | Bit T27+T30 |
| 601001-10 | 1 | Bit hex 3mm+4mm |

## 602303 - PRECISION SCREWDRIVER SET, 23-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 602303-1...5 | 5 | Screwdriver PH, PH.0000, PH.000, PH.00, PH.0, PH.1 |
| 602303-6...7 | 2 | Screwdriver PZ, PZ.0, PZ.1 |
| 602303-8...12 | 5 | Screwdriver slotted, 1.5, 2, 2.5, 3, 3.5mm |
| 602303-13...16 | 4 | Screwdriver hex, 1.5, 2, 2.5, 3mm |
| 602303-17...23 | 7 | Screwdriver TX, T5, T6, T7, T8, T9, T10, T15 |

## 601503 - IMPACT DRIVER SET, 15-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 72501 | 1 | Impact driver |
| 9243604...08 | 4 | Bit hex 5/16" 36mml, 4, 5, 6, 8mm |
| 9233605...12 | 5 | Bit slotted 5/16" 36mml, 5, 6, 8, 10, 12mm |
| 9213601...04 | 4 | Bit PH 5/16" 36mml, PH.1, PH.2, PH.3, PH.4 |
| 72032 | 1 | Bit holder 1/2"(F) x 5/16"(F) |

## 101007 - BIT SET 1/4", 10-PCS



| PCS | CONTENTS |
|---|---|
| 2 | Bit PH.1, PH.2 |
| 2 | Bit slotted 5.5, 6.5mm |
| 6 | Bit T10, T15, T20, T25, T27, T30 |

## 600919 - POCKET BITS, 9-PCS



## 103101 - BIT SET 1/4", 31-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 103101-1 | 1 | Ratchet 1/4" |
| 103101-2...4 | 3 | Bit PH.1, PH.2, PH.3 |
| 103101-5...7 | 3 | Bit PZ.1, PZ.2, PZ.3 |
| 103101-8...12 | 5 | Bit slotted, 3.5, 4.5, 5.5, 6.5, 8mm |
| 103101-13...19 | 7 | Bit hex, 2, 3, 4, 5, 6, 7, 8mm |
| 103101-20...29 | 10 | Bit TX, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| 103101-30...31 | 2 | Bit robertson, R1, R2 |

## 103201 - BIT SET, 32-PCS



| PCS | CONTENTS |
|---|---|
| 1 | Bit holder 1/4"(F)x1/4"(M) 65mml |
| 1 | Bit adaptor 1/4"(F)x1/4"(F) 25mml |
| 4 | Bit slotted 1/4" 25mml, 3, 4, 5.5, 6.5mm |
| 4 | Bit PH 1/4" 25mml, PH.1, PH.2, PH.3, PH.4 |
| 4 | Bit PZ 1/4" 25mml, PZ.1, PZ.2, PZ.3, PZ.4 |
| 6 | Bit hex 1/4" 25mml, 2, 2.5, 3, 4, 5, 6mm |
| 6 | Bit TX 1/4" 25mml, T10, T15, T20, T25, T30, T40 |
| 6 | Bit TX tamperproof 1/4" 25mml, T10H, T15H, T20H, T25H, T30H, T40H |


## 829136 - WHEEL NUT KEY SET - AUDI, 22-PCS



- 1/4" or 12mm
- Sockets are manufactured from Chrome Vanadium
- 1/4" with locking ring for use with supplied ratchet spanner
- Bits made from SNCM-V
- Ideal for car door hinges and for use where space is restricted

| PCS | CONTENTS |
|---|---|
| 4 | 7, 8, 10, 12mm |
| 6 | Hex 4, 5, 6, 7, 8, 10mm |
| 5 | TX T27, T30, T40, T45, T50 |
| 4 | Spline M5, M6, M8, M10 |
| 1 | 12mm Bi-Hex ratchet spanner |

## 601906 - FLEXIBLE HOSE CLIP DRIVER SET, 19-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 72403 | 1 | Long flexible spinner 1/4" 545mmL |
| 4753701 | 1 | Flexible Socket screwdriver, Hex 7mm 545mml |
| 72001 | 1 | Long flexible magnetic bit holder 1/4", 545mml |
| 21505...10 | 5 | Flank socket 1/4", 6 pt. 5, 6, 7, 8, 10mm |
| - | 2 | Bit PH.1, PH.2 |
| - | 2 | Bit slotted 5.5, 6.5mm |
| - | 6 | Bit T10, T15, T20, T25, T27, T30 |

## 102801 - 1/4" SOCKET & BIT SET, 28-PCS



## 101901 - DISC RATCHET SET 1/4", 19-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 21506...12 | 5 | Flank socket 1/4", 6 pt. 6, 8, 9, 10, 12mm |
| 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| 7141050 | 1 | Extension 1/4" 50mml |
| 72011 | 1 | Bit holder 1/4"(F) x 1/4"(F) |
| 9112501...03 | 3 | Bit PH 1/4" 25mml, PH.1, PH.2, PH.3 |
| 9132503...06 | 4 | Bit slotted 1/4" 25mml, 3, 4, 5, 6mm |
| 9142503...05 | 3 | Bit hex 1/4" 25mml, 3, 4, 5mm |

## 75214 - SOCKET & BIT SET 1/4", 36-PCS



| PCS | CONTENTS |
|---|---|
| 1 | Flat ratcheting wrench 11mm |
| 1 | Bit holder 1/4"(F) x 1/4"(F) |
| 1 | Extension 1/4", 50mmL |
| 4 | Bit 1/4", 25mml PH.0, PH.1, PH.2, PH.3 |
| 3 | Bit 1/4", slotted 25mmL 4, 5, 6mm |
| 6 | Bit 1/4", hex 25mml 2, 2.5, 3, 4, 5, 6mm |
| 7 | Bit 1/4", 25mml, T10, T15, T20, T25, T27, T30, T40 |
| 13 | Multi grip socket 1/4", 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |

## 104601 - BIT SOCKET SET 1/4", 46-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 21504...14 | 13 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| 8143703...08 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 8mm |
| 8163710...40 | 6 | Bit socket TX 1/4", T10, T15, T20, T25, T30, T40 |
| 8133704...065 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
| 8123701...03 | 3 | Bit socket PZ 1/4", PZ.1, PZ.2, PZ.3 |
| 7120201 | 1 | Ratchet 1/4" 24 teeth |
| 7131115 | 1 | Sliding T-handle 1/4" |
| 7141050...100 | 2 | Extension 1/4" 50mml, 100mml |
| 71511 | 1 | Universal joint 1/4" |
| 7191125 | 1 | Adaptor bit 1/4" hex-1/4" square 25mml |
| 72401 | 1 | Spinner 1/4" 150mml |
| 7211 | 1 | Flexible extension 1/4" |
| 184-3 | 3 | Hex key wrench 1.5, 2, 2.5mm |

## 309401 - SOCKET SET IN SUITCASE, 94-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 21504...14 | 13 | Flank socket 1/4", 6 pt. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm |
| 2155006...13 | 8 | Flank deep socket 1/4", 6 pt. 6, 7, 8, 9, 10, 11, 12, 13mm |
| 8143703...06 | 4 | Bit socket hex 1/4", 3, 4, 5, 6mm |
| 8163708...30 | 7 | Bit socket TX 1/4", T8, T10, T15, T20, T25, T27, T30 |
| 8133704...65 | 3 | Bit socket slotted 1/4", 4, 5.5, 6.5mm |
| 8113701...02 | 2 | Bit socket PH 1/4", PH.1, PH.2 |
| 8123701...02 | 2 | Bit socket PZ 1/4", PZ.1, PZ.2 |
| 7120901 | 1 | Ratchet 1/4" 45 teeth |
| 7131115 | 1 | Sliding T-handle 1/4" |
| 7141050...100 | 2 | Extension 1/4" 50mml, 100mml |
| 71511 | 1 | Universal joint 1/4" |
| 72401 | 1 | Spinner 1/4" 150mml |
| 184-3 | 3 | Hex key wrench 1.5, 2, 2.5mm |
| 23510...32 | 17 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
| 2357713...22 | 5 | Flank deep socket 1/2", 6 pt. 13, 15, 17, 19, 22mm |
| 7120903 | 1 | Ratchet 1/2" 45 teeth |
| 7143125...250 | 2 | Extension 1/2" 125mml, 250mml |
| 71531 | 1 | Universal joint 1/2" |
| 7171316...21 | 2 | Spark plug socket 1/2" 16, 21mm |
| 71623 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| 72032 | 1 | Bit holder 1/2"(F) x 5/16"(F) |
| 9243007...14 | 5 | Bit hex 10mm 30mml, 7, 8, 10, 12, 14mm |
| 9263040...55 | 4 | Bit TX 5/16" 30mml, T40, T45, T50, T55 |
| 9233008...12 | 3 | Bit slotted 5/16" 30mml, 8, 10, 12mm |
| 9213003...04 | 2 | Bit PH 5/16" 30mml, PH.3, PH.4 |
| 9223003...04 | 2 | Bit PZ 5/16" 30mml, PZ.3, PZ.4 |

## 402001 - SOCKET SET 3/4", 12 PT. 20-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 24919...50 | 16 | Socket 3/4", 12 pt. 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm |
| 7121204 | 1 | Ratchet 3/4" 24 teeth |
| 7134450 | 1 | Sliding T-handle 3/4" |
| 7144100...200 | 2 | Extension 3/4" 100mml, 200mml |

## 501401 - SOCKET SET 1", 12 PT. 15-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 25836...80 | 10 | Socket 1", 12 pt. 36, 41, 46, 50, 55, 60, 65, 70, 75, 80mm |
| 7121205 | 1 | Ratchet 1" 24 teeth |
| 7135550 | 1 | Sliding T-handle 1" |
| 7135 | 1 | Sliding T-handle 1" head |
| 7145200...400 | 2 | Extension 1" 200mml, 400mml |

## 301601 - MULTI FUNCTION SOCKET SET 1/2", 16-PCS



Sizes 8 - 24mm. The Sonic multi grip socket set is a new design. Now instead of 4 sockets, 1 Sonic multi grip socket will do the trick. The profile of the multi grip socket is capable of removing and tightening: - metric, hex, TX, square, SAE

| ART. NO. | MULTI GRIP SOCKET | HEX MM | HEX INCH | STAR | SQUARE MM | SQUARE INCH | 12 PT. MM | 12 PT. INCH |
|---|---|---|---|---|---|---|---|---|
| 301601-1 | 8 | 8 | 5/16" | E10 | 7 | 9/32" | 8 | 5/16" |
| 301601-2 | 9 | 9 | 11/32" | - | 8 | 5/16" | 9 | 11/32" |
| 301601-3 | 10 | 10 | 3/8" | E12 | 9 | 11/32" | 10 | 3/8" |
| 301601-4 | 11 | 11 | 7/16" | E14 | 10 | 3/8" | 11 | 7/16" |
| 301601-5 | 12 | 12 | 15/32" | E16 | - | - | 12 | 15/32" |
| 301601-6 | 13 | 13 | 1/2" | - | 11 | 7/16" | 13 | 1/2" |
| 301601-7 | 14 | 14 | 9/16" | E18 | 12 | 15/32" | 14 | 9/16" |
| 301601-8 | 15 | 15 | 19/32" | - | 13 | 1/2" | 15 | 19/32" |
| 301601-9 | 16 | 16 | 5/8" | E20 | 14 | 9/16" | 16 | 5/8" |
| 301601-10 | 17 | 17 | 11/16" | - | 15 | - | 17 | 11/16" |
| 301601-11 | 18 | 18 | 23/32" | E22 | - | - | 18 | 23/32" |
| 301601-12 | 19 | 19 | 3/4" | E24 | 16 | 5/8" | 19 | 3/4" |
| 301601-13 | 20 | 20 | 25/32" | - | 17 | 11/16" | 20 | 25/32" |
| 301601-14 | 21 | 21 | 13/16" | - | 18 | 23/32" | 21 | 13/16" |
| 301601-15 | 22 | 22 | 7/8" | - | 19 | 3/4" | 22 | 7/8" |
| 301601-16 | 24 | 24 | 15/16" | - | 21 | 13/16" | 24 | 15/16" |

## 300603 - ADAPTOR SET, 6-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 71912 | 1 | Adaptor 1/4"(F) x 3/8"(M) |
| 71921 | 1 | Adaptor 3/8"(F) x 1/4"(M) |
| 71923 | 1 | Adaptor 3/8"(F) x 1/2"(M) |
| 71932 | 1 | Adaptor 1/2"(F) x 3/8"(M) |
| 71934 | 1 | Adaptor 1/2"(F) x 3/4"(M) |
| 71943 | 1 | Adaptor 3/4"(F) x 1/2"(M) |

## 300605 - IMPACT ADAPTOR SET, 6-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 73612 | 1 | Impact adaptor 1/4"(F) x 3/8"(M) |
| 73621 | 1 | Impact adaptor 3/8"(F) x 1/4"(M) |
| 73623 | 1 | Impact adaptor 3/8"(F) x 1/2"(M) |
| 73632 | 1 | Impact adaptor 1/2"(F) x 3/8"(M) |
| 73634 | 1 | Impact adaptor 1/2"(F) x 3/4"(M) |
| 73643 | 1 | Impact adaptor 3/4"(F) x 1/2"(M) |

## 304201 - BIT SET 10MM, 42-PCS



Note: Certain T40 TX fasteners are glued into place with Loctite. This glue must be melted with a hot air gun before attempting to remove the bolt or damage may result to the T40 TX bit.

| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 9343004...12 | 7 | Bit hex 10mm 30mml, 4, 5, 6, 7, 8, 10, 12mm |
| 9347504...12 | 7 | Bit hex 10mm 75mml, 4, 5, 6, 7, 8, 10, 12mm |
| 9363020...60 | 8 | Bit TX 10mm 30mml, T20, T25, T30, T40, T45, T50, T55, T60 |
| 9367520...60 | 8 | Bit TX 10mm 75mml, T20, T25, T30, T40, T45, T50, T55, T60 |
| 9383005...12 | 5 | Bit spline 10mm 30mml, M5, M6, M8, M10, M12 |
| 9387505...12 | 5 | Bit spline 10mm 75mml, M5, M6, M8, M10, M12 |
| 72023...33 | 2 | Bit holder 3/8"(F) x 10mm(F), 1/2"(F) x 10mm(F) |

## 807001 - HUB NUT IMPACT SOCKET SET 1/2", 12-PT. 3-PCS



- A set of three thin walled, bi-hex impact sockets specifically designed for front hub nuts
- Manufactured from Chrome Molybdenum (CR-MO)

| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 807001-1 | 1 | Hub nut impact socket 1/2", 12 pt. 30mm |
| 807001-2 | 1 | Hub nut impact socket 1/2", 12 pt. 32mm |
| 807001-3 | 1 | Hub nut impact socket 1/2", 12 pt. 36mm |

## 300910 - IMPACT DEEP E SOCKET SET 1/2", 9-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 3367810...24 | 9 | Impact deep socket 1/2", TX 78mml E10, E11, E12, E14, E16, E18, E20, E22, E24 |

## 300601 - IMPACT BIT SOCKET SET 1/2", 6-PCS



- 3 thin walled bi-hex impact sockets specifically designed for front hub nuts
- Manufactured from Chrome Molybdenum (CR-MO)

| SIZES | PCS | CONTENTS |
|---|---|---|
| Bit sockets 43mml | 3 | M14, M16, M18 |
| Bit sockets 78mml | 3 | M14, M16, M18 |

## 601401 - COMBINATION WRENCH SET IN POUCH, 14-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 41506...22 | 14 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22mm |

## 602603 - COMBINATION WRENCH SET IN POUCH, 26-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 41506...32 | 26 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm |

## 601204 - COMBINATION WRENCH SET (SAE) 12-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4150206...24 | 12 | Combination wrench 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" |

## 600806 - DOUBLE OPEN WRENCH SET (SAE), 8-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4220608...2932 | 8 | Double open wrench 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x11/16", 11/16"x3/4", 13/16"x7/8", 15/16"x1", 1.1/8"x1.1/4" |

## 601702 - COMBINATION WRENCH SET IN POUCH, 17-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 41506...22 | 17 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm |

## 600402 - FLARE NUT WRENCH SET (SAE), 4-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4250608...1617 | 4 | Flare nut wrench 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x11/16" |

## 600701 - 45° OFFSET RING WRENCH SET (SAE), 7-PCS





| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4270608...2425 | 7 | 45° offset ring wrench 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 9/16"x5/8", 11/16"x3/4", 13/16"x7/8", 15/16"x1" |

## 600507 - FLEXIBLE FLARE NUT WRENCH SET, 5-PCS





| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 40808...12 | 5 | Flexible flare nut wrench 8, 9, 10, 11, 12mm |

## 600203 - 4-IN-1 RATCHETING WRENCH SET IN POUCH, 2-PCS





| ART. NO. | DESCRIPTION | L(MM) | B1(MM) | B2(MM) | A1(MM) | A2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|---|---|
| 4170401 | 4-in-1 ring ratcheting wrench 8-10, 12-13 | 160 | 21.5 | 26.5 | 8.9 | 9.8 | 98 | 5 |
| 4170402 | 4-in-1 ring ratcheting wrench 16-17, 18-19 | 230 | 34.5 | 35.6 | 11.7 | 12.2 | 264 | 5 |

## 601219 - REVERSIBLE RATCHETING WRENCH 12 PT. SET IN POUCH, 12-PCS



| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4170208...19 | 12 | Reversible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 601223 - FLAT RING RATCHETING SET 12 PT. IN POUCH, 12-PCS





| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4170108...19 | 12 | Flat ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

## 601218 - FLEXIBLE RATCHETING WRENCH 12 PT. SET IN POUCH, 12-PCS






| ART. NO. | PCS | CONTENTS |
|---|---|---|
| 4170308...19 | 12 | Flexible ratcheting wrench 12 pt. 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |

# Special tools for special projects



Infrared thermometer

Sonic offers various **special tools** and tool sets for **special projects.**



Pry remover sets



Crimping pliers



Hose line clamp



Brake piston rewinding cube



Oil filter wrenches



Available in different sizes

07



> Pry bars
PAGE 197


> Interior removal sets
PAGE 197


> Crimping pliers
PAGE 199


> Hose line clamps
PAGE 200


> Spark plug sockets
PAGE 201


> Wheel sockets
PAGE 202


> Spiral sockets
PAGE 203


> Bolt twister socket sets
PAGE 204


> Drain plug key sets
PAGE 205


> Alternator sets
PAGE 206



> Oil filter sets
PAGE 208


> Brake caliper sets
PAGE 210


> Ball joint separators
PAGE 214


> Test and measuring sets
PAGE 217


> Puller sets
PAGE 219


> Terminal release tool sets
PAGE 220


> Cable ties
PAGE 221


> Gloves
PAGE 221


> Heat inductor
PAGE 223


> Assortments
PAGE 224


> Spring compressors
PAGE 229


> Jacks
PAGE 233


> Cable reels
PAGE 238


> Power lights
PAGE 240


> Boosters
PAGE 247


> Propulstations
PAGE 252


> Battery chargers
PAGE 255

# Auto special tools



## 600439 - MINI HOOK SET, 4-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 47829 | 1 | Mini straight pick hook |
| 47830 | 1 | Mini degree hook |
| 47831 | 1 | Mini full hook |
| 47832 | 1 | Mini small angle hook |

## 600437 - HOOK SET, 4-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 47909 | 1 | Straight pick hook |
| 47910 | 1 | Degree hook |
| 47911 | 1 | Full hook |
| 47912 | 1 | Small angle hook |

## 601014 - HEX KEY WRENCH SET 3 TIP T-HANDLE, 10-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| 4840102...10 | 2, 2.5, 3, 4, 4.5, 5, 6, 7, 8, 10mm |

## 601015 - TX KEY SET T-HANDLE 3 TIP, 10-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| 4840210...55 | T10, T15, T20, T25, T27, T30, T40, T45, T50, T55 |

## 4560201 - COTTER PIN DRIVER FOR BRAKE



- With extra long mandrel, specially for brake pins
- 175mml
- 4mm

## 4560202 - COTTER PIN DRIVER FOR BRAKE



- With extra long mandrel, specially for brake pins
- 175mml
- 6mm

## 803001 - ELECTRICAL CONNECTION CLIP REMOVER, 2-PCS



- Handy tools for removing electrical clips in confined or difficult areas
- Cushioned grip handles for non-slip operation
- Hook style and flat

| ART. NO. | DESCRIPTION |
|---|---|
| 803001-1 | Clip remover hook |
| 803001-2 | Clip remover flat |

## 600320 - SCRAPER SET, 3-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 47818 | 1 | Sticker scraper |
| 47819 | 1 | Seal scraper |
| 47820 | 1 | Angle scraper |

## 600436 - PRY BAR HEAVY DUTY SET, 4-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| - | Pry bar (straight) 890mml |
| - | Pry bar (45°) 890mml |
| - | Pry bar (75°) 635mml |
| - | Pry bar (90°) 635mml |

## 600403 - PRY BAR SET, 4-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 48203210 | 1 | Bent pry bar 8" |
| 48203300 | 1 | Bent forked pry bar 12" |
| 48203460 | 1 | Elbow bent pry bar 18" |
| 48203610 | 1 | Extended pry bar 24" |

## 805003 - UNIVERSAL RATCHETING PRY BAR SET, 3-PCS



- Universal ratcheting pry bar allow easy acces into areas which are difficult to reach
- Flexible head allows 8 different angles
- High leverage gear design provides maximum leverage while lifting and cutting back
- Fast and easy adjustable
- Thin feet
- For using/disassembling: gearbox, cilinderhead, waterpump and other parts
- Lenghts: 250mm, 300mm, 380mm

| ART. NO. | DESCRIPTION |
|---|---|
| 805003-1 | Universal ratcheting pry bar 10" |
| 805003-2 | Universal ratcheting pry bar 12" |
| 805003-3 | Universal ratcheting pry bar 15" |

## 48212... - PRY BAR



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 48212380 | 380 | 342 | 5 |
| 48212530 | 530 | 928 | 5 |
| 48212650 | 650 | 1122 | 5 |

## 803004 - PRY REMOVER SET, 11-PCS



- Extra slim and unique shape for delicate jobs such as removing small rivet or fine trims, bezels of dashboards, door panels, door locks, electronic seat controls, gear shifter, inner lining etc.
- Made of high quality impact-resistant nylon material
- Does not damage or scratch the surface

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 803004-1 | 1 | Pry remover 1 |
| 803004-2 | 1 | Pry remover 2 |
| 803004-3 | 1 | Pry remover 3 |
| 803004-4 | 1 | Pry remover 4 |
| 803004-5 | 1 | Pry remover 5 |
| 803004-6 | 1 | Pry remover 6 |
| 803004-7 | 1 | Pry remover 7 |
| 803004-8 | 1 | Pry remover 8 |
| 803004-9 | 1 | Pry remover 9 |
| 803004-10 | 1 | Pry remover 10 |
| 803004-11 | 1 | Pry remover 11 |

## 803005 - PRY REMOVER SET, 5-PCS



- Extra slim and unique shape for delicate jobs such as removing small rivet or fine trims, bezels of dashboards, door panels, door locks, electronic seat controls, gear shifter, inner lining,... etc.
- Made of high quality impact-resistant nylon material
- Does not damage or scratch the surface

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 803005-1 | 1 | Pry remover 1 |
| 803005-2 | 1 | Pry remover 2 |
| 803005-3 | 1 | Pry remover 3 |
| 803005-4 | 1 | Pry remover 4 |
| 803005-5 | 1 | Pry remover 5 |

## 821001 - PRY REMOVAL MASTER SET, 27-PCS





- Extra slim and unique shape for delicate jobs such as removing small rivet or fine trims, bezels of dashboards, door panels, door locks, electronic seat controls, gear shifter, inner lining,... etc.
- Made of high quality impact-resistant nylon material
- Does not damage or scratch the surface



## 600506 - WEDGE UTILITY SET, 5-PCS



- Utility wedge set suitable for removal of wide range of exterior body and interior trims
- Composite material reduces chanches of marking or scratching paintwork body/trim
- Includes fork-ended trim stud removal tool

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 4821301 | 1 | Wedge universal 190x30mm |
| 4821302 | 1 | Wedge felted surface 250x20mm |
| 4821303 | 1 | Wedge spiky 250x20mm |
| 4821304 | 1 | Wedge universal wide 190x60mm |
| 4821305 | 1 | Wedge special level 230x30mm |

## 600318 - WEDGE UTILITY SET, 3-PCS



- Utility wedge set suitable for removal of wide range of exterior body and interior trims
- Composite material reduces chances of marking or scratching paintwork body/trim
- Includes fork-ended trim stud removal tool

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 4821301 | 1 | Wedge universal 190x30mm |
| 4821304 | 1 | Wedge universal wide 190x60mm |
| 4821305 | 1 | Wedge special level 230x30mm |

## 4821301 - WEDGE UNIVERSAL



| ART. NO. | DESCRIPTION | L(MM) | W(MM) | N.W.(G) | PCS/BAG |
|---|---|---|---|---|---|
| 4821301 | Wedge universal | 190 | 30 | 74 | 1 |

## 4821304 - WEDGE UNIVERSAL WIDE



| ART. NO. | DESCRIPTION | L(MM) | W(MM) | N.W.(G) | PCS/BAG |
|---|---|---|---|---|---|
| 4821304 | Wedge universal wide | 190 | 60 | 160 | 1 |

## 4821302 - WEDGE FELTED SURFACE



| ART. NO. | DESCRIPTION | L(MM) | W(MM) | N.W.(G) | PCS/BAG |
|---|---|---|---|---|---|
| 4821302 | Wedge felted surface | 250 | 20 | 90 | 1 |

## 4821305 - WEDGE SPECIAL LEVEL



| ART. NO. | DESCRIPTION | L(MM) | W(MM) | N.W.(G) | PCS/BAG |
|---|---|---|---|---|---|
| 4821305 | Wedge special level | 230 | 30 | 94 | 1 |

## 4821303 - WEDGE SPIKY



| ART. NO. | DESCRIPTION | L(MM) | W(MM) | N.W.(G) | PCS/BAG |
|---|---|---|---|---|---|
| 4821303 | Wedge spiky | 250 | 20 | 40 | 1 |

## 813001 - CRIMPING PLIERS



- **Ratchet mechanism crimper stands for superior labour saving**
- **Quick insertion changing of jaw without any tool**
- **Professional AISI 4140 alloy steel crimping jaws**
- **Ergonomic comfort-grip handle**

**Features**
- Crimping tool set with ratcheting function and adjustable jaws
- Includes 6 exchangeable crimping jaws
- Insulated terminal ends DIN 0.5-6mm²
- Non-insulated terminal ends DIN 1.5-10mm²
- Open barrel terminal ends DIN 0.5-4.0mm²
- Insulated cord-end terminal DIN 0.5-6mm² (for small sizes)
- Insulated cord-end terminal DIN 0.5-6mm² (for large sizes)
- Open barrel terminal & D-SUB,V3.5



Loose jaws for crimping plier

## 813002 - CRIMPING PLIERS



- **Ratchet mechanism crimper stands for superior labour saving**
- **Quick insertion changing of jaw without any tool**
- **Professional AISI 4140 alloy steel crimping jaws**
- **Ergonomic comfort-grip handle**

**Features**
- Crimping tool set with ratcheting function and adjustable jaws
- Includes 10 exchangeable crimping jaws
- Insulated terminal ends DIN 0.5-6mm²
- Non-insulated terminal ends DIN 1.5-10mm²
- Open barrel terminal ends DIN 0.5-4.0mm²
- Insulated cord-end terminal DIN 0.5-6mm² (for small sizes)
- Insulated cord-end terminal DIN 0.5-6mm² (for large sizes)
- Open barrel terminal & D-SUB,V3.5
- Cable connector (BNC)
- 4P4C Connector
- 6P6C Connector
- 8P8C Connector

| ART. NO. | DESCRIPTION | | |
|---|---|---|---|
| 81302 | **Jaw for insulated terminal**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 22-18/16-14/12-10<br>- DIN 0.5-1.0/1.5-2.5/4-6mm² |  |  |
| 81303 | **Jaw for non-insulated terminal**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 20-18/16-14/12-10/8<br>- DIN 1.5/2.5/6/10mm²<br>- JIS 1.25/2/5.5/8 mm² |  |  |
| 81304 | **Jaw for open barrel terminal**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 20-18/16-14/12-10<br>- DIN 0.5-1.0/1.5-2.5/4-6mm² |  |  |
| 81305 | **Jaw for cord-end terminal (small size)**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 22/20/18/16/14/12<br>- DIN 0.5/0.75/1.0/1.5/2.5/4.0mm² |  |  |
| 81306 | **Jaw for cord-end terminal (large size)**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 10/8/6<br>- DIN 6/10/16mm² |  |  |
| 81307 | **Jaw for open barrel terminal**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 14/22/8-6<br>- DIN 2.5/0.5/8-10mm² |  |  |

| ART. NO. | DESCRIPTION | | |
|---|---|---|---|
| 81308 | **Jaw for cable connector (BNC)**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- 0.255"/0.213"/0.100"/0.068"/0.324"<br>- 6.48/5.41/2.54/1.72/8.23mm<br>- RG 58/59/62/6 |  |  |
| 81309 | **Jaw for 4P4C connector**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- 4P4C/RJ22 plugs |  |  |
| 81310 | **Jaw for 6P6C connector**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- 6P2C/6P4C/RJ11 plugs<br>- 6P6C/RJ12 plugs |  |  |
| 81311 | **Jaw for 8P8C connector**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- 8P8C/RJ45 plugs |  |  |
| 81315 | **Jaw for heat shrink butt connector**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 22-18/16-14/12-10/8(A1) |  |  |
| 81316 | **Jaw for 1.5 supperseal terminal**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 22-20/16 (H2) |  |  |
| 81317 | **Jaw for 1.5 supperseal terminal**<br>**Surface treatment**<br>- Procedure: precision and wax-lost casting<br>- Finished with heat treatment (HRC 38°-45°)<br>- Zinc phosphate surface treatment<br>**Material**<br>- AISI 4140<br>**Suitable for**<br>- AWG 18/17 (H2) |  | |

## 810002 - HOSE CLAMP PLIERS SET, 7-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| 4472100 | Hose clamp pliers. Allows extra reach, removal and locking of clamps into open position. Allows removal of plastic and/ or metal self-tightening hose clamps with diameters of 11/16"-2.1/2" (18mm-54mm). Precision clamp on end of flexible cable allows extended reach where other models can't reach. Pliers can be locked, freeing up your hands and making your job easier and faster. Cable and spring are portable items and must be replaced. |
| 810002-1 | Swivel jaw hose clamp pliers ('+' slot) |
| 810002-2 | Swivel jaw hose clamp pliers. Swivel jaws are slotted for positive holding or large or small clamps at any angle. Ratchet action holds jaws closed in 5 different positions. Fits all automotive and appliance spring wire hose clamps. Allows fast and easy clamp removal. Pliers latch in position to securely hold hose clamp when expanded. |
| 810002-3 | Angled flat band hose clamp pliers. Designed to remove and install flat band hose clamps in hard-to-reach areas. Pliers feature angled jaws with 360° rotating tips to grip clamps at any angle. Locking latch securely holds clamp in position. |
| 810002-4 | Flat band hose clamp pliers. Removes and installs new style flat band hose clamps. Jaws rotate 360° to grip at any angle. |
| 810002-5 | Clic-R collar pliers. For releasing and re-fitting reusable hose clips. For type and clic-R. |
| 810002-6 | Hose remover pliers. Designed to allow easy removal of 5/32" to 1/2" vacuum and fuel hoses. |

## 600308 - HOSE LINE CLAMP SET, 3-PCS



3-pcs hose line clamp set with special designed jaws to prevent internal hose linings from damage. Lightweight, easy to use and non conductive.
- Small clamp for 1/8" to 5/16" diameter
- Medium clamp for 1/2" to 3/4" diameter
- Large size clamp for 3/4" to 2-1/2" diameter
- Made of heat-resistant reinforced nylon
- Each clamp includes a locking mechanism

| ART. NO. | DESCRIPTION |
|---|---|
| 600308-1 | Small clamp for 1/8" to 5/16" diameter |
| 600308-2 | Medium clamp for 1/2" to 3/4" diameter |
| 600308-3 | Large size clamp for 3/4" to 2-1/2" diameter |

## 4822102 - HAMMER



| ART. NO. | DESCRIPTION | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 4822102 | Hammer | 311 | 472 | 6 |

## 829007 - DOOR LOCK DISMANTLING TOOL - VOLKSWAGEN



Specially for the removal and installation of the covers of the door handles without cylinder lock. The lock is at a very inaccessible location. Suitable for Volkswagen Fox from 2005, Golf 6 from 2008, Passat B6 (3c) from 2005, Tiguan from 2008. Suitable for OEM number T10389.


## 4472100 - FLEXIBLE CABLE HOSE CLAMP REMOVING PLIERS



- Flexible clamp fastener
- Flexible cable to reach hard places
- Pliers latch in position to securely hold hose clamp when expanded
- Adjustable cable tension

## 820012 - MINI TRIM CLIP REMOVAL PLIERS, 2-PCS





- Set of two pliers
- Pliers 1 for clips Ø0-28mm
- Pliers 2 for clips Ø0-20mm
- For the removal of two piece plastic clips
- Self opening
- Made from Polyoxymethylene (POM)

## 820011 - SPARK PLUG WIRE PULLER




- Heavy duty plastic construction
- Insulates hands from electric shock
- Grips directly on boot to prevent wire damage
- Material: POM

## 812002 - DAMPER PULLEY PULLER HOLDER WRENCH SET 5-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| 812002-1 | Damper pulley puller holder wrench 13mm |
| 812002-2 | Damper pulley puller holder wrench 15mm |
| 812002-3 | Damper pulley puller holder wrench 16mm |
| 812002-4 | Damper pulley puller holder wrench 17mm |
| 812002-5 | Damper pulley puller holder wrench 19mm |

## 805015 - PULLEY WRENCH SET; 12-19MM, E10-E18 15-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 805015-1 | 1 | Pulley wrench |
| 805015-2 | 8 | Pulley wrench head 12, 13, 14, 15, 16, 17, 18, 19mm |
| 805015-10 | 5 | Pulley wrench head E10, E12, E14, E16, E18 |

## 4831201 - CROSS RIM WRENCH



- Length 355mm
- Sizes 17, 19, 22mm
- Size 13/16"

## 829113 - BRAKE BLEEDER WRENCH SET 6PT 6-PCS



- Built in socket (6 point) and wrench
- Socket sizes 7, 8, 9, 10, 11, 12mm
- 1.2M silicon hose with check valve
- Ideal for bleeding brake and hydraulic clutch systems

These specialist brake bleeder wrenches are designed to simplify brake bleeding and the additional ease of access will in many cases let the operator bleed the brakes without removing the road wheels. Clean and lubricate the bleed valve then fit the wrench over it; the wrench's internal seal and built-in socket fits snugly over the valve. The bleed tube is then fitted onto the nipple that is built into the wrench Thus the wrench can be turned and repositioned without any fear of dragging against the bleed tube, or separating the bleed tube from the valve. Six sizes of wrench are supplied in the set, to cover most popular applications: 7-8-9-10-11-12mm all color-coded for easy identification. Ideal for both brake and clutch hydraulic systems, the wrench set is supplied in a sturdy blow-mould case with internal foam to keep the wrenches and tube secure and tidy.

## 300401 -TORSION EXTENTION SET 1/2", 4-PCS




- 1 extension bar for using up to 90Nm
- 1 extension bar for using up to 100Nm
- 1 extension bar for using up to 110Nm
- 1 extension bar for using up to 120Nm

## 7150310 - GLOWPLUG JOINT 3/8", SOCKET, 10MM



For glow plugs (TDI + CDI) that are difficult to reach 10mm, 140mml

## 805001 - GLOW PLUG SOCKET SET 3/8", 3-PCS



- These sockets have a universal joint for easy replacement and removal of popular sized glow plugs
- Manufactured from matt finished chrome vanadium
- Supplied in blow mould case for storage

| SIZE |
|---|
| 8, 10, 12mm x 72mml |

## 300310 - TORQUE IMPACT SOCKET SET 1/2", 3-PCS





Impact-proof, fully encapsulated in plastic, extra thin walls, optimum force transmission, rims and bolts no longer become scratched, with groove and drill hole. Special length, specially suitable for drop centre rims. Any falsification of torque caused by putting extensions together is avoided.

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 3310517...21 | 3 | Wheel socket 1/2" 150mml, 17, 19, 21mm |

## 300302 - TORQUE IMPACT ADAPTOR SET 1/2", 3-PCS





- Socket 17, 19, 21mm
- Thin wall
- Plastic stop
- Length 105mml
- Maximum 200Nm

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 3310217...21 | 3 | Wheel socket 1/2" 105mml, 17, 19, 21mm |

## 300506 - WHEEL SOCKET SET 1/2", 5-PCS





⚠ Only use with torque wrenches

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 3310115...22 | 5 | Wheel socket 1/2", 15, 17, 19, 21, 22mm |

## 300301 - WHEEL SOCKET SET 1/2", 3-PCS





⚠ Only use with torque wrenches

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 3310117...21 | 3 | Wheel socket 1/2", 17, 19, 21mm |

## 300311 - WHEEL SOCKET SET 1/2", 3-PCS





| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 3310717...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm |

- This thin-walled impact socket will last 7 times longer than the conventional wheel sockets
- Specially for the wheel assembly and/or dismantling
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Plastic sleeves for the damage-free work on aluminium rims
- Plastic sleeve protects the surface at the wheel screws/nuts
- Plastic sleeves interchangeable
- Color coded indentifies the socket size
- Phosphate finish
- Chrome Molybdenum (CR-MO)
- In plastic case

## 300312 - WHEEL SOCKET SET 1/2" 6PT. WITH RING 150MML, 3-PCS





| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 3310817...21 | 3 | Wheel socket 1/2", 6pt. 105mml, 17, 19, 21mm with ring |

- This thin-walled impact socket will last 7 times longer than the conventional wheel sockets
- Specially for the wheel assembly and/or dismantling
- Internal square drive to DIN 3121 / ISO 1174
- Length 150mml
- For machinery usage
- Plastic sleeves for the damage-free work on aluminium rims
- Plastic sleeve protects the surface at the wheel screws/nuts
- Plastic sleeves interchangeable
- Color coded indentifies the socket size
- Phosphate finish
- Chrome Molybdenum (CR-MO)
- In plastic case

## 300304 - TORQUE IMPACT ADAPTOR SET 1/2", 3-PCS



- 3/8", 1/2", 3/4"
- Up to 100Nm
- Length 100mm(l)
- Set to loosen the lug nuts with full torque delivery of impact wrench
- Patented design for fastened the lug nuts quickly and accurately to reach presetting torque strength. The torque socket will run free automatically when set torque is reached
- Check the torque strength by torque wrench, according to the maintenance manual of different vehicles. To ensure the nuts fastened securely with correct torque strength

⚠ WARNING This product is designed for safety. Because the tightening torque is always lower than the safety value. (The preset torque will decrease gradually and finally stable at about 25~35 Nm.) Must use torque wrench for final tightening.

| ART. NO. | DESCRIPTION |
|---|---|
| 300304-1 | Torque limited impact adaptor 3/8" |
| 300304-2 | Torque limited impact adaptor 1/2" |
| 300304-3 | Torque limited impact adaptor 3/4" |

## 300303 - TORQUE IMPACT SOCKET SET 1/2", 3-PCS



- Sockets 17, 19, 21mm
- Up to 100Nm
- Length 100mm(l)
- Set to loosen the lug nuts with full torque delivery of impact wrench
- Patented design for fastened the lug nuts quickly and accurately to reach presetting torque strength. The torque socket will run free automatically when set torque is reached
- Check the torque strength by torque wrench, according to the maintenance manual of different vehicles. To ensure the nuts fastened securely with correct torque strength

⚠ WARNING This product is designed for safety. Because the tightening torque is always lower than the safety value. (The preset torque will decrease gradually and finally stable at about 25~35 Nm.) Must use Torque Wrench for final tightening.

## 300504 - SPIRAL SOCKET SET 1/2", 5-PCS



- Removes rounded/damaged nuts and bolts
- Manufactured from Chrome Molybdenum (CR-MO) for strength

| ART. NO. | DESCRIPTION |
|---|---|
| 300504-1 | Spiral socket 1/2", 17mm |
| 300504-2 | Spiral socket 1/2", 19mm |
| 300504-3 | Spiral socket 1/2", 21mm |
| 300504-4 | Spiral socket 1/2", 23mm |
| 300504-5 | Spiral socket 1/2", 27mm |
| 300504-6 | Bar 50mml |

## 818026 - SPIRAL SOCKET SET 1/4"& 1/2", 15-PCS



- Removes rounded/damaged nuts and bolts
- Manufactured from Chrome Molybdenum (CR-MO) for strength

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 818026-1 | 1 | Pin bar (small) |
| 818026-2 | 1 | Pin bar (large) |
| 818026-6 | 1 | Twist socket 1/4" 6mm |
| 818026-8 | 1 | Twist socket 1/4" 8mm |
| 818026-10 | 1 | Twist socket 1/4" 10mm |
| 818026-11 | 1 | Twist socket 1/4" 11mm |
| 818026-12 | 1 | Twist socket 1/4" 12mm |
| 818026-13 | 1 | Twist socket 1/2" 13mm |
| 818026-14 | 1 | Twist socket 1/2" 14mm |
| 818026-15 | 1 | Twist socket 1/2" 15mm |
| 818026-17 | 1 | Twist socket 1/2" 17mm |
| 818026-19 | 1 | Twist socket 1/2" 19mm |
| 818026-21 | 1 | Twist socket 1/2" 21mm |


## 300901 - SPIRAL SOCKET SET 3/8", 10-PCS



- Removes rounded/damaged nuts and bolts
- Manufactured from Chrome Molybdenum (CR-MO) for strength

| ART. NO. | DESCRIPTION |
|---|---|
| 300901-1...9 | Spiral socket 3/8", 10, 11, 12, 13, 14, 15, 16, 17, 19mm |
| 300901-10 | Bar 50mml |

## 829006 - WHEEL NUT KEY SET - AUDI, 22-PCS



22 pcs. Audi set complete including 21mm adapter with 1/2" square drive. This kit is designed for the removal of locking bolts when the customer has forgotten to provide the adapter by the car. This is happening very often when the vehicle is brought to maintenance and/or repair. Suitable for OEM T40073.

## 829004 - WHEEL NUT LOCK SET - VAG, 23-PCS



23-pcs Volkswagen set, including 17mm wheel socket with 1/2 "connection. This kit is designed for the removal of locking bolts when the customer has forgotten to provide the adapter by car. This is happening very often when the vehicle is brought for maintenance and/or repair.
Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 and 0/10, 1/11, 2/13, 3/14, 4/15, 5/16, 6/17, 7/19, 8/20, 9/21. For Volks-wagen from 2010: Beetle, Golf, Jetta, Passat, Polo, Scirocco, Sharan, Touran and Tiguan. Suitable for OEM numbers T10101, T40004.

## 801206 - BOLT TWISTER SOCKET SET 3/8", 6-PCS



Extracts the jammed of fractured screw head caused by over-powered, bad quality or wearing-out

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 801206-1 | 1 | Bolt twister socket 3/8", 2mm |
| 801206-2 | 1 | Bolt twister socket 3/8", 3mm |
| 801206-3 | 1 | Bolt twister socket 3/8", 4mm |
| 801206-4 | 1 | Bolt twister socket 3/8", 6mm |
| 801206-5 | 1 | Bolt twister socket 3/8", 8mm |
| 801206-6 | 1 | Bolt twister socket 3/8", 10mm |

## 801305 - BOLT TWISTER SOCKET SET 1/2", 5-PCS



Extracts the jammed of fractured screw head caused by over-powered, bad quality or wearing-out

| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 801305-1 | 1 | Bolt twister socket 1/2", 8mm |
| 801305-2 | 1 | Bolt twister socket 1/2", 10mm |
| 801305-3 | 1 | Bolt twister socket 1/2", 12mm |
| 801305-4 | 1 | Bolt twister socket 1/2", 14mm |
| 801305-5 | 1 | Bolt twister socket 1/2", 16mm |
| 801206-6 | 1 | Bolt twister socket 3/8", 10mm |

## 829111 - WHEEL HANGER SET, 5-PCS



- Wheels becoming larger and more unwieldy, these wheel hanger pins simplify the wheel installation process by holding the rim centred on the hub as you hand screw in the wheel bolts
- Ideal when fitting wheel spacers: aligns the bolt holes, spacer and wheel together
- Particulary useful when replacing the brake discs - the wheel hanger pin ensures that the holes in the new disc are perfectly aligned with the holes in the wheel hub. Then the disc securing screws can be fitted with the wheel hanger pin in place
- The four most common thread and pitch sizes are included plus wheel stud version for hubs with wheel studs


| DESCRIPTION |
|---|
| M12x1.5 |
| M14x1.25 |
| M14x1.5 |
| M16x1.5 |
| M12x1.25 (wheel stud version) |

## 100301 - ADAPTORS FOR DRILLS, 1/4"DR, 3-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 100301-1 | 1 | Adaptor for drills and cordless screwdrivers 1/4" |
| 100301-2 | 1 | Adaptor for drills and cordless screwdrivers 3/8" |
| 100301-3 | 1 | Adaptor for drills and cordless screwdrivers 1/2" |

## 802214 - DRAIN PLUG KEY SET 3/8", 14-PCS



| ART. NO. | PCS | DESCRIPTION |
|---|---|---|
| 802214-1 | 1 | Hex 8mm |
| 802214-2 | 1 | Hex 9mm |
| 802214-3 | 1 | Hex 10mm |
| 802214-4 | 1 | Hex 12mm |
| 802214-5 | 1 | Hex 14mm |
| 802214-6 | 1 | Hex 17mm |
| 802214-7 | 1 | Square 7mm |
| 802214-8 | 1 | Square 8mm |
| 802214-9 | 1 | Square 11mm |
| 802214-10 | 1 | Square 13mm |
| 802214-11 | 1 | Square 3/8" |
| 802214-12 | 1 | Square 5/16" |
| 802214-13 | 1 | 10mm square (female) |
| 802214-14 | 1 | Triangular |

## 302001 - OIL DRAIN SET 1/2", 20-PCS





Metal band filter wrench 60-120 diameter

| SIZE | VEHICLE |
|---|---|
| Oil filter wrench | - |
| 3/8" extension 250mml | - |
| Adaptor for extension | - |
| 7mm square | - |
| 8mm square | Citroën, Peugeot, Renault, Talbot, Volvo |
| 10mm square | - |
| 11mm square | Ford |
| 12mm square | - |
| 13mm square | Nissan, Subaru |
| 14mm square | - |
| 5/16" square | - |
| 3/8" square | Honda, Mazda, Renault, Saab, Volvo |
| 10mm | - |
| 10mm triangular | Renault |
| 8mm hex | BMW, Ford, GM |
| 9mm hex | Gm |
| 10mm hex | Ford |
| 12mm hex | Fiat, Lancia, Peugeot |
| 14mm hex | Lancia, Mercedes |
| 17mm hex | Audi, VW, BMW, Austin |

## 829008 - SUMP PLUG REMOVAL TOOL - VAG



For plastic drain plugs with OEM number 06L-103-801 VAG 4-cylinder 2.0 TDI engine of the third generation. The drain plug has a special connection, for which a special bit is needed. This 1/4" bit has got a hex drive as per DIN 3126 / ISO 1173 C 6.3. Applicable for: Audi, Seat Leon, Volkswagen Golf 7 from 2013. Suitable for OEM Nummer T10549.
Pay attention: when inserting the screw again always use a new O-ring.

## 829009 - FUEL SENDER/PUMP CLAMPING RING REMOVAL TOOL VAG



For the assembly and disassembly of the tank float with most Volkswagen and Audi models. Inner diameter 120mm. With 1/2" connection. For models from 2000 at Audi A3 A4 A6 A7 A8 Q3 Q5 Q7 R8 TT and Volkswagen Beetle, Caddy, Eos, Golf, Golf Cabrio, Golf Plus, Jetta, Passat, Passat CC, Phaeton, Polo, Sharan, Scirocco, Tiguan, Touareg, Touran, transporter including utility vehicles. Suitable for OEM number T10202 (VAG 3087).

## 806001 - ALTERNATOR, 13-PCS



Removes and installs press-on-type belt drive accessory pulleys. Works with hand tools or an impact gun. Interchangeable components to work on VW, Audi, Seat, Mercedes, Renault, BMW, Fiat, etc....

| ART. NO. | DESCRIPTION |
|---|---|
| 806001-1 | Combined socket for alternator T50x113mml |
| 806001-2 | Combined socket for alternator M10x113mml |
| 806001-3 | Teeth socket hex 15mm x 33 teeth |
| 806001-4 | Teeth socket hex 22mm x 33 teeth |
| 806001-5 | Hex driver 22mm |
| 806001-6 | Round driver 35mm |
| 806001-7 | Bitholder 1/2" x 10mm |
| 806001-8 | Bit 10mm hex x 75mml; T40 |
| 806001-9 | Bit 10mm hex x 75mml; T50 |
| 806001-10 | Bit 10mm hex x 75mml; M8 |
| 806001-11 | Bit 10mm hex x 75mml; M10 |
| 806001-12 | Bit 10mm hex x 75mml; hex 8mm |
| 806001-13 | Bit 10mm hex x 75mml; hex 10mm |

## 817006 - ALTERNATOR BIT SOCKET 1/2", T50X110L



For mounting freewheel belt pulley. The belt pulley is held by 33 teeth-insert.

## 817007 - ALTERNATOR BIT SOCKET, 1/2", M10X110L



For mounting freewheel belt pulley. The belt pulley is held by 33 teeth-insert.

## 83805517 - BIT SOCKET XZN 1/2", M17 55MML



- M17
- 55mml
- For cylinder head screws Mercedes-Benz M400, M420, M500 engines

## 818007 - ALTERNATOR PULLEY SET, 18-PCS



A comprehensive range of combination sockets required on the free wheel pulley when removing or replacing the alternator. The set includes tools for Bosch, Marelli and Valeo alternators and is now complete with the new tools required for the latest Renault and Fiat alternators.

| ART. NO. | DESCRIPTION |
|---|---|
| 818007-1 | Combined socket for alternator T50x113mml |
| 818007-2 | Combined socket for alternator M10x113mml |
| 818007-3 | Teeth socket hex 15mm x 33 teeth |
| 818007-4 | Teeth socket hex 22mm x 33 teeth |
| 818007-5 | Hex driver 22mm |
| 818007-6 | Round driver 35mm |
| 818007-7 | Bitholder 1/2" x 10mm |
| 818007-8 | Bit 10mm hex x 75mml; T40 |
| 818007-9 | Bit 10mm hex x 75mml; T50 |
| 818007-10 | Bit 10mm hex x 75mml; M8 |
| 818007-11 | Bit 10mm hex x 75mml; M10 |
| 818007-12 | Bit 10mm hex x 75mml; hex 8mm |
| 818007-13 | Bit 10mm hex x 75mml; hex 10mm |
| 818007-14 | Bit socket 110mml; M10 |
| 818007-15 | Hex driver 22x28mm |
| 818007-16 | Bit 12mm spline 64mml; M10 |
| 818007-17 | Hex driver 19 x 28mm |
| 818007-18 | Bit socket 3/8", M10 x 90mml |

## 822001 - ADBLUE REFRACTOMETER



This optical refractometer is designed for checking the concentration of antifreeze and battery acid but also Adblue.
- Designed for checking the concentration of Adblue.
- Urea additive in the exhaust flow which reduces NOx-emissions.

| DESCRIPTION | |
|---|---|
| Style | Battery / coolants / adblue |
| Range | -60°F ~ 32°F / 1.15 ~ 1.30sg |
| Resolution | 10°F; 0.01sg |
| Adblue | 30% - 35% |
| Ethylene Glycol | -50°C~0°C |
| Propylene Glycol | -40°C~0°C |
| Cleaning Fluids | -40°C~0°C |
| Battery Fluids | 1.100 - 1.400sg |
| Resolution Factor | 0.5%, 5°C, 5°C, 5°C, 0.01sg |
| Size | 27 x 40 x 160mm |
| Weight | 176g |


## 822002 - REFRACTOMETER



This optical refractometer is designed for checking the concentration of antifreeze and battery acid.

| DESCRIPTION | |
|---|---|
| Style | Battery / coolants |
| Range | -60°F ~ 32°F / 1.15 ~ 1.30sg |
| Resolution | 10°F; 0.01sg |
| Adblue | 30% - 35% |
| Ethylene Glycol | 70°C~0°C (-90°F~32°F) |
| Propylene Glycol | -60°C~0°C (-70°F~32°F) |
| Battery Fluids | 1.100 - 1.400sg |
| Size | 27 x 40 x 160mm |
| Weight | 176g |

## 828001 - TYRE REPAIR TOOL SET, 45-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| 828001-1 | Tyre repair plugs |
| 828001-2 | Tyre repair lubricant |
| 828001-3 | T-handle insert tool |
| 828001-4 | T-handle spiral probe |
| 828001-5 | 3mm hex wrench |

## 810004 - TYRE VALVE DRIVER, 2-PCS



With torque limitation. This ensures a reliable fit and prevents sensitive valves being over wound.
- Inserting tool with 0.25Nm for rubber valves
- Inserting tool with 0.45Nm for metal valves

## 47826 - TYRE VALVE DRIVER 0.25NM



## 47827 - TYRE VALVE DRIVER 0.45NM




## 812003 - TYRE VALVE STEM FITTING TOOL



For fitting new valves in the rim valve hole on tubeless tyres.
310mm

## 810003 - AIR BAG REMOVAL TOOL SET, 12-PCS



| APPLICATION |
|---|
| A 12-pcs tool kit for removing air bags on Volkswagen, Audi, Seat, Skoda, BMW and Mercedes |
| VW Passat B5, Polo, Lupo, Audi A4 and A6, Skoda Suberb |
| VW Golf 4, New Beetle, Seat, Skoda Fabia, Octavia 1999 |
| VW Golf 4 (bj. 1998-2004) VW Passat 1997, VW Bora 1999 |
| VW Modell, Passat 2000 |
| T30 for Sudi, Opel, Renault, VW |
| T30H for Audi, BMW, Mercedes, Opel |
| T25 for BMW |
| T25H for BMW |
| 5mm hex, for Audi |

## 47023 - BRAKE FLUID TESTER



This tester can be used as a digital brake fluid tester suitable for determining brake fluid quality.
Developed for professional use in automotive repair shops and in servicing.

| ART. NO. | DESCRIPTION | L (MM) | N.W.(G) | PCS/BAG |
|---|---|---|---|---|
| 47023 | Brake fluid tester | 50 | 52 | 1 |

## 4830801 - THREE-LEG OIL FILTER WRENCH



- Gear-driven and heat-treated legs will handle high torque applications
- Removes filters from 2-1/2" to 4" diameter (63-102mm)
- Use 1/2" or 3/8" square tool 13/16" (21mm) wrench

## 4830802 - THREE-LEG OIL FILTER WRENCH (65-120MM)



- Removes oil filters from 2 1/2" - 4 3/4" diameter (63,5-12,6mm)
- Use 1/2" or 3/8" square tool or 21mm (13/16") wrench

## 4831302 - OIL FILTER WRENCH CLAW, AUTO ADJUST



## 812007 - OIL FILTER CAP 14 PT. 74MM



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 812007 | 85 | 166 | 1 |

## 811003 - OIL FILTER CARTRIDGE INSERT




| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 811003-27 | 27 | 38 | 106 | 1 |
| 811003-32 | 32 | 44 | 144 | 1 |
| 811003-36 | 36 | 50 | 172 | 1 |


## 803003 - OIL FILTER CUP SET, 15-PCS



- Made of gauge construction
- Able to withstand up to 85ft. lbs of torque
- Cup-type design grips like a socket minimizing the possibility of cruse hung filters
- Fits adaptor 1/2"(F) or 3/8"(M) tool
- Coated with electro-black oxide finish for protection against rust
- Suitable for canister filters

| ART. NO. | FLUTE SIZE | APPLICATION |
|---|---|---|
| 803003-2 | 65mm x 14 | Nissan, Fiat, Hasting, GM/AC, Wix, Napa, Purolator, Daihatsu, Toyota |
| 803003-3 | 68mm x 14 | Hastings, Mazda, Ford, Subaru |
| 803003-4 | 73mm x 14 | Toyota, Lexus |
| 803003-5 | 74-76mm x 15 | Ford, Opel, VW, Audi, Mercedes, Fram, AC |
| 803003-7 | 76mm x 14 | Audi, Opel, Champion, Purolator, Mopar, VW, Porsche, Mercedes, BMW |
| 803003-10 | 80mm x 15 | Opel, Hastings, Fram, Purolator, Nissan, Honda, Motorcraft, Isuzu, Mazda, Subaru |
| 803003-12 | 93mm x 15 | Mazda, Volvo, Mitsubishi, Honda, Casite, Champ, Champion, GM, Fram, Hastings, Purolator, Wix, Nissan, VW, Porsche, Renault |
| 803003-13 | 93mm x 36 | Ford, Motorcraft |
| 803003-1 | 65-67mm x 14 | Daihatsu, Toyota |
| 803003-9 | 80-82mm x 15 | Wix, Mazda, Subaru, Toyota, Honda, Acura, Nissan |
| 803003-11 | 90mm x 15 | Honda, Mitsubishi, Mopar, Isuzu |
| 803003-6 | 75-77mm x 15 | VW, Audi, Mercedes, Opel, Castite, GM/AC, Hastings, Wix, Ford, Isuzu |
| 803003-8 | 76mm x 30 | Motorcraft |
| 803003-14 | 100mm x 15 | Fram, Motorcraft, Wix, Isuzu, Mitsubishi |
| 803003-15 | 9.5mm | Adaptor 1/2"(F) of 3/8"(M) tool |

## 811002 - OIL FILTER CAP SET, 30-PCS





- Made of gauge construction
- Able to withstand up to 85ft. lbs of torque
- Cup-type design grips like a socket minimizing the possibility of cruse hung filters
- Fits adaptor 1/2"(F) or 3/8"(M) drive tool
- Coated with electro-black oxide finish for protection against rust
- Suitable for canister filters

| ART. NO. | FLUTE SIZE | APPLICATION |
|---|---|---|
| 811002-1 | 66mm x 6 | Fiat, Renault |
| 811002-2 | 65mm x 14 | Daihatsu, Toyota, Nissan, Fiat |
| 811002-3 | 65-67mm x 14 | Daihatsu, Toyota |
| 811002-4 | 68mm x 14 | Mazda, Ford, Subaru |
| 811002-5 | 73mm x 14 | Toyota, Lexus |
| 811002-6 | 74mm x 15 | Audi, Rover, Chrysler |
| 811002-7 | 74-76mm x 15 | Ford, Opel, VW, Audi, Mercedes |
| 811002-8 | 75-77mm x 15 | VW, Audi, Isuzu, Mercedes |
| 811002-9 | 76mm x 12 | Fiat, Mercedes, Renault |
| 811002-10 | 76mm x 14 | VW, Porsche, Mercedes, BMW, Audi, Opel |
| 811002-11 | 76mm x 30 | Ford |
| 811002-12 | 76mm x 8 | Fiat, Lancia |
| 811002-13 | 78mm x 15 | Nissan, Ford, Toyota |
| 811002-14 | 80mm x 15 | Nissan, Honda, Opel, Mazda |
| 811002-15 | 80-82mm x 15 | Subaru, Toyota, Honda, Nissan |
| 811002-16 | 86mm x 16 | Volvo |
| 811002-17 | 86mm x 18 | VW, Audi, Peugeot, Citroën |
| 811002-18 | 90mm x 15 | Honda, Mitsubishi, Isuzu |
| 811002-19 | 92mm x 10 | Fiat |
| 811002-20 | 93mm x 15 | Mazda, Volvo, Mitsubishi, Nissan, Honda |
| 811002-21 | 93mm x 36 | Ford |
| 811002-22 | 93mm x 45 | VW, Audi |
| 811002-23 | 95mm x 15 | Toyota, Alfa, Ford |
| 811002-24 | 96mm x 18 | Audi, VW, Renault |
| 811002-25 | 100mm x 15 | Isuzu, Mitsubishi |
| 811002-26 | 106mm x 15 | Fiat |
| 811002-27 | 108mm x 15 | Volvo |
| 811002-28 | 108mm x 18 | Renault |
| 811002-29 | Adaptor | Adaptor 1/2" (F) x 3/8" (M) |

## 801003 - OIL DRAIN REPAIR KIT





Solid and fast solution for the repair of defect threads at the oil pan. By drilling out and using a larger drain plug a solid repair is granted. Universally usable for Audi, BMW, Citroën, Daimler, Ford, Fiat, Honda, Mazda, Mitsubishi, Nissan, Opel, Peugeot, Porsche, Renault, Saab, Seat, Skoda, Toyota, Volvo, VW.

| ART. NO. | DESCRIPTION |
|---|---|
| 801003-1 | Thread cutter m13x1,5 |
| 801003-2 | Thread cutter m15x1,5 |
| 801003-3 | Thread cutter m17x1,5 |
| 801003-4 | Thread cutter m20x1,5 |
| 801003-5 | Oil drain plugs m13x1,5 |
| 801003-6 | Oil drain plugs m15x1,5 |
| 801003-7 | Oil drain plugs m17x1,5 |
| 801003-8 | Oil drain plugs m20x1,5 |
| 801003-9 | Aluminium sealing ring 17 |
| 801003-10 | Aluminium sealing ring 19 |
| 801003-11 | Aluminium sealing ring 8 |
| 801003-12 | Aluminium sealing ring 10 |

## 829001 - BRAKE ADAPTOR SET - ADJUSTABLE






This set is an essential supplement to the existing brake caliper sets, which are already available in most workplaces. The set is suitable for the most common brake pistons with a 3/8 "drive. The set consists of 3 adapters.
Adaptor 1 is an adaptor with two pins steplessly adjustable from 15 to 35mm. Can stand up to 50Nm.
Adaptor 2 with three adjustable legs to adjust the electronic handbrake. Use it usually in combination with the necessary electronic parking brake tool.
Adaptor 3 is an adaptor of 3/8 "square drive for connection to the resetting adapter.

| ART. NO. | DESCRIPTION |
|---|---|
| 829001-1 | Adaptor #1 2 pin adaptor |
| 829001-2 | Adaptor #2 3 pin adaptor |
| 829001-3 | Adaptor #3 |

## 801016 - PNEUMATIC BRAKE CALIPER SERVICE SET, 16-PCS






Pneumatic rewind tool for left and right hand threaded pistons and 15 adaptors

| ART. NO. | DESCRIPTION | SUITABLE FOR |
|---|---|---|
| 801016-1 | 0 Disc | Gm most 2-1/2" diameter pistons |
| 801016-2 | 2 Disc | Citroën XM, Xantia, Honda |
| 801016-3 | 3 Disc | Audi (F), Fiat, Alfa Romeo(F), Ford Fiesta(F), Isuzu(F), Honda Concesto(F), Jaguar XJ6, XJ40(F/R), BMW 318is, 320i, 325TD, 518i, 525i, 850ci, M5(F), Mercedes Benz 190, 200, 300, 420, 560 series (F), Mitsubishi Colt(F), Nissan Micra, Stanza, Sunny(F), Rover Austin, Metro 200 & 400 series, Maesta, Montego, Toyota camry(F), Volvo(F), VW passat, Golf gti(F) |
| 801016-4 | 4 Disc | Ford Australia, NZ telstar, Mazda(R), Saab 9000(R), Lumina, Toyota, Fiat, Alfa Romeo 164 2.0(R), Honda prelude, CRS 16i, GM Saturn(R), Grand Prix |
| 801016-5 | 5 Disc | 3/8" adaptor |
| 801016-6 | 6 Disc | Nissan Primera, VW Golf IV |
| 801016-7 | 7 Disc | Audi 80, 90, V8+100, Coupe E (R), Rover 800 ABS, Subaru L+Z(R) Ford Sierra ABS, Granada, Scorpio ABS 85(R), Nissan Bluebird 1.8 turbo, Silvia turbo, primera 2.0i LS/GS/GSX(R), Peugeot 405 1.9Gi, Gri, Sri, Gtxi, MI 16, 605 2.0Sri (R), Toyota Celica, Corolla GT, MR2, VW Golf gti, Jetta synchro, jetta gti 16v, Passat CL, GL, GT, GT 16v, Corrado 16V, Scirroco GTX 16V(R), Citroën, Alfa Romeo, Fiat, Honda, Jaguar, Renault, Saab, Seat, Lancia |
| 801016-8 | 8 Disc | GM most 1-7/8" diameter pistons |
| 801016-9 | 9 Disc | GM most 2-1/8" diameter pistons |
| 801016-10 | A(Z) Disc | Renault R21, Laguna |
| 801016-11 | E Disc | Nissan Maxima, Ford |
| 801016-12 | F(G) Disc | Opel(R) |
| 801016-13 | M Disc | Ford, Mini, Mazda 3 |
| 801016-14 | N Disc | Saab, Honda, Alfa Romeo, Audi, VW, Lancia |
| 801016-15 | K Disc | Citroën |

## 801018 - BRAKE CALIPER SERVICE SET, 18-PCS





| ART. NO. | DESCRIPTION | SUITABLE FOR |
|---|---|---|
| 805011 | Brake piston right spindle | Right hand helix bolt |
| 805010 | Brake piston left spindle | Left hand helix bolt |
| 801018-2 | 2 Disc | Citroën XM, Xantia(F/R) |
| 801018-3 | 3 Disc | Audi (F), Fiat, Alfa Romeo(F), Ford Fiesta(F), Isuzu(F), Honda Concesto(F), Jaguar XJ6, XJ40(F/R), BMW 318is, 320i, 325TD, 518i, 525i, 850ci, M5(F), Mercedes Benz 190, 200, 300, 420, 560 series (F), Mitsubishi Colt(F), Nissan Micra, Stanza, Sunny(F), Rover Austin, Metro 200 & 400 series, Maesta, Montego, Toyota camry(F), Volvo(F), VW passat, Golf gti(F) |
| 801018-4 | 4 Disc | Ford Australia, NZ telstar, Mazda(R), Saab 9000(R), Fiat, Alfa Romeo 164 2.0(R), Honda prelude, CRS 16i, GM Saturn(R), Grand Prix, Lumina |
| 801018-5 | 5 Disc | 3/8" adaptor |
| 801018-6 | 6 Disc | Nissan Primera, VW Golf IV |
| 801018-7 | 7 Disc | Audi 80, 90, V8+100, Coupe E (R), Rover 800 ABS, Subaru L+Z(R), Ford Sierra ABS, Granada, Scorpio ABS 85(R), Nissan Bluebird 1.8 turbo, Silvia turbo, primera 2.0i LS/GS/GSX(R), Peugeot 405 1.9Gi, Gri, Sri, Gtxi, MI 16, 605 2.0Sri (R), Toyota Celica, Corolla GT, MR2(R), VW Golf gti, Jetta synchro, jetta gti 16v, Passat CL, GL, GT, GT 16v, Corrado 16V, Scirroca GTX 16V(R) |
| 801018-8 | 8 Disc | GM most 1-7/8" diameter pistons |
| 801018-9 | 9 Disc | GM most 2-1/8" diameter pistons (Cadi Seville/ Eldorado 80-85) |
| 801018-1 | 0 Disc | GM most 2-1/2" diameter pistons (Seville/Eldorado 79) |
| 801018-10 | A Disc | Renault R21, Laguna (Rear Disk) |
| 801018-11 | M Disc | Ford, Mini, Mazda 3 |
| 801018-12 | N Disc | Saab, Honda |
| 801018-13 | F Disc | Opel (Rear Disk) |
| 801018-14 | K Disc | Citroën |
| 801018-15 | E Disc | Nissan Maxima |

## 829005 - BRAKE PIPE CORROSION TOOL



This scraper is very suitable for the removal of corrosion on the brake lines. This is important for MOT, maintenance and service. With 2-component handle.


## 80501... - BRAKE PISTON SPINDLE



For set 801018, 805002 and 809007

| ART. NO. | DESCRIPTION |
|---|---|
| 805010 | Brake piston left spindle |
| 805011 | Brake piston right spindle |

## 809007 - BRAKE CALIPER SET, 40-PCS



Rewind tool for left and right hand threaded pistons and 12 adaptors

| ART. NO. | DESCRIPTION | SUITABLE FOR |
|---|---|---|
| 809007-2 | 2 Disc | Citroën BX(83), 16V(88-), Honda Prelude 2.0i, 23 |
| 809007-3 | 3 Disc | Audi A3(A4,A6,A8 push-back pistons), BMW-most models(push-back pistons), Citroën XM, XM Turbo CT20, Xantia 1 8i-1.90 &TD-2 QI-2Q 16S(93-94), Activa, Citroën C5 rear callipers push –back pistons, Ford (USA) Mercury, Monarch, Thunderbird, Honda-most models(push-back pistons), Jaguar –most models (push-back pistons), Mitsubishi most models (push-back pistons), Nissan-most models (push-back pistons), Peugeot 406, 806, Rover-most models(push-back pistons), Toyota-most models(push-back pistons), Volkswagen-most models(push-back pistons),Volvo-most models |
| 809007-4 | 4 Disc | Alfa Romeo 164 2.0 1, Fiat Uno Turbo i- Barchetta, Ford Escort 2000RS 16V, Mondeo V6 24V, Honda Civic Vti-CRX-Accord Concerto S 1.6, Rover 220 C Turbo (95), Saab 99L, 900 Turbo(74-81) 900(81-87) |
| 809007-5 | 6 Disc | Jaguar S Type |
| 809007-6 | 7 Disc | Jaguar S series(99-), Opel Astra G, Corsa C, Zafira (with Lucas TRW rear calipers'02) |
| 809007-7 | 8 Disc | GM Motors |
| 809007-8 | 9 Disc | GM Motors |
| 809007-1 | 0 Disc | GM Motors Disc-Citroën ZX 2.0I 16V, Citroën most models (push-back pistons), Citroën XM, XM Turbo CT 2.0, Xantia 1.8i-1.90 & TD-2 QI-2 16S(93-94), Activa Citroën BX(83), BX 16V(88-), Citroën C3, Citroën C5(front calliper-left hand wheel,) Citroën C5 (front calliper-right hand wheel), Citroën C5 rear callipers push-back pistons. |
| 809007-9 | 11 Disc | Jaguar S Type |
| 809007-10 | 12 Disc | BMW, Mini |
| 809007-20 | J Disc | Alfa Romeo 155 1.8-2,0I 164TD(93), 164 3.0 V6(91), Audi 80, 90 & V8's, A3, A4, A6, A8(rear calliper),Citroën ZX 2, QI 16V, Fiat Tipo TD 16V, Uno Turbo(85) TD, Ford Sierra(ABS back), Granada(85-), Ford(Australia&NZ) Thunderbird Turbo, Honda CRX 1.61-16V(88-90), Accord 1800(84-85), 2.0i(86-), Prelude 16V(88-), Legend V6, Jaguar XJ 40 Series, Lancia Dedra 2.0 Ei Tur(93), Delta 1,6Gti(92), The majE 16V(92), Thema 2000 Turbo, Kappa 2.0-2,4LS, 2.4TD, Nissan 280 ZX (82-84), 300 ZX Turbo(84-89), Bluebird 16V(89-), Silvia 1,8 Turbo (85-88)100NX 2.0(93), Primera 2.0GT(94-), 200 SX Turbo 16V, Maxima 2.0 GX 3.0, GX(95), Peugeot 306, Peugeot 309Gtj 16S (91), 405 Srif 0,rj,Gil(87-), 405 M.I 16V, Renault Master Van, Rover 216 Gti 16V, 820 Si 2.0(93), 825 SD 2.5(93), Saab 9000 CS 2,0(93 ), 9000 CSE Turbo (93), Seat Toledo GT 16V, GT 2,0 (93), Ibiza 1,8 Gti 16V(95), Subaru L-serie & Serie 2, Volkswagen Passat 2.0&2.2 Liter(84), Golf Rally(89), Golf II Gti 16V(89), Vento GT(92), Transporter T4+A60, Volvo S40&V40 |
| 809007-21 | K Disc | Citroën C5 rear callipers push-back pistons |
| 809007-22 | K1 Disc | Citroën C5 (front calliper-left hand wheel), Citroën C5 (front calliper-right hand wheel) |
| 809007-23 | K2 Disc | Audi A8,S8(99-) |
| 809007-24 | M Disc | Nissan Primera 03 |
| 809007-25 | N Disc | Alfa Romeo 164 2.0, Twin Spark 2.0, Turbo(8-), 3.0 V6, Audi 200(80-), Coupe GT SE(82-), 80, 901 QO, 200, Quattro(-87), 90.20V(88-), Ford Mondeo 2.0 Ghia, Lancia, Themaalte(86-), Volkswagen Golf II GTI (83-87), Scirocco 16V(84) |
| 809007-28 | P Disc | Citroën C3 |
| 809007-29 | R Disc | Ford (Australia&NZ), Telstar, Laser, Mazda 323 Gti, GTX (86-), 929 (82-), RX7(81-), 626 16V (87-), 626 GT(86-), 929 V6(88-), Mitsubishi Galant GL Si, Toyota Celica, Corolla GT, MR2 |
| 809007-30 | S Disc | Audi 100TQi(91), BMW 740i 8cyl.(91), Lancia Delta 1.9 TD(95), Proton 416, Renault-most models, Renault Laguna 2.0(94), Laguna 2.2D(95), Safrane 2.0-2.2 TD V6, Rover 623 Si, Volkswagen Golf Gti MK III&IV, Passat VR6, Vento GT(92) |
| 809007-31 | Z Disc | BMW MINI |
| 809007-18 | H6 Disc | BMW-most models (push-back pistons), BMW 740i 8cy1.(91), BMW Mini, Vauxhall Astra G.Zafira |
| 809007-19 | H7 Disc | BMW-most models (push-back pistons), BMW 740i 8cy1.(91), BMW Mini, Vauxhall Astra G.Zafira |
| 809007-26 | P3.0 Disc | Opel AstraC Zafira(with Bosch rear calipers), Opel Astra G, Corsa C, Zafira (with Lucas TRW rear calipers'02) Opel Vectra 02, Vauxhall Astra G, Zafira |
| 809007-27 | P5.5 Disc | Opel AstraC, Zafira(with Bosch rear callipers), Opel Astra G, Corsa C, Zafira(with Lucas TRW rear calipers'02)Opel Vectra 02, Vauxhall Astra G, Zafira |

| ART. NO. | DESCRIPTION | SUITABLE FOR |
|---|---|---|
| 1pc | Pentagon brake socket: 1/2" x 19mm | For use on bendix brakes |
| 1pc | Pentagon brake socket: 1/2" x 14mm | For use smart car |
| 1pc | Pentagon brake socket: 1/2" x 10mm | For use on girling brakes |
| 809007-32 | Flexible pot for grease | Flexible pot for grease |
| 809007-11 | A Disc | Nissas Primera 2.0, Opel Astra, Zafira(with bosch rear calipers), Vauxhall Astra G. Zafira |
| 809007-12 | B Disc | Ford(USA) Mercury, Monarch, Thunderbird, Lincoln, Continental Subaru 1600 Kombi (79-)1.6-1.8 SRX, kombi(79-83),1800(84),1800 lim, Kombi, Tourismo 4WD (82-83),1800gt, GTSXT, turbo(85) |
| 809007-13 | C Disc | Nissan Primera(02), Opel Vectra 02, Toyota Avensis |
| 809007-14 | D Disc | Citroën BX(83), BX 16V(88-) |
| 809007-15 | E Disc | Nissan Maximas |
| 809007-16 | F Disc | Peugeot 206 '03 |
| 809007-17 | G Disc | Fiat Stilo |

## 805002 - BRAKE CALIPER SET, 27-PCS



- 1 right rotating caliper (with right side thread)
- 1 left rotating caliper (with left side thread)
- 1 disc
- 5-13/32"Adaptor(5) with 3/8" inner 4-pt.


| ART. NO. | DESCRIPTION | SUITABLE FOR |
|---|---|---|
| 805002-1 | 0 Disc | GM Motors |
| 805002-2 | 2 Disc | Citroën XM, Xantia u.a. |
| 805002-3 | 3 Disc | Alfa Romeo, Audi, Austin, BMW, Ford, Honda, Jaguar, Mercedes-Benz, Mitsubishi, Nissan, Rover, Toyota, VW |
| 805002-4 | 4 Disc | Alfa Romeo 164 2.0, Ford, Mazda, Saab 9000, Subaru |
| 805002-5 | 6 Disc | Nissan Primera, VW-Golf IV |
| 805002-6 | 7 Disc | Audi 80,90,V8 +100, Ford Sierra ABS+Scorpio ab 85, Honda Prelude, Nissan Silvia 1.8 turbo, Rover 8000, Saab 9000, Subaru L+Z, VW Golf, Passat |
| 805002-7 | 8 Disc | GM Motors |
| 805002-8 | 9 Disc | GM Motors |
| 805002-19 | M Disc | Ford |
| 805002-20 | N Disc | Saab, Honda |
| 805002-13 | E Disc | Cefiro, Maxima |
| 805002-15 | G Disc | Opel |
| 805002-21 | O Disc | Citroën |
| 805002-16 | K Disc | Citroën C5 |
| 805002-17...18 | K1, K2 Disc | Citroën, Renault |
| 805002-9 | A Disc | Nissan Primera 2.0, Bluebird |
| 805002-10 | B Disc | Ford, Lincoln, Subaru |
| 805002-11 | C Disc | Mini, Austin |
| 805002-12 | D Disc | Citroën, Renault |
| 805002-14 | F Disc | Peugeot 206 cc/Hdi,Gti. A 16mm spanner is required with wind back pistons |
| 805002-22 | P Disc | Audi, BMW, Ford, Lancia, Proton, Renault, Rover, VW |
| 805002-23 | Z Disc | Renault |

## 812006 - BRAKE PISTON REWINDING CUBE



Universally applicable for winding back brake pistons on hand-brake secured brake calipers

## 829002 - DIESEL INJECTOR SEAT CLEANER SET, 14-PCS



| ART. NO. | DESCRIPTION |
|---|---|
| 829002-01 | (A)Injector nozzle port cleaner |
| 829002-02 | (B)(C)(D)Cleaning brush (inner injector port) 18/22/25mm |
| 829002-03 | (H)(I)Cleaning brush (base/injector seat area) 15/20mm |
| 829002-04 | (E)Quick chuck 224mm flexible extension |
| 829002-05 | (F)Insertion rod for "Injector nozzle port sealing plugs" |
| 829002-06 | (G)Injector nozzle port sealing plugs (6 pcs) |



## 820007 - CLEANING BRUSH KIT, 38-PCS



Comprising a handle with extension and 36 assorted brushes with 1/4" drive and 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm diameter for cleaning and deburring cylinders, bushings, pipes and other work pieces with nylon, brass and steel facing.

| APPLICATION EXAMPLES ARE: |
|---|
| - Brake callipers sleeve |
| - O-ring cut-ins |
| - Injector seat |
| - Valves on exhaust gas recirculation |
| - Inlets and outlets |
| - Crossbar seal on injection lines on Opel cylinder heads |

## 816001 - TWO SETS GEAR & BEARING SPLIT TOOLS



Mechanical puller set with Ø30-55mm and Ø50-75mm separators and single yoke with 180mm thrust bolt.

| SUITABLE FOR ENGINEERING AUTOMOTIVE, MARINE AND AGRICULTURAL APPLICATIONS. |
|---|
| - Bearing separator & bolts: 1 set<br>- S45C drop forged hardened 42° - 45°<br>- Capacity range: 30 ~ 50 mm<br>- Bolt 3/8" x L 120mm x 24t S45C hardened 42° - 45° |
| - Bearing separator & bolts: 1 set<br>- S45C drop forged hardened 42° - 45°<br>- Capacity range: 50 ~ 75 mm<br>- Bolt 1/2" x L 135mm x 20t S45C hardened 42° - 45° |
| - Main rod: 4 pieces hex bar 17mm 3/8"x L125mm x 16t |
| - Extension rod: 4 pieces<br>- Hex bar 14mm 3/8"x L110mm x 16t |
| - Centre bolt: 1 piece<br>- 5/8" x L 175 x 18t/inch carbon steel |
| - Beam: 1 piece<br>- Carbon steel |

## 825001 - CLAMP TENSIONER CV BOOT TOOL



- For 1/4" - 3/8" bands and clamps
- Ratchet tension winding mechanism, no need to use extra tools
- Built-in cutter to cut the band to appropriate length

## 805018 - CLAMP TENSIONER CV BOOT TOOL




-Testing range 0-2.5 bar
-Suitable for all standard vehicles

## 48113 - HOT AIR GUN 2000W



- Compact and lightweight for easy handling
- Strips paint and vanish thaws frozen metal
- Pipes, loosens tile and putty, remelts adhesives and more
- Ceramic or mica core protects the heating element for longer life
- Thermocouple control maintains precise temperature
- Voltage frequency 230V 50HZ
- Input power 2000W
- Air flow 480L/MIN
- Air temperature 100-300°C 100-600°C

## 301302 - CRAWFOOT SET 1/2", 13-PCS



Ideal for injection lines, air-conditioning systems, brake lines, compressed air and hydraulic lines, oil pressure switches, 12,5 mm (1/2")

| ART. NO. | DESCRIPTION |
|---|---|
| 301302-1 | Swivel handle 1/2" 385mm |
| 301302-2 | Extension 1/2" 125mm |
| 301302-3...13 | Crawfoot 1/2", 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm |


## 814... - TORQUE MULTIPLIER



- Accuracy ±5%
- Heavy-duty construction reduces maintained procedures
- Precision gear mechanism applied high torque output with low input
- Supplied to react accessories for combined

| ART. NO. | DESCRIPTION | SPECIFICATIONS |
|---|---|---|
| 814001-1 | Torque Multiplier 1700Nm / 1250Ft-lb | - Input square: 1/2" square (F)<br>- Output square: 3/4" square (M)<br>- Maximum range: 1500nm/960ft-lb<br>- Ratio: 5:1<br>- Gear ration: 1: 4.33<br>- Tool weight: 3.5kg<br>- Reaction accessory: 2-pcs<br>- Surface finished: matt |
| 814002-2 | Torque Multiplier 2700Nm / 2000 Ft-lb | - Input square: 3/4" square (F)<br>- Output square: 1" square (M)<br>- Maximum range: 2700Nm/2000ft-lb<br>- Ratio: 5:1<br>- Gear ration: 1: 4.33<br>- Tool weight: 3.5kg<br>- Reaction accessory: 2-pcs<br>- Surface finished: matt |

## 812001 - WIPER REMOVAL KIT



| ART. NO. | DESCRIPTION |
|---|---|
| 812001-1 | Extractors size 1 |
| 812001-2 | Extractors size 2 |
| 812001-3 | Extractors size 3 |
| 812001-4 | Extractors size 4 |
| 812001-5 | Extractors size 5 |
| 812001-6 | Extractors size 6 |
| 812001-7 | Remover |
| 812001-8 | Pressure spindle |

## 808001 - SLIDE HAMMER PULLER SET



This most useful tool can pull flange-type rear axles, remove stubbon oil seals & bearing or press-fit parts. Use as a dent puller or lip puller, reversible jaws can be set up for 2/3 jaw in-external usage, 1/2"-20 thread adaptor expands the slide hammer for extra pulling functions.

## 47401 - BALL JOINT SEPARATOR (JAW 20MM)



## 47402 - BALL JOINT SEPARATOR (JAW 20MM)



- For splitting track-rod ends, anti-toll bar mountings, ball joints, etc.
- Jaw open: 20mm

## 47403 - BALL JOINT SEPARATOR (JAW 22MM)



- Suits most cars and lighttrucks ball joints in steering & suspension
- 2-stage, 30-50mm
- Jaw open: 22mm

## 47404 - BALL JOINT SEPARATOR (JAW 22MM)



- For splitting track-rod ends, anti-toll bar mountings, wheel-hub ball joints, etc.
- 2-stage, 50-80mm
- Jaw open: 22mm

## 48307... - REVERSIBLE PULLER



- Jaws grip tighter as more pressure is applied
- Reversible jaws
- Drop forged
- Alloy steel
- Hardened 45° hrc

| ART. NO. | DESCRIPTION | SPECIFICATIONS |
|---|---|---|
| 4830703 | 2-3 jaw 3" reversible puller | - Spread: 4"<br>- Reach: 2-1/2"<br>- Capacity: 2 ton |
| 4830704 | 2-3 jaw 4" reversible puller | - Spread: 6"<br>- Reach: 3-1/2"<br>- Capacity: 5 ton |
| 4830706 | 2-3 jaw 6" reversible puller | - Spread: 8"<br>- Reach: 3-1/2"<br>- Capacity: 5 ton |

## 47242 - PROFESSIONAL CAR SHEET COVER, MULTI USE



- Nylon with elastic band
- Wash on 40 degree
- Black with white Sonic logo

## 48104 - FENDER PROTECTOR WITH SUCTION CUPS



- Length: 106,5cm
- Width: 64cm
- Weight: 380gr

## 47570 - NON SLIP WING & GRILL COVER



- The issues arising of using magnetic wing covers can now be prevented by our new non slip wing cover
- The wing will protect the vehicle against scratches and damage
- Washable at 40°C
- Oil, grease, dirt and water repellent
- Meets national and international fire safety standards
- Size: 90 x 50 cm (wing cover)

## 47571 - FENDER PROTECTION SYSTEM



- Protects the vulnerable areas of the bodywork (front grill, fender, headlights, car make badges, bumper, ...) during general service, inspection, mobile airco service,...
- Universal vehicle fit: one size fits all - from mini to estate!
- Unique wheel access: allows maintenance on brakes, suspension
- Front lamp section with nylon mesh allows light testing without overheating
- Radiator section with nylon mesh allows stationary motor testing without the risk of overheating
- Unique removable protective fabric panel (washable) to prevent rubbing/damage when the mechanic leans onto the engine bay
- Comes in a convenient storage bag

## 48105 - CREEPER



- Length: 100cm
- Width: 48cm
- Height: 11,5cm
- Wheels also loose available; article number 48105W

## 48126 - PNEUMATIC ROLLER SEAT, 5 WHEELS



Adjustable height 375-495mm

## 4821901 - MULTI PURPOSE PAN BLACK, 20 LITER



- Pan volume 20 ltr.
- Drain spout
- Loop for pulling and hanging up the pan
- Dimensions approx. 685 x 667 x 65mm (L X W X H)

## 4821902 - MULTI PURPOSE PAN BLACK, 50 LITER



- Pan volume 50 ltr.
- Drain spout
- Dimensions approx. 800 x 600 x 100mm (L X W X H)

## 48112 - HEAVY DUTY OIL DRAIN PAN 15.9 LITER




For professionally changing of motor oils, cleaning of parts or collecting other liquids. This drain pan includes a nozzle for easy poring of the contents. With three grips this drain pan is comfortable to use.
- Easy pouring no mess spout
- Convenient front and rear handles
- 15.9 liter
- Extra thick quality

## 818003 - BELT GAUGE



- This tensioning gauge can be used to adjust the tension on the cam belts where the movement of the timing belt is measured by load
- Suitable for use on cam belts with various belt thickness
- Clear incremental marking with knurled knob for precise measurement
- Dual scale allows reading from top or bottom of tool

## 487001 - MAGNETIC TRAY 4", 15CM




Also available in display with 8 pieces

## 487002 - MAGNETIC TRAY 4", 15CM




Also available in display with 10 pieces

## 818001 - CLUTCH ALIGNER SET, 15-28MM



As a result of parallel expansion technique it is possible to align the clutch plate to the pilot bearing in the crankshaft flywheel. For clutch-hub-Ø15 - 28mm

## 815002 - MAGNETIC BOWL, DIAMETER 150MM



## 818008 - CLUTCH ALIGNMENT TOOL SET, 38-PCS



Tool set for professional dismantling and assembly of self adjusting clutches. Prevents plate distortion which may prevent the clutch from disengaging of cause dragging. Consists a refitting tool, allowing the clutch adjuster to be wound back, and six alignment adaptors.

## 818002 - OXYGEN SENSOR WRENCH



- 6 pt. wrench 22mm with flexible head.
- 250mml
- Suitable for heated and unheated oxygen sensors.
- Cut-out section allows socket to pass over wiring.
- Suitable for VW, Audi, BMW, Mercedes, Ford, Opel/Vauxhall, Peugeot, Citroën, Renault, Seat, Skoda, Japanese cars

## 810005 - OXYGEN SENSOR SOCKET 1/2", 22MM



Extra long, slitted version for deeply ingrained oxygen sensors, suitable for:
- BMW, Ford, Mercedes, Opel, VAG, etc.
- 150mml, 22mm

## 829003 - DIESEL INJECTOR EXTRACTOR WITH ADAPTORS







Essential set to remove injectors from the cylinder head professionally.

| ART. NO. | DESCRIPTION |
|---|---|
| 829003-01 | Empty case 829003 |
| 829003-02 | Foam 829003 |
| 829003-03 | Air hammer extractor |
| 829003-04 | (A) diesel injector adaptor - Siemens |
| 829003-05 | (B) diesel injector adaptor - Denso |
| 829003-06 | (C) diesel injector adaptor - Siemens |
| 829003-07 | (D) diesel injector adaptor - High Pressure M12 |
| 829003-08 | (E) diesel injector adaptor - Delphi |
| 829003-09 | (F) diesel injector adaptor - Off-line |
| 829003-10 | (G) valve seat removal tool - Denso (1.43usd) |
| 829003-11 | (H) M16 denso adapter |
| 829003-12 | (I) dual connection adaptor - Bosch |
| 829003-13 | (J) Bosch injector dismantling tool |

## 818009 - COMMON RAIL FLOW METER SET





- To measure return fuel flow on diesel vehicles up to 8 cylinders fitted with common rail injection system
- Determination of the runback volume via glass tubes or measurements cartridges
- Includes 8 glass tubes, 8 measurements cartridges with connecting lines, mounted on an aluminum bar

## 818011 - OIL PRESSURE TEST SET





Tests oil pump pressure and also low oil warning devices. Ø75mm gauge fitted with heavy duty cover. Fitted with quick coupling adaptors and 1200mm hose. Includes 90° coupling adaptor for limited access applications.

## 818004 - DIESEL INJECTOR SEAT CLEANER SET 7-PCS





Set of five diesel injectors seat cleaners a centering pilot and T-handle. Use to clean/decarbonise injector seats when changing injectors. Helps to avoid blow-back due to poorly seated injectors.

| ART. NO. | DESCRIPTION |
|---|---|
| 818004-1 | T-handle |
| 818004-2 | Pilot post |
| 818004-3 | 15mm flat reamer |
| 818004-4 | 17mm flat reamer |
| 818004-5 | 17mm angled reamer |
| 818004-6 | 17mm x 19mm flat reamer |
| 818004-7 | 17mm x 21mm angled reamer |

## 805012 - INJECTOR/INJECTOR-EXTRACTION TOOL SET






Specially for VW/Audi/Seat/Skoda, suitable for
- SDI-/TDI- und TFSI- diesel engine (also pump/nozzle and common rail)
- FSI gasoline engines

For the professional dismantling and installation of injectors/injection valves as well as the unit pump nozzle. The striking weight also enables the removal of jammed elements.

## 819005 - COMMON RAIL FLOW METER SET





- To measure return fuel flow on diesel vehicles up to 6 cylinders fitted with common rail injection system
- Determination of the runback volume via glass tubes or measurements cartridges
- Includes 6 glass tubes, 6 measurements cartridges with connecting lines, mounted on a aluminum bar

## 818010 - MASTER COMPRESSION TEST SET





A comprehensive set for testing the compression on diesel vehicles. Features 600psi gauge with large rubber bumper, straight and right angled quick connect fittings and an extensive range of spark/glow plug and injector adaptors.
- Spark plug sizes: 10, 12, 14, 18mm
- Glow plug adaptors: Alfa Romeo, BMW, Chrysler, Citroën, Daewoo, Fiat, Ford, Honda, Hyundai, Isuzu, Jeep, Kia, Lada, Lancia, Land Rover, LDV, Mazda, Mercedes, MG, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab, Ssangyong, Suzuki, Toyota, VAG, Vauxhall/Opel, Volvo
- Injector adaptor: M20, M22, M24 & Ford Stanadyne injectors plus clamp-on injectors

## 818016 - CAMSHAFT & CRANKSHAFT LOCKING SET, 19-PCS





Anodized aluminum chocks suitable for locking camshaft pulleys on twin cam engines. Allows the service easier and reduce the risk of incorrect valve timing from taking place. Set includes flywheel locking tools for selected PSA (Citroën/ Peugeot) and GM (Vauxhall/Opel) petrol and diesel engines. Suitable for a range of vehicles including: Ford, Honda, Land Rover, Rover, VW, Renault, Citroën, Peugeot, Fiat and Vauxhall/Opel.

| ART. NO. | DESCRIPTION |
|---|---|
| 818016-1 | A. camshaft setting and locking plate |
| 818016-2 | Q. balancer shaft locking pin |
| 818016-3 | O. crankshaft tdc location pin |
| 818016-4 | N. camshaft locking pins (5.0mm, pair) |
| 818016-5 | P. camshaft locking pins (6.8mm, pair) |
| 818016-6 | K. flywheel holding tool |
| 818016-7 | M. flywheel holding tool |
| 818016-8 | B. camshaft locking tool |
| 818016-9 | C. camshaft locking tool |
| 818016-10 | D. camshaft locking tool |
| 818016-11 | E. camshaft locking tool |
| 818016-12 | F. camshaft locking tool |
| 818016-13 | G. camshaft locking tool |
| 818016-14 | H. camshaft locking tool |
| 818016-15 | I. camshaft locking tool |
| 818016-16 | J. camshaft locking tool |
| 818016-17 | L. camshaft locking tool |

## 819009 - CYLINDER PRESSURE METER SET





Quick connect/disconnect feature allows one gauge to be used with variety of quick adaptors for most popular diesel engines. Push pressure scale: 0<->1000PSI 0<->70 Bar

## 826001 - VACUUM PUMP SET





For universal use, for building up pressure and vacuum. Complete with hose and various couplings in a case. Ideal for brake and clutch bleeder and to bleed the fuel system as at (ISA) V6 TDI engines as well as for testing.
- Vacuum cells e.g. on air-conditioning systems
- Turbochargers etc.
- Vacuum - 0,8 bar
- Pressure - 4 bar

## 818014 - RADIATOR PRESSURE TEST SET, 17-PCS





- Testing range 0-2,5 bar
- Suitable for all standard vehicles

## 818017 - TOOTH BELT TOOL SET, 3-PCS



- Set for working and locking the tooth belt tensioner rolls
- Timing belt tensioner pins-OEM Nos T10115, T40011 and serpentine tension pin-T10060/A.
- For use on: Lupo. Polo 1.4 TDi PD Golf, Bora, Polo 1.9 TDi PD, Beetle, Sharan 1.9 TDi PD, Passat 1.9 TDi PD, Audi A2 / A3 1.4 / 1.9 TDi PD, A4 / A6 1.9 TDi, A4 / A6 / A8 / Allroad 2.5 V6 TDi.


## 818015 - PETROL ENGINE COMPRESSION TEST SET





Compression tester fitted with Ø63mm gauge reading up to 300psi and 20kg/cm². Set includes 130mm straight and angled push-on connectors, 400mm flexible extension with 10, 12, 14 and 18mm adaptors.

## 47815 - DOUGHNUT STRETCHER



For removing the retaining rubbers on exhaust systems

## 47816 - FITTING HOOK



Perfect for the removal and fitting of springs on brakes, headlights, motorbike mufflers and much more. The bent shape of the fitting hook allows a free view of the fitting spot.

## 820006 - AXIAL JOINT TOOL SET, 30-45MM






- For fast and professional changing of the axial joints of cars
- Automatic clamping of the joint heads
- Easy assembling of long tie rods because of open construction
- Saves up to 3 hours of working time
- For joint heads Ø30-35mm, Ø35-40mm and Ø40-45mm

| ART. NO. | DESCRIPTION |
|---|---|
| 820006-1 | Axial joint tool |
| 820006-2 | Joint heads Ø30-35mm |
| 820006-3 | Joint heads Ø30-40mm |
| 820006-4 | Joint heads Ø40-45mm |

## 818021 - BLIND HOLE BEARING PULLER SET





- 10-PCS clamps: 8-11mm, 12-17mm, 18-23mm, 24-29mm, 30-34mm, 34-37mm, 39-42mm, 44-47mm, 49-52mm, 54-57mm
- 3PCS screw: M10xP1.5, M10xP1.5 & M8xP1.25, M10xP1.5 & M6xP1.0
- One slide hammer
- One two jaw puller

| ART. NO. | DESCRIPTION |
|---|---|
| 818021-1 | One slide hammer |
| 818021-2 | One two jaw puller |
| 818021-3 | Clamp 8-11mm |
| 818021-4 | Clamp 12-17mm |
| 818021-5 | Clamp 18-23mm |
| 818021-6 | Clamp 24-29mm |
| 818021-7 | Clamp 30-34mm |
| 818021-8 | Clamp 34-37mm |
| 818021-9 | Clamp 39-42mm |
| 818021-10 | Clamp 44-47mm |
| 818021-11 | Clamp 49-52mm |
| 818021-12 | Clamp 54-57mm |
| 818021-13 | Screw M10xP1.5 |
| 818021-14 | Screw M8xP1.25 |
| 818021-15 | Screw M6xP1.0 |

## 819001 - NUT BREAKER SET, 4-PCS





- For the splitting of seized and/or overtightened nuts without damaging the thread
- Flat round head design allows tool to be used in inaccessible areas drive to prevent binding under load
- Does not damage the bolts threads

| ART. NO. | DESCRIPTION |
|---|---|
| 819001-1 | 5/16" - 1/2" (9-12mm) |
| 819001-2 | 1/2" - 5/8" (12-16mm) |
| 819001-3 | 5/8" - 7/8" (16-22mm) |
| 819001-4 | 7/8" - 1.1/8" (22-27mm) |

## 819002 - FORK ROD SET, 5-PCS






Forks made of drop forged heavy duty chrome vanadium steel

| ART. NO. | DESCRIPTION |
|---|---|
| 819002-1 | 1 handle for use with pneumatic air hammer |
| 819002-2 | Both handles are interchangeable |
| 819002-3 | Drop forged forks 11/16" |
| 819002-4 | Drop forged forks 15/16" |
| 819002-5 | Drop forged forks 1-1/8" |

## 818028 - SEPARATING AND MOUNTING FORK 16"



- For tie-rod ends and steering column stalk
- 410mml

## 805017 - UNIVERSAL HEAVY DUTY PULLER SET, 12-PCS





Forged, chrome-molybdenum steel, 2 and 3-arm can be used
- 100 - 200 - 250 mm clamping width
- Can be used as inner and outer remover
- Replaceable, hardened remover bases (ca. 25 mm)
- Clamping width max. 130 mm

## 818023 - TEST LEAD SET, 92-PCS



Comprehensive set of test leads and components suitable for testing, isolating and evaluating automotive electronic circuits. Set includes standard Ø24mm banana style plugs and sockets suitable for use with most diagnostic multi-meters and test equipment.

## 818025 - FUEL & AIR CONDITIONING TOOL SET, 22-PCS



Comprehensive kit for separating air conditioning hoses and fuel lines.
Suitable for a wide variety of vehicles.

| ART. NO. | DESCRIPTION |
|---|---|
| 818024-1 | Coupling tools 3/8" |
| 818024-2 | Coupling tools 1/2" |
| 818024-3 | Coupling tools 5/8" |
| 818024-4 | Coupling tools 3/4" |
| 818024-5 | Color coded disconnecting 5/16" |
| 818024-6 | Color coded disconnecting 3/8" |
| 818024-7 | Color coded disconnecting 1/2" |
| 818024-8 | Color coded disconnecting 5/8" |
| 818024-9 | Color coded disconnecting 3/4" |
| 818024-10 | Color coded disconnecting 7/8" |
| 818024-11 | Fuel line disconnect tool |
| 818024-12 | Ford oil cooling line disconnect tool |
| 818024-13 | Ford oil cooling line coupling tool |
| 818024-14 | Ford/Vauxhall/Opel quick disconnect tool |
| 818024-15 | Disconnecting 1 |
| 818024-16 | Disconnecting 2 |
| 818024-17 | Disconnecting 3 |
| 818024-18 | Disconnecting 4 |
| 818024-19 | Disconnecting 5 |
| 818024-20 | Disconnecting 6 |
| 818024-21 | Disconnecting 7 |
| 818024-22 | Spare rubber bands |


## 805007 - TERMINAL RELEASE TOOL SET, 16-PCS



- These tools are spring loaded to assist the removal on Citroën, Peugeot and Renault vehicles
- Simply pull the tool and bend, releasing the side locking slot
- For damage free releasing of plug type connectors with folding/sheaths to protect the user and the fine precision tips
- Blow mould case supplied with positional insert for easy identification of missing tools

| ART. NO. | NO. | DESCRIPTION | SUITABLE FOR |
|---|---|---|---|
| 805007-1 | CE-01, CE-11 | Ejection tools for contact sizes Ø1.5mm with dismantling sleeves for contact sizes | BMW, Daimler, Fiat, MAN, Opel, Porsche, Seat, Skoda, VW/Audi |
| 805007-2 | CE-02, CE-12 | Ejection tools for contact sizes Ø3.5mm with dismantling sleeves for contact sizes | BMW, Daimler, Fiat, MAN, Opel, Porsche, Seat, Skoda, VW/Audi |
| 805007-3 | CE-05, CE-15 | Ejection tools for contact sizes Ø2.3mm with dismantling sleeves for contact sizes | Ford, Opel, PSA, Renault |
| 805007-4 | CE-53 | Cable extractor tool for plugs with one release channel 2.8 and 5.8mm | BMW, Daimler, Ford, MAN, Opel, Porsche, PSA, Renault, Seat, Skoda, VW/Audi |
| 805007-5 | CE-54 | Cable extractor tool for plugs with one release channel 2.8mm | BMW, PSA, Renault |
| 805007-6 | CE-56 | Cable extractor tool for micro-timer II, III contacts Ø1.6mm | Daimler, Opel, Porsche, PSA, Renault, Saab, Seat, Skoda, VW/Audi |
| 805007-7 | CE- 56-1 | For flat plug-in sockets with asymmetrically positioned latches in terminals with two release channels | Seat, Skoda, VW/Audi. |
| 805007-8 | CE-57 | For flat plug-in sockets with asymmetrically positioned latches in terminals with two release channels | Seat, Skoda, VW/Audi |
| 805007-9 | CE-58 | For flat plug-in sockets with asymmetrically positioned latches in terminals with two release channels | Seat, Skoda, VW/Audi |
| 805007-10 | CE-59 | Cable extractor tool for Maxi-Power Timer contacts 9.5mm | Daimler, VW/Audi |
| 805007-11 | CE-62 | Cable extractor tool for Pit-Pod contacts | All vehicle makes |
| 805007-12 | CE-74 | Cable extractor tool for Micro-Timer I contacts and ABS plug-in housing Ø1.6mm | Fiat, Ford, Mazda, Opel, PSA, Renault, Saab, VW/Audi |
| 805007-13 | CE-91 | Cable extractor tool for plugs with two release channels 2.8 and 5.8 mm | BMW, Daimler, Fiat, Ford, MAN, Opel, PSA, Renault, Saab, VW/Audi |

## 819008 - VALVE SPRING COMPRESSOR SET



- To remove and install the valve spring with the cylinder head on or off the OHV & OHC petrol or diesel engines
- An ideal tool kit for most of engines
- The multi-point adjustable base of this tool bolted securely to the head while the adjustable lever mechanism pivots form the beam. Thus, compress the spring quickly by one hand operation
- Fast remove and install of the spring retaining keeper. Then easily accomplished through the large open on both sides of the compressing tube

## 48215... - CABLE TIES



| ART. NO. | DESCRIPTION |
|---|---|
| 4821511 | Cable tie 3,6x140; 100-pcs in bag (black) |
| 4821512 | Cable tie 3,6x180; 100-pcs in bag (black) |
| 4821513 | Cable tie 4,8x190; 100-pcs in bag (black) |
| 4821514 | Cable tie 4,8x220; 100-pcs in bag (black) |
| 4821515 | Cable tie 4,8x280; 100-pcs in bag (black) |
| 4821516 | Cable tie 4,8x330; 100-pcs in bag (black) |
| 4821517 | Cable tie 4,8x370; 100-pcs in bag (black) |

## 4822332 - TYRE CARRIER CADDY




This long life, light weight, high capacity cart allows the tire fitter to maneuver heavy wheel sets in the most ergonomic way with the help of its patented lifting system. The unique push-slide-secure automatic locking system eliminates the need for inefficient, wear sensitive, foot operated - or hand controlled jaws. The black colored foam filled tires are maintenance free and leave no traces on the work shop floor. The wheels run on industrial bearings. It comes in stainless steel (robotic welding) with high strength components and an exceptional 3 year warranty period. With just 17KG this lightweight cart handles wheels from 13"-20" up to 200KG.

## 48217... - NITRILE COATED GLOVE



- Nylon with nitrile coating
- The nitrile coating is fluids resistance
- For better fit and more comfort, only the gripping part is coated
- Breathable and an ergonomic fit due to partly coated finger tips
- EN388 and 3142 European standards

| ART. NO. | DESCRIPTION |
|---|---|
| 4821701 | Nitrile coated glove size 8 (medium) |
| 4821702 | Nitrile coated glove size 9 (large) |
| 4821703 | Nitrile coated glove size 10 (extra large) |

## 47025 - KNEE PAD



Measurements: 475x235x30mm

# Auto special tools

## 47017 - DIGITAL MULTIMETER AC/DC



- Wall-mountable charging unit
- Led indicator
- High quality spring auto retractable system
- Robust body

Also available in display with 6 pieces

| FEATURES | SPECIFICATIONS |
|---|---|
| - 3 1/2 digits LCD (max. reading 1999)<br>- Low battery indication<br>- Overload protection<br>- Audible continuity | - Voltage DC: 200m/2/20/200/600V<br>- Voltage AC: 200/600V<br>- Current DC: 2m/20m/200m/10a<br>- Resitance: 200-2K-20K-200K-2000KΛ<br>- Battery check: 1.5V,9V<br>- Continuity: Yes<br>- Diode check: 2.8V/1mA<br>- Power source: 9V battery (NEDA 6F22) x1<br>- Dimensions: 127x66x26mm<br>- Weight: 106g (with battery) |

## 47018 - DIGITAL MULTIMETER 3 IN 1



Sonic digital multimeter with backlight. Measuring DC/AC, voltage, DC current and resistance.

Also available in display with 3 pieces

| FEATURES | SPECIFICATIONS |
|---|---|
| - LCD display (max. reading 3999)<br>- 3/4 Backlight<br>- Data-hold function<br>- Auto polarity indication<br>- Manual range and auto range mode<br>- Auto/manual power off<br>- Relative mode<br>- Overload protection<br>- Low battery indication | - Voltage DC: 0.4/4/40/400/600V<br>- Voltage AC: 4/40/400/600V<br>- Current DC: 400µ/4000µ/40m/400m/10A<br>- Current AC: 400µ/4000µ/40m/400m/10A<br>- Resistance: 400/4K/40K/400K/4M/40Mµ<br>- Capacitance: 4n/40n/400n/4µ/40µ/100µF<br>- Frequency: 10/100/1k/10k/100k/200kHz<br>- Duty cycle: 5%-95%<br>- Temperature: -20°C - 1000°C<br>- Continuity: Yes<br>- Diode check: Yes<br>- Power source: 9V battery (6F22)<br>- Dimensions: 162x83x47mm<br>- Weight: 310g (with battery) |

## 47022 - VOLT CIRCUIT TESTER 6-24V



- Ideal for 6/12 and 24 volt systems on cars, motorcycles and commercial vehicles.
- Will test for live wires, broken wires, bad fuses, brake lights etc.
- The light in the handle will glow if wire is live.
- The tester has a protective cover over a needle probing point to enable you to pierce the insulated sheath and make contact with the copper conductor below to test for broken cables.

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47022 | 110 | 32 | 1 |

## 47031 - INFRARED THERMOMETER



- Single dot laser
- LCD back light
- Automatic data retention
- Automatic shutdown
- Low battery indication
- 9V battery (included)

| | |
|---|---|
| Temperature range | -30°C ~ 330°C (-22° F~626° F) |
| Accuracy | ±2% or ±2°C |
| Resolution | 0.1 °C / 0.1 °F |
| Display selection | °C / °F |
| Distance spot ratio | 10: 1 |
| Emissivity | 0.95 |
| Response time | 500ms |
| Wavelength | 8~ 14µm |
| Max power output | <1 mw class II laser |

## 47019 - VOLT CIRCUIT TESTER




Also available in display with 4 pieces

| SPECIFICATIONS |
|---|
| - Checks interior and exterior lights<br>- Checks relays and power windows<br>- Test power windows and electric motors<br>- Power supply function when testing shorted or overloaded circuits<br>- Finds open or disconnected parts<br>- Test the positive and negative voltage<br>- Tests continuity in switches, relays, diodes, & fuses, and wiring harnesses<br>- Polarity test cables and sockets<br>- Find short circuits and bad earths fast |

## 47029 - HEAT INDUCTOR GUN






1. Power unit
2. Serial number
3. Storage case (not shown)
4. Model number
5. Cord and plug 230v AC
6. Vent (end)
7. Preformed coil - 19mm
8. Preformed coil - 22mm
9. Universal rope coil
10. Body-pad (option)
11. Owners manual (not shown)
12. Power switch
13. Coil location socket
14. Thumb screw
15. LED

**Heat Inductor Gun**

**The heat inductor uses induction technology to create flameless heat. This accurately concentrates the heat into the area you are working on, only heating the metal or treated plastics.**
**The key benefit of this is that it minimises the risk of collateral damage and reduces 'cool off' periods saving the workshop time and money. It is an invaluable tool for working with easily damaged components such as body trim and windscreen surrounds. The magnetic field passes through non-metals such as glass and trim and heats the metal underneath. Ideal for track rod ends, exhausts and for any seized nuts and bolts. Supplied with one of each 22mm coil, 19mm coil, universal rope coil.**

**Features**
- 240v 13amp mains powered hand held heat inductor
- Uses induction technology to generate heat quickly in ferrous (iron) components
- No flame or flammable liquids or gases used
- Heat quickly to small or medium size area (coil dependent)
- Supplied with a selection of coil sizes and shapes
- Is faster, smaller and more precise than an oxy-acetylene torch system
- Can heat a 3/4" nut in less than 15 seconds
- Reduces 'cool down' periods giving a valuable time saving for busy workshops
- Potentially gives cheaper liability insurance due to less risk than use of open flames
- Is cheaper to run than gas torch systems
- Has different coil types to help it reach virtually any difficult to reach area
- Has no need for specialist training
- Has an ergonomically designed 'pistol grip' handle for ease of use
- Has a bright LED lamp to illuminate the work area

**The heat inductor gun can be used to:**
- The removal of seized and corroded components
- Nuts and bolts
- Track rod ends
- Exhaust clamps
- Manifold nuts/bolts
- Bearing housings
- Steering and suspension
- Bearings, gears and pulleys and many more

**Repairs**
- Freeing off wheel nuts without the risk of extensive wheel damage (where acces permits)
- Hail dent removal
- Body trims
- Windscreen surrounds
- Generally anything that would traditionally require use of a blowtorch or similar flame producing tool

| ART. NO. | CONTENTS |
|---|---|
| 47029-1 | Standard coil 15mm for heat inductor |
| 47029-2 | Standard coil 19mm for heat inductor |
| 47029-3 | Standard coil 22mm for heat inductor |
| 47029-4 | Standard coil 26mm for heat inductor |
| 47029-5 | Standard coil 32mm for heat inductor |
| 47029-6 | Standard coil 38mm for heat inductor |
| 47029-7 | Standard coil 45mm for heat inductor |
| 47029-8 | Extra long coil 15mm for heat inductor |
| 47029-9 | Extra long coil 19mm for heat inductor |
| 47029-10 | Extra long coil 22mm for heat inductor |
| 47029-11 | Extra long coil 26mm for heat inductor |
| 47029-12 | Extra long coil 32mm for heat inductor |
| 47029-13 | Extra long coil 38mm for heat inductor |
| 47029-14 | Self forming coil for heat inductor |
| 47029-15 | Rope coil for heat inductor |
| 47029-16 | Extrallong coil 45mm for heat inductor |

## 4411001 - RIVETING NUT PLIERS



- Capacity: M6 steel; M5 stainless steel
- Supplied with 3 steel nuts M4 - M5 - M6
- Very comfortable pliers can be used with both hands

## 4411002 - RIVETING NUT PLIERS



- Capacity: Diameter 6.4 mm alu rivets; Diameter 6 mm steel rivets
- Absorbers cushion impact when pin snaps
- Supplied with 4 nosepieces diameter 4 - 5 - 6 - 6.4 mm and spent-nail holder

## 4411003 - RIVETING NUT PLIERS



New nose with insert for extended durability
- Return spring
- Supplied with 3 nosepieces and locking key
- Capacity: Ø 5 mm aluminium - Ø 4 mm steel

# Auto special tools

## 4822301 - E-CIRCLIP ASSORTMENT, 300-PCS




30x 1.5mm
50x 6.0mm
20x 15mm
30x 3.0mm
50x 10mm
20x 19mm
40x 5.0mm
40x 12mm
20x 22mm

## 4822302 - SHRINKING HOSE ASSORTMENT, 127-PCS



30x Ø2.0 x 40mm
16x Ø7.0 x 80mm
25x Ø2.5 x 40mm
8x Ø10.0 x 80mm
20x Ø3.5 x 40mm
8x Ø13.0 x 85mm
20x Ø5.0 x 40mm

## 4822303 - W-CLIP ASSORTMENT, 150-PCS



30x 2.0 x 33mm
25x 2.8 x 41mm
25x 2.0 x 40mm
20x 3.6 x 44mm
42x 2.4 x 30mm
8x 4.0 x 75mm

## 4822304 - SEAL ASSORTMENT, 141-PCS



Rubber:
5x: Ø8 x Ø14 x 4, Ø8.5 x Ø18 x 4, Ø9.5 x Ø17.5 x 4, Ø10.5 x Ø14 x 4mm
10x: Ø4 x Ø16 x 4, Ø4 x Ø17 x 4, Ø12 x Ø24 x 2, Ø15 x Ø24 x 3mm

Fibre:
5x: Ø27 x Ø33 x 1.2mm
10x: Ø10 x Ø13.5 x 1.8, Ø11.5 x Ø17.5 x 1.2, Ø17 x Ø21 x 1.2mm Ø17 x Ø24 x 1.2, Ø20 x Ø25 x 1.2mm

EVA:
3x: Ø27 x Ø38 x 2, Ø30 x Ø39 x 2mm
10x: Ø12 x Ø17.5 x 2, Ø17 x Ø24 x 2mm

## 4822305 - O-RING ASSORTMENT, 225-PCS



20x
Ø3 x 1mm
Ø4 x 1mm
Ø4.5 x 2mm
Ø5 x 2mm
Ø6 x 2mm
Ø6 x 2.5mm
Ø6 x 3mm
Ø7 x 2mm
Ø8 x 2mm

5x
Ø9 x 2mm
Ø10 x 2mm
Ø12 x 3mm
Ø13 x 3mm
Ø14 x 2.5mm
Ø17 x 2.5mm
Ø18 x 4mm
Ø20 x 2mm
Ø22 x 2mm

## 4822306 - SNAP RING ASSORTMENT, 300-PCS



20x Ø3mm
10x Ø4mm
15x Ø5mm
25x Ø6mm
15x Ø8mm
20x Ø9mm
15x Ø11mm
15x Ø12mm
25x Ø13mm
15x Ø14mm
20x Ø15mm
25x Ø19mm
20x Ø22mm
15x Ø20mm
15x Ø25mm
15x Ø26mm
10x Ø28mm
5x Ø32mm

## 4822307 - TENSILE AND COMPRESSION SPRINGS ASSORTMENT, 200-PCS



Compression springs:
5.5 x 17.5mm
5.5 x 38.0mm
6.5 x 10.0mm
7.0 x 12.5mm
7.0 x 19.0mm
9.0 x 35.0mm
9.5 x 16.0mm
9.5 x 19.0mm

Tensile springs:
4.0 x 79.5mm
4.5 x 44.5mm
5.0 x 20.5mm
5.5 x 25.5mm
6.5 x 22.0mm
7.0 x 51.0mm
7.0 x 38.0mm
8.0 x 28.5mm
8.0 x 31.5mm
8.0 x 44.5mm
8.5 x 36.5mm
8.5 x 47mm

## 4822308 - PIN ASSORTMENT, 555-PCS



150x 1.6 x 25mm
75x 3.2 x 32mm
150x 2.5 x 25mm
50x 3.2 x 50mm
100x 2.4 x 38mm
30x 4.0 x 64mm

## 4822309 - CIRCLIP ASSORTMENT, 300-PCS



20x Ø3mm
10x Ø4mm
15x Ø5mm
25x Ø6mm
15x Ø8mm
20x Ø9mm
15x Ø11mm
15x Ø12mm
25x Ø13mm
15x Ø14mm
20x Ø15mm
25x Ø19mm
20x Ø22mm
15x Ø20mm
15x Ø25mm
15x Ø26mm
10x Ø28mm
5x Ø32mm

## 4822310 - SEALING RING ASSORTMENT, 150-PCS




1mm thick
10x
5 x 10mm
6 x 10mm
7 x 10mm
8 x 12mm
10 x 16mm

1.5mm thick
10x
10.5 x 17mm
11 x 17mm
12 x 10mm
12.5 x 20mm
14 x 18mm
14 x 20mm

2mm thick
10x
15 x 20mm
16 x 22mm
16.5 x 24mm
17.5 x 24mm

## 4822311 - SYNCHRONISER RINGS ASSORTMENT, 1200-PCS



300x
Ø3mm
Ø4mm
Ø5mm

100x
Ø8mm

50x
Ø10mm

150x
Ø6mm

## 4822312 - HOLLOW PIN/ASSORTMENT OF SYNCHRONISER RINGS, 450-PCS



150x Ø2x20mm
80x Ø3x30mm
30x Ø3x40mm
40x Ø4x30mm
20x Ø4x40mm
30x Ø4x50mm
4x Ø7x70mm
30x Ø5x40mm
5x Ø5x50mm
5x Ø5x60mm
20x Ø6x40mm
5x Ø6x50mm
4x Ø6x60mm
8x Ø8x40mm
4x Ø8x50mm
4x Ø8x60mm
3x Ø8x80mm
6x Ø10x40mm
2x Ø10x80mm

## 4822313 - HOSE CLAMP SET, 26-PCS



8x Ø16mm
2x Ø28mm
6x Ø22mm
2x Ø35mm
4x Ø25mm
4x Ø40mm

## 4822314 - NUT ASSORTMENT, 146-PCS



35x M4 X P0.7
25x M8 X P1.25
35x M5 X P0.8
16x M10 X P1.5
25x M6 X P1.0
10x M12 X P1.75

## 4822315 - BODY BOLTS AND SPEED NUT ASSORTMENT, 170-PCS



| Cross-slot Screws: | Speed Nuts: |
|---|---|
| 40x M3x8mm | 20x M3 |
| 20x M4x16mm | 20x M3 (with notch) |
| 15x M5x12mm | 20x M4 |
| 10x M6x20mm | 15x M5 |
| | 10x M6 |

## 4822316 - CROCODILE CLIP ASSORTMENT, 28-PCS



10x 50mm (mini)
6x 65mm
6x 55mm
2x 70mm
2x 60mm
2x 80mm

## 4822317 - AUTOMOTIVE FUSE ASSORTMENT, 121-PCS



20x 5A
20x 10A
20X 15A
20x 20A
20x 25A
20X 30A
1x Fuse removal tool

## 4822318 - QUICK-ACTION CONNECTOR ASSORTMENT, 50-PCS



25x
Connectors for 0.5-1.5mm² cable cross-section

25x
Connectors for 1.5-2.5mm² cable cross-section

## 4822319 - BLIND RIVET ASSORTMENT, 400-PCS



100x Ø2.4x37mm
100x Ø4.0x37mm
100x Ø3.2x37mm
100x Ø4.8x37mm

## 4822320 - GREASE NIPPLE ASSORTMENT, 110-PCS



60x M6 x P1.0
10x M8 x P1.25
10x M10 x P1.5
5x M6 x P1.0/45°
5x M8 x P1.25/45°
5x M10 x P1.5/45°
5x M6 x P1.0/90°
5x M8 x P1.25/90°
5x M10 x P1.5/90°

## 4822321 - RUBBER GROMMET ASSORTMENT, 180-PCS




40x 1/4" (6.3mm)
20x 1/2" (12.5mm)
40x 5/16" (7.9mm)
5x 5/8" (15.9mm)
40x 3/8" (9.5mm)
5x 7/8" (22.2mm)
25x 7/16" (11.1mm)
5x 1" (25.4mm)

## 4822322 - O-RING ASSORTIMENT, 225-PCS



| 20x | 5x |
|---|---|
| Ø3 x 1mm | Ø9 x 2mm |
| Ø4 x 1mm | Ø10 x 2mm |
| Ø4.5 x 2mm | Ø12 x 3mm |
| Ø5 x 2mm | Ø13 x 3mm |
| Ø6 x 2mm | Ø14 x 2.5mm |
| Ø6 x 2.5mm | Ø17 x 2.5mm |
| Ø6 x 3mm | Ø18 x 4mm |
| Ø7 x 2mm | Ø20 x 2mm |
| Ø8 x 2mm | Ø22 x 2mm |

## 4822323 - O-RING ASSORTIMENT, 419-PCS



| | | |
|---|---|---|
| Ø3 x 1.5,mm | Ø18 x 3.5mm | Ø33 x 3.5mm |
| Ø4.4 x 2mm | Ø19 x 2.5mm | Ø34.5 x 3.5mm |
| Ø5 x 2mm | Ø20 x 3.5mm | Ø36 x 3.5mm |
| Ø7 x 1.5mm | Ø21 x 2.5mm | Ø38 x 3.5mm |
| Ø10 x 1.5mm | Ø22 x 2.5mm | Ø41 x 3.5mm |
| Ø10 x 2.5mm | Ø22 x 3.5mm | Ø44 x 3.5mm |
| Ø11 x 2.5mm | Ø23.5 x 3.5mm | Ø47 x 3.5mm |
| Ø13 x 1.5mm | Ø25 x 3.5mm | Ø50 x 3.5mm |
| Ø13 x 2.5mm | Ø26.5 x 3.5mm | |
| Ø14 x 2.5mm | Ø28 x 3.5mm | |
| Ø16 x 2.5mm | Ø30 x 3.5mm | |
| Ø18 x 2.5mm | Ø31 x 3.5mm | |

## 4822324 - BOLT, NUT & WASHER ASSORTMENT, 240-PCS



| | |
|---|---|
| 10x M4 x 12mml | 20x M4 x P0.7 |
| 10x M4 x 20mml | 20x M5 x P0.8 |
| 10x M5 x 16mml | 20x M6 x P1.0 |
| 10x M5 x 25mml | 10x M8 x P1.25 |
| 10x M6 x 20mml | 10x M10 x P1.5 |
| 10x M6 x 30mml | 20x Ø4 |
| 5x M8 x 25mml | 20x Ø5 |
| 5x M8 x 40mml | 20x Ø6 |
| 5x M10 x 40mml | 10x Ø8 |
| 5x M10 x 16mml | 10x Ø10 |

# Auto special tools

## 4822325 - MINI AUTO FUSE ASSORTMENT, 120-PCS




20x 5A
20x 10A
20x 15A
20x 20A
20x 25A
20x 30A

## 4822326 - AUTOMOTIVE FUSE ASSORTMENT, 120-PCS



20x 5A
20x 10A
20x 15A
20x 20A
20x 25A
20x 30A

## 4822327 - WASHER ASSORTMENT, 720-PCS



50x
#6 C-type, #6 star type, #6 Circle star type, #8 C-type, #8 star type, #8 Circle star type, #10 C-type, #10 star type, #10 Circle star type
40x
6.4mm C-type, 6.4mm star type, 6.4mm Circle star type
30x
8.0mm C-type, 8.0mm star type, 8.0mm Circle star type
20x
9.5mm C-type, 9.5mm star type, 9.5mm Circle star type

## 4822328 - CLEVIS PIN ASSORTMENT, 60-PCS



3mm hole:
Ø5x25, Ø6x25mm
Ø6x30, Ø6x40mm
Ø6x45, Ø6x50mm
Ø6x60, Ø6x65mm
Ø8x25, Ø8x30mm
Ø8x40, Ø8x45mm
Ø8x50, Ø8x60mm
Ø8x65, Ø8x70mm


4mm hole:
Ø10x25mm
Ø10x40mm
Ø10x50mm
Ø12x40mm
Ø12x50mm

## 4822329 - GLASS AUTO FUSE ASSORTMENT, 120-PCS



20x 5A
20x 10A
20x 15A
20x 20A
20x 25A
20x 30A

## 4822330 - ALUMINIUM WASHER ASSORTMENT, 300-PCS



Ø5 x Ø9 x 1.0mm
Ø8 x Ø14 x 1.5mm
Ø12 x Ø16 x 1.0mm
Ø14 x Ø20 x 1.5mm
Ø18 x Ø24 x 1.5mm
Ø22 x Ø29 x 1.5mm
Ø6 x Ø10 x 1.0mm
Ø9 x Ø14 x 1.0mm
Ø12 x Ø16 x 1.5mm
Ø14 x Ø20 x 2.0mm
Ø20 x Ø24.5 x 1.5mm
Ø24 x Ø29 x 1.5mm
Ø6 x Ø12 x 1.0mm
Ø10 x Ø14 x 1.0mm
Ø12 x Ø18 x 1.5mm
Ø16 x Ø20 x 1.5mm
Ø20 x Ø24.5 x 0.8mm
Ø24 x Ø32 x 2.0mm
Ø8 x Ø12 x 1.0mm
Ø10 x Ø14 x 1.5mm
Ø13 x Ø18 x 1.0mm
Ø16 x Ø22 x 1.5mm
Ø19 x Ø26 x 2.0mm
Ø26 x Ø34 x 2.0mm
Ø8 x Ø14 x 1.0mm
Ø10 x Ø16 x 1.0mm
Ø14 x Ø18 x 1.5mm
Ø18 x Ø22 x 1.5mm
Ø22 x Ø27 x 1.0mm
Ø28 x Ø36 x 2.0mm

## 4822333 - INSULATED CRIMPTERMINAL ASSORTMENT, 160-PCS



4x RV 5.5-5 & 5.5-8 & 5.5-10 Yellow
5x MDD 5.5-250 & FDD 5.5-250 Yellow
12x BV 5.5-5 Yellow
10x RV 2-4L & 2-5L & 2-6 Blue
10x MDD 2-250 & FDD 2-250 Blue
10x MBB 2 & FBB 2 Blue
10x SVL 2-4 Blue
4x Scotchlok Blue
12x BV 2 Blue
8x RVS 1.25-4 Red
4x Scotchlok Red
18x BV 1.25 Red

## 4822334 - MASTER PLUG-IN STYLE FUSE ASSORTMENT, 118-PCS



3x maxi 20A,
3x maxi 30A,
3x maxi 40A,
3x maxi 50A
3x maxi 60A,
3x maxi 80A

5x mini 2A
5x mini 3A
5x mini 4A
5x mini 5A,
5x mini 7.5A
5x mini 10A
5x mini 15A
5x mini 20A
5x mini
5x mini 30A

5x ATO 3A
5x ATO 5A
5x ATO 7.5A
5x ATO 10A
10x ATO 15A
10x ATO 20A
5x ATO 25A
5x ATO 30A

## 4822335 - AUTO FUSE ASSORTMENT, 80-PCS



10x 3A
10x 5A
10x 7.5A
10x 10A
10x 15A
10x 20A
10x 25A
10x 30A

## 4822336 - MINI AUTO FUSE ASSORTMENT, 75-PCS



10x 2A
5x 3A
5x 4A
10x 5A
5x 7.5A
10x 10A
10x 15A
10x 20A
5x 25A
5x 30A

## 4822337 - DRAIN PLUG GASKET ASSORTMENT, 60-PCS



10x 1/2" fiber
10x 1/2" fiber
10x 1/2" nylon
10x 14mm nylon
5x 12mm nylon
5x 14mm fiber
5x 18mm fiber
5x 20mm fiber

## 4822338 - GLASS AUTO FUSE ASSORTMEN,T 95-PCS



5x 5A
10x 10A
20x 15A
20x 20A
20x 25A
20x 30A

## 4822339 - BUTT CONNECTOR ASSORTMENT, 100-PCS



10x 22-18
10x 22-18
30x 16-14
30x 16-14
10x 12-10
10x 12-10

## 4822340 - SHRINK TUBE ASSORTMENT, 85-PCS



20x 1/8"
15x 1/4"
20x 3/16"
10x 3/8"
15x 1/4"
5x 1/2"

## 4822341 - BUTT CONNECTOR ASSORTMENT WITH SHRINK, TUBE 60-PCS



8x 22-18
7x 22-18
15x 16-14
15x 16-14
8x 12-10
7x 12-10

## 4822342 - TRIM CLIP ASSORTMENT FOR NISSAN, 408-PCS







## 4822343 - TRIM CLIP ASSORTMENT FOR MAZDA, 475-PCS







## 4822344 - TRIM CLIP ASSORTMENT FOR MITSUBISHI, 370-PCS






## 4822345 - TRIM CLIP ASSORTMENT FOR FORD, 415-PCS






## 4822346 - TRIM CLIP ASSORTMENT FOR VOLKSWAGEN, 255-PCS






## 4822347 - PLASTIC LOCKING NUT ASSORTMENT, 350-PCS






## 4822348 - TRIM CLIP ASSORTMENT FOR TOYOTA/LEXUS, 360-PCS







07

## 4822349 - TRIM CLIP ASSORTMENT FOR RENAULT, 300-PCS






## 4822353 - TRIM CLIP ASSORTMENT FOR VOLVO, 350-PCS






## 4822350 - TRIM CLIP ASSORTMENT FOR VAUXHALL/ OPEL 300-PCS






## 4822354 - TRIM CLIP ASSORTMENT FOR BMW, 290-PCS






## 4822351 - TRIM CLIP ASSORTMENT FOR PEUGEOT, 345-PCS






## 4822355 - TRIM CLIP ASSORTMENT FOR MERCEDES BENZ, 270-PCS






## 4822352 - TRIM CLIP ASSORTMENT FOR FIAT, 308-PCS






## 4822356 - TRIM CLIP ASSORTMENT FOR AUDI, 160-PCS





## 110001 - SPRING COMPRESSOR, 1800KG

Apart from being competitively priced, Sonic spring compressor is one of the most user-friendly coil spring compressors on the market, making dismantling of McPherson struts safer, easier and much faster compared to using a traditional tool. Sonic spring compressor is supplied with two sets of standard jaws which work efficiently with the springs on approximately 90% of all cars.




HANDWHEEL




STRUT






- Handles approximately 90% of all cars
- High quality coil spring compressor used by thousands of professionals
- Supplied with two sets of standard jaws
- Built-in protective accessory
- Large user-friendly adjusting handle
- TÜV approved safety

| INNOVATIVE BUILT-IN PROTECTIVE ACCESSORY | ERGONOMIC HANDLES | TWO PAIRS OF STANDARD JAWS EASILY CHANGED | AIR WRENCH | SPECIFICATIONS | ACCESSORIES |
|---|---|---|---|---|---|
| - For safe and easy clamping in the bench vice<br>- Made from high-tech hard-wearing polyurethane | - Large user-friendly and ergonomic adjusting handle<br>- For easier and faster manual positioning of the jaws<br>- Ergonomic handle on the body makes the tool more comfortable to hold | - Jaws secured with strong bolts<br>- Equipped with a lip which locks the spring during compression improving safety<br>- Powder coated surface to protect the springs | - Can be used on the spindle<br>- To avoid overload use max. 180Nm air wrench | - Max load 1800 kg<br>- Two sets of jaws: 2 pieces ø80-120mm and 2 pieces ø80-200mm<br>- Built-in safety pin<br>- Use air wrench max 180Nm<br>- Maximum distance: 364mm<br>- Minimum distance: 80mm<br>- Weight body: 5.2kg<br>- Weight included jaws: 10.7kg | Jaws for special springs are available on request |

## 120001 - SPRING COMPRESSOR, 1500KG

Apart from being competitively priced and makes the dismantling of mcpherson struts both safer and easier.
It is very simple and easy to use the Sonic spring compressor and compared with using a traditional tool, makes the operation much faster giving a considerable saving in working hours. Sonic spring compressor is supplied with two sets of standard jaws which work efficiently with the springs on approximately 90% of all cars.




STRUT






AIR WRENCH






JAWS


- Handles approximately 90% of all cars
- High quality coil spring compressor used by thousands of professionals
- Supplied with two sets of standard jaws
- Supplied with safety wire
- Tailored protective jaws for clamping the bench vice are additional accessoires
- TÜV approved safety

| INNOVATIVE BUILT-IN PROTECTIVE ACCESSORY | TWO PAIRS OF STANDARD JAWS EASILY CHANGED | AIR WRENCH | SPECIFICATIONS | ACCESSORIES |
|---|---|---|---|---|
| - For safe and easy clamping in the bench vice<br>- Made from high-tech hardwearing polyurethane | - Jaws secured with strong bolts<br>- Equipped with a lip which locks the spring during compression improving safety<br>- Powder coated surface to protect the springs | - Can be used on the spindle<br>- To avoid overload use max. 180Nm air wrench | - Max load 1500kg<br>- Two sets of jaws: 2 pieces ø80-145mm and 2 pieces ø145-195mm<br>- Built-in safety pin<br>- Use air wrench max 180Nm<br>- Maximum distance: 354mm<br>- Minimum distance: 80mm<br>- Weight body: 4.7kg<br>- Weight included jaws: 10.2kg | Jaws for special springs are available on request. |


## 130001 - SPRING COMPRESSOR, 1500KG



SPRING



JAW IN SPRING







- Handles 95% of all cars with wishbone/multilink suspension rear and front
- Only tool on the market capable of handling among others VW Touran, Citroën C3, Skoda Octavia, and Peugeot 107
- Very compact design makes it possible to use the tool for cars with a small hole in the rear spring control arm down to Ø30 mm
- Unique safety key torque
- Only on the market with angled jaws
- Patent pending
- TÜV approved safety

| INNOVATIVE ANGLED SHAPE OF THE JAWS | UNIQUE SAFETY KEY TORQUE | TWO PAIRS OF STANDARD JAWS EASILY CHANGED | SPECIFICATIONS | ACCESSORIES |
|---|---|---|---|---|
| - Only universal spring compressor on the market for wishbone/ multilink suspension with angled jaws<br>- Improves safety<br>- Provides a high degree of functionality | - Only universal spring compressor on the market for wishbone/ multilink suspension with angled jaws<br>- Improves safety<br>- Provides a high degree of functionality | - Functions as extension unit<br>- Makes it easier, safer and more convenient to position the tool correctly inside the spring<br>- Prevents overload<br>- Improves safety | - Max load 1500kg<br>- Two sets of jaws: 2 small angled jaws ø90-120mm and 2 large angled jaws ø120-140mm for Mercedes and many other cars with wishbone/multilink suspension<br>- Use air wrench<br>- Maximum distance: 167mm<br>- Minimum distance: 70mm<br>- Weight body: 1.65kg<br>- Weight include jaws: 2.5kg | Large angled and large flat jaws are available on request |


BMW M Power
ZURICH
uvex
H&R
MILLER
ABT
DHL
SONIC
MICHELIN
BILSTEIN

# Reaching new heights in professional equipment



Ergonomic handle

Sonic jacks are made of **the best materials** available and constructed in accordance with the **latest and most advanced techniques.**

Sonic warranty















# Jacks

**The floor jacks in this category are certified to the highest level of useful life (professional use, not occasional use) to ensure maximum value from your investment. All jacks are made of the best materials available and constructed in accordance with the latest and most advanced techniques. Reaching new heights in professional shop equipment.**









ERGONOMIC HANDLE




RUBBER PROTECTION PAD

3 YEARS WARRANTY



TANDEM CASTERS





**48002 - GARAGE JACK WITH DOUBLE CASTERS, 2 TON**

Lightweight ultra low profile jack with a minimum height of 85mm, fast reach foot pedal, rubber saddle, PU tandem casters, hold-to-run control and ergonomic handle. Polyurethane tandem rollers reduce noise and floor damage. The tandem system guarantees a comfortable ride on a bumpy surface.

**SPECIFICATIONS**

- Rubber protection pad
- Ergonomic handle
- PU tandem casters
- Minimum height 85mm
- Maximum height 490mm








500KG

48KG




## 48006 - TRANSMISSION JACK, 500KG

This mobile lifter has been developed specifically for the disassembly and assembly of gearboxes. This newest addition entails a 500kg lifter with nylon casters. Next to this, the lifter is executed with a hold-to-run valve and quick lift function. Because of the reversible head the lifter is multifunctional.

### SPECIFICATIONS


- Quick lift
- Fast reach foot pedal
- Hold-to-run control
- Nylon wheels
- Minimum height 1195mm
- Maximum height 2005mm

## 48001 - GARAGE JACK, 2 TON



ART. NO. 4800206
RUBBER PROTECTION PAD






2000KG 36,5KG

| DESCRIPTION | SPECIFICATIONS |
|---|---|
| Lightweight ultra low profile jack with a minimum height of 85mm, fast reach foot pedal, rubber saddle, nylon casters, hold-to-run control and ergonomic handle. Compact design ideal for working in tight spaces and transportation in service vehicles. | - Rubber protection pad<br>- Ergonomic handle<br>- Nylon casters<br>- Minimum height 85mm<br>- Maximum height 490mm |

## 48004 - ALUMINIUM JACK, 1,35 TON




ART. NO. 4800205
RUBBER PROTECTION PAD



ART. NO. 4800203
INCL. EXTRA RUBBER PAD 95MM







1350KG 10KG

| DESCRIPTION | SPECIFICATIONS |
|---|---|
| With a 1,35T lift capacity and a 80mm minimum lift height it ensures easy access under low-profile vehicles. The ball bearing-mounted rear swivel caster wheels and wide track front casters provide easy maneuverability and jack stability under load.<br>A newly designed saddle pad protects the vehicles frame and components. Thick frame side plates and a reinforced lift arm result in added strength. A bypass and overload valve prevent from over-extension of hydraulic ram and jack use beyond rated capacity.<br>The 2-pcs handle with quick lock offers easy storage.<br>Heavy duty nylon wheels keep the jack's general weight below 10KG. | - 2-pcs handle bar<br>- 1 oversized handle<br>- Rubber protection pad<br>- Minimum height 80mm<br>- Maximum height 375mm<br>- Bypass and overload valve prevent from over-extension |

## 4822331 - FOLDABLE ENGINE CRANE, 1 TON






1000KG 71KG

| DESCRIPTION | SPECIFICATIONS |
|---|---|
| Constructed from heavy gauge, welded square tubular steel. The 2 speed hydraulic pump with chromed ram rotates up to 135 degrees ensuring the optimal working position.<br>Fine adjustment lowering handle with dead man's control prevents from rapid uncontrolled lowering of load. Nylon casters avoid floor damage. The arm has 3 pre-set positions for lifting. Easy to maneuver in open or closed position due to unique supporting wheels at the front of the base plate. | Measurements folded:<br>L 1499 x W 90 x H 1405mm |

| POSITION | CAPACITY | MINIMUM HEIGHT | MAXIMUM HEIGHT |
|---|---|---|---|
| 1 | 1000KG | 334mm | 2120mm |
| 2 | 750KG | 214mm | 2210mm |
| 3 | 500KG | 94mm | 2300mm |

## 48023 - JACK STANDS, 3 TON



3000KG

### SPECIFICATIONS

- Minimum height 305mm
- Maximum height 448mm

## 48025 - SCISSOR JACK, 1 TON



1000KG

### SPECIFICATIONS

- Minimum height 90mm
- Maximum height 330mm


07


## 480... - BOTTLE JACK










### SPECIFICATIONS

- Adjustable screw rod-to adjust to suitable operating height
- Piston rod oil cylinder are rising and lowering in linear movement
- Top with cross grooves (loading contact segment)
- Pressing handle to press up and down to make the piston rod rise
- The release valve is to control raising or lowering function

| ART. NO. | MIN-MAX HEIGHT | CAP. (TON) | A | B | C | D | E | F | L | W | N.W. (KG) | PCS CARTON | CARTON G.W.(KG) | CBM/CTN | PIECES/20'CY |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4800102 | 158 - 308MM | 2 | 158 | 308 | 90 | 60 | 285 | 20 | 93 | 88 | 2.30 | 10 | 25.0 | 0.025 | 6250 |
| 4800104 | 180 - 350MM | 4 | 180 | 350 | 110 | 60 | 340 | 25 | 104 | 108 | 3.20 | 8 | 28.0 | 0.025 | 4460 |
| 4800106 | 197 - 382MM | 6 | 197 | 382 | 125 | 60 | 340 | 30 | 113 | 116 | 4.40 | 6 | 28.0 | 0.023 | 3500 |
| 4800108 | 205 - 390MM | 8 | 205 | 390 | 125 | 60 | 340 | 33 | 120 | 115 | 5.40 | 4 | 23.0 | 0.018 | 2430 |
| 4800112 | 215 - 400MM | 12 | 215 | 400 | 125 | 60 | 340 | 40 | 133 | 137 | 7.20 | 2 | 15.5 | 0.012 | 1800 |
| 4800120 | 244 - 449MM | 20 | 244 | 449 | 145 | 60 | 420 | 45 | 155 | 165 | 11.00 | 2 | 23.0 | 0.018 | 1400 |

# Optimize productivity and safety



High quality PU-hose

**Time saving:** no more knots, tangles or cables that spread out on the floor.

- Shockproof plastic structure with metal wall bracket
- Device to block cable at desired length
- CE approved



AIR



POWER



Slow motion system available

07




**SLOW MOTION SYSTEM:**

This system makes it possible to slowly and uniformly wind cables and hoses without jerking or whiplash. It guarantees increased safety, better organization and higher productivity in the workplace. Zero damage to property and no personal injuries. This system is available and applicable for all cable- and air hose reels, also after installation and can be mount easily on the outside of the housing.

| ART. NO. | MIN-MAX HEIGHT |
|---|---|
| 4822407 | Slow motion system for reel 4822401 |
| 4822408 | Slow motion system for reel 4822402 |
| 4822409 | Slow motion system for reel 4822405 |
| 4822410 | Slow motion system for reel 4822403 |


Made in Italy

## 4822401 - CABLE REEL 18 METER



### SPECIFICATIONS

- Automatic rewinding spring
- Plastic outer casing
- Steel swiveling wall bracket
- Ratched stop device easily inspectable and removable by the end user
- 3 X 1,5mm² cable
- With coiled cable a maximum capacity of 800w
- With unrolled cable a maximum capacity of 200w
- CE approved
- TÜV approved





## 4822402 - AIR HOSE REEL 9 MTR, Ø8MM, MAX. 10 BAR



### SPECIFICATIONS

- Automatic rewinding spring- Plastic outer casing
- Steel swiveling wall bracket
- Ratched stop device easily inspectable and removable by the end user
- Fitting 1/4"
- Hose diameter 8mm
- Maximum working pressure 10 bar
- Glossy polyurethan hose
- CE approved





## 4822403 - AIR HOSE REEL 12 MTR, Ø8MM, MAX. 15 BAR



### SPECIFICATIONS

- Automatic rewinding spring
- Plastic outer casing
- Steel swiveling wall bracket
- Ratched stop device easily inspectable and removable by the end user
- Fitting 1/4"
- Hose diameter 8mm
- Maximum working pressure 15 bar
- Glossy polyurethan hose
- CE approved





07

## 4822404 - AIR HOSE REEL 8 MTR, Ø10MM, MAX. 15 BAR



### SPECIFICATIONS

- Automatic rewinding spring
- Plastic outer casing
- Steel swiveling wall bracket
- Ratched stop device easily inspectable and removable by the end user
- Fitting 3/8"
- Hose diameter 10mm
- Maximum working pressure 15 bar
- Glossy polyurethan hose
- CE approved





## 4822405 - AIR HOSE REEL 15 MTR, Ø8MM, MAX. 15 BAR



### SPECIFICATIONS

- Automatic rewinding spring
- Plastic outer casing
- Steel swiveling wall bracket
- Ratched stop device easily inspectable and removable by the end user
- Fitting 1/4"
- Hose diameter 8mm
- Maximum working pressure 15 bar
- Glossy polyurethan hose
- CE approved





## 4822406 - AIR HOSE REEL 14+1 MTR, Ø10MM, MAX. 15 BAR



### SPECIFICATIONS

- Automatic rewinding spring
- Plastic outer casing
- Steel swiveling wall bracket
- Ratched stop device easily inspectable and removable by the end user
- Fitting 3/8"
- Hose diameter 10mm
- Maximum working pressure 15 bar
- Glossy polyurethan hose
- CE approved



# Designed for convenience and optimal lighting



Rechargeable by USB

A **full range** of Sonic power lights available.









Motion-sensor

07

***Power Lights***



## 4820519 - 3-IN-1 SLIM LIGHT (MINI)



### GENERAL INFORMATION

- COB LED/spot: high power LED
- Work light: 100/200 lumen
- Spot light: 100 lumen
- Light intensity work light: 150/400 lux at 0.5m
- Light intensity spot light: 5200 lux at 0.5m
- Operating time: work light 5 hours, spot light 2.5 hours
- Charging time: 3 hours
- 3.7V/1200 mAh li-ion battery
- Protection IP30

## 4820520 - 3-IN-1 SLIM LIGHT



### GENERAL INFORMATION

- COB LED/spot: high power LED
- Work light: 250/500 lumen
- Spot light: 100 lumen
- Light intensity work light: 400/800 lux at 0.5m
- Light intensity spot light: 4800 lux at 0.5m
- Operating time: work light 2.5 hours, spot light 5 hours
- Charging time: 4.5 hours
- 3.8V/2800 mAh li-ion battery
- Protection IP30

## 4820516 - POCKET-SIZED, ULTRA-SLIM WORK LIGHT WITH TOP FLASH LIGHT







### GENERAL INFORMATION

- COB LED
- 1600 mAh li-ion rechargeable high capacity battery
- Charge indicator
- 180° angle stand with magnet
- Swivel hook
- Setting 1: 100 lumen, setting 2: 125 lumen
- Spot light: 75 lumen
- Light intensity setting 1: 130 lux at 0.5m
- Light intensity setting 2: 260 lux at 0.5m
- Operating time setting 1: 6 hours, setting 2: 3 Hours
- Operating time spot light: 4 hours
- Charging time: 2.5 hours
- Including 220V charger
- Including usb charger
- Weight: 112g
- Protection IP65

## 4820517 - WORK LAMP WITH TOP FLASH LIGHT







### GENERAL INFORMATION

- COB LED/high power
- 1600 mAh li-ion rechargeable high capacity battery
- Charge indicator
- 180° angle stand with magnet
- Swivel hook
- Work light: 150 lumen
- Spot light: 75 lumen
- Light intensity setting 1: 100 lux at 0.5m
- Light intensity setting 2: 340 lux at 0.5m
- Operating time work light: 3 hours
- Operating time spot light: 3 hours
- Charging time: 3 hours
- Including 220V charger
- Including usb charger
- Weight: 160g
- Protection IP65

## 4820515 - MULTIFUNCTIONAL INSPECTION WORK LIGHT




### GENERAL INFORMATION

- Work light with 3 magnets
- Lamp head tilts up to 180°
- Two adjustable and retractable suspension hooks
- 2200 mAh li-ion rechargeable high capacity battery
- 7X SMD LED (main light)
- High power LED spot light
- Setting 1: 50 lumen, setting 2: 300 lumen
- Spot light: 100 lumen
- Light intensity setting 1: 250 lux at 0.5m
- Light intensity setting 2: 5000 lux at 0.5m
- Light intensity spot light: 800 lux at 0.5M
- Operating time setting 1: 5 hours, setting 2: 2.5 Hours
- Operating time spot light: 4 hours
- Charging time: 4 hours
- Including 220V charger
- Including usb charger
- Weight: 266g
- Protection IP20

## 4820518 - HEADLAMP





### GENERAL INFORMATION

- Lights up your entire field of view
- New rechargeable battery technology
- Designed for professional work
- Sensor function
- 1600 mAh li-ion rechargeable high capacity battery
- 2W COB LED
- Setting 1: 125 lumen, setting 2: 250 lumen
- Light intensity setting 1: 300 lux at 0.5m, setting 2: 500 lux at 0.5m
- Operating time: setting 1: 6 hours; setting 2: 3 hours
- Charging time: 4 hours
- Weight: 140g
- Protection IP65

## 4820536 - RECHARGEABLE COB WORK LIGHT 10W






- COB LED
- 0-400 LUMEN (ADJUSTABLE LUMEN SWITCH)
- 2200MAH
- 3-4H FULL LIGHT 15H SEMI LIGHT
- 2-3H
- -20°C | +50°C
- IP54
- 375X35MM
- 175G
- INCL. CHARGECABLE





### GENERAL INFORMATION

- Unique variable dial lets you control the output (max 400 Lumen)
- Adjustable magnetic swivel base lets you control the desired angle
- Folding loop or magnetic swivel base to mount in desired work location

## 4821106 - NOVA COB LED LIGHT 30W



### GENERAL INFORMATION

This light is a universal all-around work light both rechargeable and with cable (dual system) providing you endless application possibilities in every working environment. The new light dimmer function makes it possible to adjust the light into five different levels.

- Operating time: 1-14 hours
- Charging time: 2 hours
- 5 settings light output; 300-2250 lumen
- Light intensity: 5000 lut at 0,5m
- Cable: 5m / 2x0,75mm$^2$
- Battery: 11.1V / 4400 mAh li-ion
- Operating temperature: -10 to +40°C
- Weight: 1,78kg

## 4821102 - LIGHT AND TORCH 21+5 LED




### GENERAL INFORMATION

- Operating time: main light up to 4 hours
- Operating time: spot light up to 15 hours
- Charging time: 4 hours
- Main light with 21 high bright LED
- Spot light with 5 high bright LED
- Battery charger 230V AC/50hz
- 3,7V/1200 mAh li-ion rechargeable battery
- LED intensity: main light 800 lux at 0,5m
- LED intensity: spot light 300 lux at 0,5m
- Operating temperature -10 to +40°c
- Protection IP20
- Weight 0,30kg

## 4821105 - EXTREMELY POWERFULFLASH PEN 1W LED




### GENERAL INFORMATION


- Light intensity: 1100 lux
- Operating time: up to 8 hours
- Light beam up to 75m
- Battery 2x aaa included
- Weight: 150g
- Protection IP54
- Delivered in a gift box

## 4820513 - INSPECTIONS WORK LIGHT 8W



### GENERAL INFORMATION

- Nominal voltage 230V ~ 50-60hz
- Main cable 5m, 2x0,75mm$^2$
- Electronic ballast in handle


PERFORMANCE
THROUGH QUALITY

# The most powerful boosters



Fully insulated clamps with curved and bronze jaws

**Sonic boosters** deliver a **high power** in cranking amps (CA) in stead of peak amps (PA).

- Powerful AGM batteries
- High quality components



Hybride booster





Double isolated starting cables




Made in Belgium

# Boosters

Sonic Booster
START ENGINE USE SONIC BOOSTER

The Sonic booster range offers professional and reliable solutions for all users. In terms of power, our range starts where other competitors end theirs. Our least powerful batteries deliver more power than most average batteries of competing products. Don't be misled by booster and battery ratings! When it comes to jump starting vehicles, what really matters is the power in Cranking Amps (CA), not in Peak Amps (PA). In addition to powerful AGM batteries, our boosters are all equipped with high-quality components which are also very important: double-insulated starting cables, fully insulated clamps with curved and bronze jaws, resistant Anderson connectors, etc. The Sonic boosters are professional tools designed for professional and intensive use.







**CABLES:** Sonic starting cables are double insulated, extra-long, extremely flexible and of very high conductibility. Cables of other boosters are tiny and that's why they make knots inside and break.

**CASE:** The single-piece moulded case in polyethylene of 5mm, unbreakable and with a lifetime warranty assures excellent resistance to shocks and intensive uses. Cases of other boosters are slim and made out of 2 parts. So it's fragile and more difficult to handle when you have to repair.




**VOLTMETER:** The Sonic booster uses a traditional voltmeter with a needle where other competing products use LED lights to show the charging level. The voltmeter indicates the precise charging level and can be used to test the proper functioning of the alternator of the vehicle. The battery of a booster must reach 13V when it's recharged and when it's connected to the car-battery. The engine must reach 14,4V because that's the power your car alternator must produce.



**CLAMPS:** The massive clamps of the Sonic booster are fully insulated and ergonomic with big opening and a braided copper strap in order to spread current through both jaws.
Clamps from other boosters are less user-friendly and don't deliver full current through both jaws. They are also less robust.



**FUSES:** The internal fuse protects the batteries against short-circuits and overcharge (overuse).



**BUZZER:** A buzzer that produces a tone will inform you of an inversion of polarity. in option for the 12V Sonic models.

- *Read manual first*
- *Charge the Sonic booster completely before use*
- *To ensure long life and optimize the use of the Sonic booster battery, you must put the Sonic booster on continuous charge after each use using the automatic provided charger*
- *When not using the Sonic booster for long period of time, recharge the unit (using the orignal automatic electric 230V AC charger) every 3 months for at least 48hrs*
- *When using the Sonic booster to start an engine, do not cranck for more than 8-10 seconds, and wait for a futher 3 minutes before a second attempt*
- *Never completely discharge the Sonic booster battery*
- *Never recharge the Sonic booster using a 24V recharging (cigarette lighter) plug on board of a vehicle*

## 48132 - BOOSTER PORTABLE MINI 12V/440CA



### SPECIFICATIONS

| | | | |
|---|---|---|---|
| - Voltage | 12V | - Adaptor AC/DC | 1.3A |
| - Cranking amps | 440A | - Fuse on battery | 300A |
| - Peak amps | 1600A | - Weight | 6,5kg |
| - Cable length | 60cm | - Dimensions cm (LxWxH) | 36 x 13 x 24 cm |
| - Cable size | 25mm² | | |

## 48106 - MICRO 12V/700CA



### SPECIFICATIONS

Gasoline or diesel, utility to start diesel engines up to:
- 175HP as booster
- 125HP as substitute battery

Gasoline engines:
Capable to start 250HP without battery

## 48107 - MICRO 12V/800CA



### SPECIFICATIONS

Gasoline or diesel, utility to start diesel engines up to:
- 250HP as booster
- 150HP as substitute battery

Gasoline engines:
Capable to start a Hummer H2/350HP without battery

## 48108 - 12V/1200CA



### SPECIFICATIONS

Gasoline or diesel, utility, 4x4, second-hand and agricultural service to start diesel engines up to
- 350HP as booster
- 250HP as substitute battery

## 48109 - 12/24V-2400/1200CA



### SPECIFICATIONS

Gasoline or diesel, light truck, agricultural service, heavy truck, bus, tank, plane, boat, etc. Perfect for starting engines up to 1500HP which have been stationary for a long time, in extreme temperature conditions from -30° to +60°C, without batteries. Practical example: capable to start a 1500HP 38 litres, Mercedes Leopard tank without batteries

## 48110 - 12/24V-3200/1600CA



### SPECIFICATIONS

Gasoline or diesel, light truck, agricultural service, heavy truck, bus, tank, plane, boat, etc. Flexible 12V or 24V for extreme use, 25% more power than the 12/24V-2400/1200CA unit. Perfect for starting engines up to 1500HP which have been stationary for a long time, in extreme temperature conditions from -30° to +60°C, without batteries.

## 48111 - 12/24V-1600/800CA



### SPECIFICATIONS

Gasoline or diesel, utility, 4x4, second-hand and agricultural service,
heavy truck to start diesel engines in 24V up to:
- 500HP as booster
- 250HP as substitute battery

## 48148 - HYBRIDE BOOSTER 12V/1300CA



### SPECIFICATIONS

Gasoline: Up to 7.0L (without battery/cold temperature)
Diesel: Up to 4.0L (without battery/cold temperature) up to 5.0L (without battery/warm temperature)

# For whom performance really counts

Sonic Booster
START ENGINE USE SONIC BOOSTER

**POWER:** outcome from the aero space technology, the batteries in the Sonic Booster (AGM/MF, pure lead, made in USA) have an extraordinary energy storage and delivery at very high currents.

**ELECTRONIC PROTECTION:** the Sonic booster is no danger for the electronic equipment of the vehicles. These jump starters have done millions of startings without any damage (Certificate of AXA insurance policy - NO file has been opened in more than 20 years).

**LIABILITY:** all the components of the Sonic booster have been selected worldwide for their very high quality for an intensive use dedicated for professionals:

The moulded single-piece polyethylene body of 5 mm, unbreakable (life time warranty), assures excellent resistance to the shocks and everyday uses. Does not take much space in a recovery service vehicle and its ergonomic shape facilitates its use and storage.

The Radaflex® starting cables (double isolation) extra-long, are extremely flexible and of very high conductibility. They allow the user to leave the booster on the ground while starting the vehicle. The electronic automatic charger with continuous current, manages and maintains the battery in perfect condition in order to give full power at start. The recharging cord through cigarette-lighter (DC/DC) allows a quick recharge on board of a 12V vehicle.

**Warranty**
All users benefit from a one-year warranty on components and workmanship.





| MODEL | BOOSTER MINI 12V/440CA | MICRO 12V/700CA | MICRO 12V/800CA | MICRO 12V/1200CA | SONIC 12/24V 1600/800CA | SONIC 12/24V 2400/1200CA | SONIC 12/24V 3200/1600CA |
|---|---|---|---|---|---|---|---|
| Sonic item | 48132 | 48106 | 48107 | 48108 | 48111 | 48109 | 48110 |
| Voltage (DC Volts) | 12V | 12V | 12V | 12V | 12/24V | 12/24V | 12/24V |
| Cranking Amps | 440 A | 700 A | 800 A | 1200 A | 1600/800 A | 2400/1200 A | 3200/1600 A |
| Peak Amps | 1600 a | 1860 A | 2370 A | 3100 A | 4740/2370 A | 6200/3100 A | 7750/3875 A |
| Number of batteries | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| Cable length | 60 cm | 1,30 m | 1,30 m | 1,50 m | 1,35 m | 1,35 m | 1,95 m |
| Radaflex Welding Cable Size | 25 $mm^2$ | 25 $mm^2$ | 25 $mm^2$ | 35 $mm^2$ | 50 $mm^2$ | 50 $mm^2$ | 70 $mm^2$ |
| Type of Clamps | F600 | F600 | 650 A | 850 A | 850 A | 850 A | 850 A |
| Auto. Electr. Charger AC/DC | 1,3 A | 1,3 A | 2 A | 2 A | 4 A | 4 A | 7 A |
| Power Adapter Cord DC/12V | yes | yes | yes | yes | upon request | upon request | upon request |
| 12V Output | 16A | 16A | 16A | 16A | 16A | 16A | 16A |
| Reverse Polarity System | option | option | option | option | yes | yes | yes |
| Fused Protection | yes | yes | yes | yes | yes | yes | yes |
| Weight | 6,5kg | 9,5kg | 9,5kg | 14,5kg | 21,5kg | 24,8kg | 55kg |
| Shipping Weight | 8,5kg | 11,5kg | 11,5kg | 16,5kg | 23kg | 27kg | 59,5kg |
| Dimensions (mm) | 360x130x240mm | 375x110x320mm | 375x110x320mm | 450x247x390mm | 530x160x480mm | 530x160x480mm | 470x340x970mm |











**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811205 | Triple wrap cable Sonic micro (1,9m instead of 1,3m) |
| 4811206 | Triple wrap cable Sonic portable 12V (2,4m instead of 1,5m) |
| 4811207 | Double wrap cable Sonic portable 12/24 & 24V (2,3m instead of 1,35m) |

**4811208**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811208 | Double wrap cable Sonic mobile (3,7m instead of 1,95m) |

**4811264**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811264 | Battery 12V-440A (180x75x168mm) for mini 12V/440CA |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811209 | Battery 12V – 700A (180x75x168mm) For Sonic micro 12V/700CA |
| 4811210 | Battery 12V -800A (180x75x168mm) For Sonic micro 12V/800CA & Sonic 12/24V - 1600/800CA |

**48112...**




| ART. NO. | DESCRIPTION |
|---|---|
| 4811211 | Battery 12V - 1200A (250x95x 158mm) For Sonic 12V/1200CA, 12/24 - 2400/1200CA & 24V/1200CA |
| 4811212 | Battery Cyclone 12V - 1600A (255x170x 195mm) For Sonic Mobile 12V/1600CA, 12V/3200CA, 12/24V - 3200/1600CA |

**4811213**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811213 | Internal armoured fuse 300A to protect the battery for all Sonic booster batteries 700A - 800A - 1000A |

**48148-2**



| ART. NO. | DESCRIPTION |
|---|---|
| 48148-2 | Lithium battery 12V-1300A for hybrid booster |

**4811214**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811214 | Internal armoured fuse 500A to protect the battery For all Sonic booster battery's 1200A – 1600A |

**4811215**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811215 | External fuse 16A for all Sonic boosters |

**4811216**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811216 | External automatic charger for booster 12V units: 12V/700CA. |

**4811217**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811217 | External automatic charger for Sonic booster 12/800ca and 12v/1200CA |

**4811218**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811218 | External automatic charger for Sonic boosters 12/24v - 1600/800ca and 2400/1200ca |

**4811219**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811219 | Battery charger for Sonic booster 12/24V 3200-1600CA 7A |

**4811220**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811220 | Male to male cord DC/DC for all Sonic booster 12V with 2 male cigarette lighter plugs to charge the booster on board of a vehicle 12V (engine running) |

**4811221**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811221 | Male to male cord DC/DC for all Sonic Booster 12/24V With 4 male poles plug & cigarette lighter plug to charge the booster on board of a vehicle 12V (engine running) |

**48148-1**



| ART. NO. | DESCRIPTION |
|---|---|
| 48148-1 | Cable with cigarette lighter plug male 12V |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811222 | Female cigarette lighter plug (for 12V) |
| 4811223 | Male cigarette lighter plug (for 12V) |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811224 | Female charging plug 4 poles without wires for portable Sonic Booster 12/24V |
| 4811225 | Female charging plug 4 poles with wires for portable Sonic Booster 12/24V |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811226 | Female charging plug 4 poles without wires for mobile Sonic boosters 12/24V |
| 4811227 | Female charging plug 4 poles with wires for mobile Sonic boosters 12/24V |

**4811228**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811228 | Male charging jack 4 poles for all Sonic boosters 12/24V |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811229 | Female charging plug 2 poles without wires for all Sonic boosters 24V |
| 4811230 | Male charging jack 2 poles for all Sonic boosters 24V |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811231 | Clamp red F600 for Sonic micro 12V/700A |
| 4811232 | Clamp blue F600 for Sonic micro 12V/700A |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811233 | Clamp red 650A, bronze, fully insulated + copper tress |
| 4811234 | Clamp blue 650A, bronze, fully insulated + copper tress |
| 4811235 | Cable (25mm²) + clamp red 650A for Sonic micro 12V/800A |
| 4811236 | Cable (25mm²) + clamp blue 650A for Sonic micro 12V/800A |

**48112...**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811237 | Cable (50mm²) + clamp red 850A for Sonic 12/24V - 2400/1200CA |
| 4811238 | Cable (50mm²) + clamp blue 850A for Sonic 12/24V - 2400/1200CA |
| 4811239 | Cable (35mm²) + clamp red 850A for Sonic 12v & 12/24V - 1600/800CA |
| 4811240 | Cable (35mm²) + clamp blue 850A for Sonic 12v & 12/24V - 1600/800CA |

**4811241**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811241 | Voltmeter 8 to 16 volt for all Sonic boosters 12V & 12/24V |

**4811242**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811242 | Push button for all Sonic boosters |

**4811243**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811243 | Buzzer for all Sonic boosters with reverse polarity signal |

**4811244**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811244 | S. connector yellow (SB175) |

**4811245**



| ART. NO. | DESCRIPTION |
|---|---|
| 4811245 | Handle for S. connector |

# Propulstation®

The Propulstation® is a real revolution in the world of jump starters. Developed for all professionals, it makes the emergency start of all vehicles even easier and more efficient! The unique docking station of the Propulstation® allows an automatic and optimal recharge of the booster in recovery vehicles but also in garages and workshops.








**THE BATTERY:** This is the heart of the device. Therefore, Sonic batteries have been designed with the main focus on delivering a maximum power at start. The battery has exceptionally high capacity to accumulate and disperse high-amperage energy. It uses pure lead plates and is an AGM (absorbed glass mat) type battery, outcome of aerospace technology and offers far superior performance and durability. Waterproof and dry, it can be stored in any position in perfect safety.

**THE HOUSING:** robust shell case design 5 mm shatterproof polyethylene ensures a high level of shock and daily use resistance. With a lifetime guarantee and modern esthetics that will always remain stylish and discrete thanks to its sober color.

**THE CABLES:** long and flexible with a double insulation, they have a cross-section capable of delivering the batteries full power. They offer a perfect resistance to extreme conditions. (-30 °c to 60 °C)

**THE CLAMPS:** the Propulstation® has robust, wide-opening clamps which are fully insulated and have a copper trace carrying the current to both of the bronze jaws and protecting the powerful spring against over-heating.









**VOLTAGE DETECTION SYSTEM AND CORRECT CONNECTION SIGNAL:** a LED system indicates the voltage to select on the booster. It reduces the risk of misuse while using a 12/24V booster. In the case of misuse any build up of gas will be evacuated. The LEDs also indicate if the booster is correctly connected to the station. If it is the case, the LED corres- ponding to the voltage of the charging circuit is lit on.

**THE FUSE:** the fuse is directly accessible from the outside of the booster. A spare fuse is available on the side of housing. A blue LED indicates the correct functioning of the fuse. If it does not light up when pushing on the red button, the fuse is blown.

**UNIQUE ON THE MARKET CLAMPS:** the massive clamps of the Sonic booster are fully insulated and ergonomic with big opening and a braided copper strap in order to spread current through both jaws. Clamps from other boosters are less user-friendly and don't deliver full current trough both jaws. They are also less robust.

**THE CONTACTOR:** it revolutionizes and makes the storing of the booster in its station easier. Thanks to the powerful magnets, the booster is guided at its place avoiding any risk of bad connection. The contactor ensures an optimal recharge of the booster and avoids any movement while stored in the vehicle.

# Propulstation®, when it's stored, it's charged!





**5 ASSETS**

**ALWAYS IN THE RIGHT PLACE**
In the workshop, the booster has its place and any user knows where to find and store it. In the vehicle, it is perfectly set in the station.

**ALWAYS CHARGED AT 100%**
Stored in its station, the booster is automatically and optimally charged between two starts.

**100% SUCCESSFUL STARTS**
Always at its maximal capacities, the booster ensures 100% successful starts.

**A 3 TIMES LONGER LIFETIME**
The optimal charge of the Propulstation® avoids the irreversible battery sulfation which is caused by the battery voltage dropping below 12,4V and will lead to premature failure of its battery.

**ABSOLUTE PLEASURE OF USE**
The user will benefit from the unlimited pleasure of working with a reliable and efficient tool.









**DOCKING STATION IN 2 VERSIONS**

**VEHICLE:** the vehicle station must be connected to the recovery vehicle's battery by the DC/DC 12V/12V (or 24V/24V) lead. This has a one-way diode that prevents the breakdown vehicle from discharging the booster. The lighting and other equipment on the breakdown vehicle are heavy current consumers

**WORKSHOP:** the workshop station has a 230V/12V AC/DC charger to connect to the mains. Due to the weight of the portable booster 12/24 and 24V it is advised to mount the station on the floor.

**PROPULSTATION® MOBILE THE POWER THAT ROLLS!**

**LARGE WHEELS:** provide easy mobility on the most difficult terrain.

**A THIRD WHEEL MULTIDIRECTIONAL:** equipped with a brake ensures manoeuvrability and immobilization of the booster on an inclined surface.

**ERGONOMIC HANDLES:** designed to facilitate the movement of the booster in inclined and vertical positions, by pulling or pushing it.

# Propulstation®






THE PROPULSTATION HAS TWO ELEMENTS:
1) powerful start booster for professional use
2) charging station

The fixed docking station will automatically charge the Propulstation® which results in an optimized power supply.








| MODEL | 12V/800CA | 12V/1200CA | 24V/1200CA | 12/24V 2400/1200CA | 12/24V 3200/1600CA | 24V 1600CA |
|---|---|---|---|---|---|---|
| Voltage | 12V | 12V | 24V | 12/24V | 12/24V | 24V |
| Cranking amps | 800A | 1200A | 1200A | 2400/1200A | 3200/1600A | 1600A |
| Piek amps | 2370A | 3100A | 3100A | 6200/3100A | 7750/3875A | 3875A |
| Cable length | 1,55 m | 1,55 m | 1,35 m | 1,35 m | 2,10 m | 2,10 m |
| Radaflex welding cable size | 35 mm² | 50 mm² | 50 mm² | 50 mm² | 70 mm² | 70 mm² |
| Clamps | 650A | 850A | 850A | 850A | 850A | 850A |
| Internal fuse on the battery | 300A | 300A | 500A | 500A | 500A | 500A |

PROPULSTATION (BOOSTER + CHARGING STATION)

| ART. NO. | EXECUTION | SPECIFICATION |
|---|---|---|
| 48114 | Vehicle | 12V 800CA DC/DC |
| 48115 | Vehicle | 12V 1200CA DC/DC |
| 48116 | Garage | 12V 800CA AC/DC |
| 48117 | Garage | 12V 1200CA AC/DC |
| 48120 | Vehicle | 24V 1200CA DC/DC |
| 48121 | Vehicle | 12/24V 2400/1200CA dC/DC |

| ART. NO. | EXECUTION | SPECIFICATION |
|---|---|---|
| 48122 | Garage | 24V 1200CA AC/DC |
| 48123 | Garage | 12/24V 2400/1200CA AC/DC |
| 48127 | Garage | 12/24V 3200/1600CA AC/DC |
| 48128 | Vehicle | 12/24V 3200/1600CA AC/DC |
| 48129 | Garage | 24V 1600CA AC/DC |
| 48130 | Vehicle | 24V 1600CA AC/DC |

LOOSE CHARGING STATIONS

| ART. NO. | SPECIFICATION |
|---|---|
| 48118 | Charging station for vehicle 12V |
| 48119 | Charging station for garage 12V |

| ART. NO. | SPECIFICATION |
|---|---|
| 48124 | Charging station for vehicle 24V or 12/24V |
| 48125 | Charging station for garage 24V or 12/24V |

# Accu-smart®

## Battery charger - multi stage charging

Did you know that your batteries suffer from self-discharge? Lead batteries get discharged even without being used!
The loss of capacity can reach up to 6% per month (at 20°C) and even more by higher temperature. Yet below 12,4V, lead batteries start to sulphate. The more one battery is discharged and the longer it stays discharged, the more sulphate covers the lead plates inside. This sulphate will corrode the lead and damage the battery irreversibly. Moreover, contrary to other types of batteries, lead batteries do not suffer from memory effect and must be charged as often as possible. Ideally, the recharge must be permanent and done with an electronic automatic charger. Accu-Smart® is therefore the essential tool for professionals and private users having vehicles stopped. These are a few examples:

- Old timer cars and motorbikes
- Agricultural and garden vehicles
- Leisure vehicles, motor homes
- Boats
- Vehicles in showrooms in stock or on parking lots
- Rental vehicles
- Mountain vehicles



**MICROPROCESSOR CONTROLLED**
Multi-stage charging for added precision, safety and battery life.

**BATTERY TYPES**
Charges compatible battery types (WET, AGM, GEL, MF, Start & Stop).

**ECO FRIENDLY**
Energy efficient meets the highest industry standards for energy efficiency.

**LED DISPLAY INTERFACE**
LED indicators show charging status Safety Reverse polarity, safety shut-off and spark proof, thermal runaway, ventilation system.

**PROTECTIVE BUMPERS**

**HOOK ATTACHMENT**
Allows unit to hang safely outside the work area.

**ACCESSORIES**
Insulated clamps and fused ring leads.

**8 STEPS FOR AN OPTIMAL RECHARGE**

1) ANALYSING BATTERY 2) RECOVERING BATTERY 3) SOFT START 4) BULK MODE 5) ABSORPTION 6) MONITORING 7) FLOAT MODE 8) MAINTAIN


**TECHNICAL SPECIFICATIONS**

| MODEL | ACCU-SMART 12V-2A | ACCU-SMART 12V-4A | ACCU-SMART 12V-7A | ACCU-SMART 12V-10A |
|---|---|---|---|---|
| REF SONIC | 4811256 | 4811257 | 4811258 | 4811263 |
| INPUT | 220~240V AC 50HZ/60HZ, 0.5A | 220~240V AC 50HZ/60HZ, 0.7A | 220~240V AC 50HZ/60HZ, 1.3A | 220~240V AC 50HZ/60HZ, 2.0A |
| NOMINAL OUTPUT VOLTAGE | 12V | 12V | 12V | 12V |
| MAX. OUTPUT VOLTAGE | 14.7V | 14.7V | 14.7V | 14.7V |
| MAX. OUTPUT CURRENT | 2A | 4A | 7A | 10A |
| IP RATE | IP20 | IP20 | IP20 | IP20 |
| TEMPERATURE RANGE | -20~+50°C | -20~+50°C | -20~+50°C | -20~+50°C |





# ALWAYS A SOLUTION

# Always a solution




With our **accurate timing tool database,** which is supported and runned by Auto Data, you can **find the right tool** for any job by searching: OE number, vehicle selection or engine code.






Individual components available

SONIC TIMING TOOLS



Made in Europe


# Timing tools

## 829027 - ENGINE TIMING KIT BMW DIESEL M47 - 2.0

BMW - MINI

The 829027 has been has been developed to allow the engine timing to be set on the BMW M47 2.0L, 2.5L 4 cylinder diesel engines and the 3.0L 6 cylinder diesel engines found in BMW's, Rover 75 and Land Rover Freelander TD4 circa pre 2010.






**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880018 | 11-2-300, LRT-12-108, LRT-12-171 | Crankshaft locking pin |
| 2 | 4880022 | 11-6-320 | Camshaft setting clamp |
| 3 | 4880024 | 11-3-340 | 4mm loop pin (zinc plated) |
| 4 | 4880023 | 11-6-322 | Locking clamp assembly |
| 5 | 4880038 | 11 5 180, LRT 12-227 | Flywheel locking pin type 1 (BMW 115 180) |
| 6 | 4880039 | 11 6 080 | Flywheel locking pin body type 2 (BMW 116 080) |

## 829028 - ENGINE TIMING KIT BMW PETROL N51, 52, 53, 54 - 2.3, 2.5, 2.8, 3.0 6 CYLINDER

BMW - MINI

The 829028 has been developed to allow the camshafts, vanos units and crankshaft to be locked in their timed position on the applications listed below. Applications: BMW






**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880259 | 11 4 280, 11 4 281, 11 4 282, 11 4 283, 11 4 285 | Camshaft alignment tool (N51 & N52) |
| 2 | 4880060 | 11 4 290, 11 8 520 | 4.0mm setting pin |
| 3 | 4880059 | 11 0 300 | Setting pin (MM23060 03A) |
| 4 | 4880261 | 11 4 280, 11 4 281, 11 4 283 | Camshaft locking plate for N53 & N54 engines assembly |
| 5 | 4880026 | 11 9 340 | Timing chain pre-tensioning tool assembly (11 9 340) |
| 6 | 4880028 | - | M6 x 30 hex head setscrew |
| 7 | 4880010 | - | Washers M6 |
| 8 | 4880047 | - | Washer M8 zinc plated |
| 9 | 4880211 | - | M7 x 20 set screw |

## 829029 - ENGINE TIMING KIT BMW PETROL N43 - 1.6, 2.0

BMW - MINI

The 829029 has beendeveloped to allow the user to lock the camshafts and crankshaft in position on the BMW N43 chain driven petrol engines. The N43 engines are found in 1.6 and 2.0 versions from around 2006 up to the present day. The is a 7 piece kit (not including fixings) which include a camshaft alignment tool/locking plate, a camshaft sensor alignment tool, a crankshaft setting/locking pin, a timing chain pre tensioning tool, a balance shaft locking plate and 2 tensioner locking pins.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880025 | 11 5 120 | Crankshaft setting pin-BMW |
| 2 | 4880026 | 11 9 340 | Timing chain pre-tensioning tool assembly (11 9 340) |
| 3 | 4880024 | 11 3 340 | 4mm loop pin (zinc plated) |
| 4 | 4880257 | 11 8 710 (11 8 711 11 8 712) | BMW camshaft position sensor tool assy (N43) |
| 5 | 4880256 | 11 8 690 (11 8 691 11 8 692, 11 8 693) | Camshaft alignment tool (N43) |
| 6 | 4880258 | 11 8 700 | Balancer shaft alignment tool (N43) |
| 7 | 4880169 | | M6x16 HT setscrew-S/Col |
| 8 | 4880028 | | M6 x 30 hex head setscrew |
| 9 | 4880010 | | Washers m6 form C Zc.PL. |

## 829030 - ENGINE TIMING KIT BMW, PSA PETROL N12, N14 -1.4, 1.6

BMW - MINI


PETROL CHAIN

The 829030 has been developed to allow the removal and fitting of the camshaft drive chains on the PSA/Mini 1,4 and 1,6 petrol engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880035 | 11 9 540 / 0197-A3 | Camshaft alignment tool body type 2 (of 2) |
| 2 | 4880034 | 119540 / 0197-A3 | Camshaft alignment tool body type 1 (of 2) |
| 3 | 4880036 | 11 9 540 / 0197-A1 | Camshaft alignment tool item 1 of 2 (OEM 119 540QC4 item 1) |
| 4 | 4880030 | 11 9 550 / 0197-A2 | Camshaft alignment tool (119 550/551) inlet setting plate |
| 5 | 4880031 | 11 9 551 | Camshaft alignment plate (OEM 119 550/551 - exhaust setting) |
| 6 | 4880032 | 11 9 552 | Support clamp BMW (OEM 119 550/552) |
| 7 | 4880026 | 11 9 340 | Timing chain pre-tensioning tool assembly (11 9 340) |
| 8 | 4880134 | - | M6 x 30 hex head setscrew black (self colour) |
| 9 | 4880028 | - | M6 x 30 hex head setscrew |
| 10 | 4880322 | - | Shank bolt 6 x 12 x M5 thread |
| 11 | 4880033 | 11 9 590 / 0197-B | Crankshaft setting pin G.A-BMW |
| 12 | 4880181 | - | M6 x 20 H T setscrew S/C |
| 13 | 4880216 | - | M6 x 30 cap head screw |





## 829031 - ENGINE TIMING KIT BMW, PSA PETROL N12, N14 -1.4, 1.6

BMW - MINI

PETROL CHAIN


08

The 829031 has been developed for the 1.6/1.8/2.0 BMW petrol engines found in the BMW 3, 5, X and Z4 series vehicles up to 2014.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880018 | 11 5 120, 11 2 300 | Crankshaft locking pin |
| 2 | 4880025 | 11 9 190 | Crankshaft setting pin-BMW |
| 3 | 4880020 | 11 9 340 | Large bush - preload tool |
| 4 | 4880029 | 11 9 292 | Inlet camshaft alignment tool-BMW 118i/120i |
| 5 | 4880043 | 11 9 350 | N42/N46 vanos sensor gear alignment tool |
| 6 | 4880027 | 11 9 291 | Exhaust Camshaft alignment tool assy. |
| 7 | 4880021 | - | Screw pre load tool item 2 |
| 8 | 4880010 | - | Washers m6 form C Zc.PL. |
| 9 | 4880028 | - | M6 x 30 hex head setscrew |
| 10 | 4880114 | - | M6 x 55 H.T. Setscrew s/col |
| 11 | 4880165 | - | M8 x 25mm socket head cap screw |





## 829032 - ENGINE TIMING KIT BMW PETROL N40, 45, 45T - 1.6

BMW - MINI


PETROL CHAIN

The 829032 has been developed to allow the user to check and adjust the camshaft timing and remove/replace the cam chain. The 829032 also includes the vanos plate which is required to lock the variable valve timing system in the correct position.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880042 | 11 7 252 | Camshaft locking tool inlet side (OEM 11 7 252) |
| 2 | 4880019 | - | Screw pre load tool |
| 3 | 4880020 | 11 9 340, 11 9 341 | Large bush - preload tool |
| 4 | 4880040 | 11 7 260 | N40/N45 vanos sensor gear alignment Tool OEM 11 7 260 |
| 5 | 4880041 | 11 7 251 | Camlock plate assembly exhaust side (OEM 117 250) |
| 6 | 4880028 | - | M6 x 30 hex head setscrew |
| 7 | 4880025 | 11 9 190 | Crankshaft setting pin-BMW |
| 8 | 4880165 | - | M8 x 25mm socket head cap screw |
| 9 | 4880114 | - | M6 x 55 H.T. Setscrew S/Col |
| 10 | 4880010 | - | Washers M6 form C Zc.PL. |





## 829033 - ENGINE TIMING KIT BMW, MINI DIESEL N47, 47S - 1.6, 2.0, 3.0

BMW - MINI


The 829033 has been developed to allow the user to check and adjust the camshaft timing and remove/replace the cam chain on the 1,6/2,0 and 3,0 BMW diesel engines found across the BMW range.

N.B: For some applications additional crankshaft holding tool OEM 11 4 320 may be required, sold separately as Sonic number: 829102 Front crankshaft holding tool; or OEM 11 7 220 tool available separately as Sonic 829105.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880044 | 11 6 480 | Crankshaft pulley turning tool (11 6 480) |
| 2 | 4880045 | 11 8 740 | Hi pressure pump sprocket retainer (11 8 740) |
| 3 | 4880046 | 11 5 320 | Flywheel plate timing pin (OEM 11 5 320) |
| 4 | 4880037 | 11 8 760 | Camshaft alignment tool BMW OEM 11 8 760 |
| 5 | 4880024 | 11 3 340 | 4mm loop pin (zinc plated) |






## 829034 - ENGINE TIMING KIT BMW PETROL N62, 73 - 3.6, 4.0, 4.4, 4.8, 6.0, V8, V12


BMW - MINI

The 829034 has been developed for BMW N62 V8 and N73 V12 engines. The 829034 kit allows the user to check and hold the valve timing whilst maintaining the correct timed position of the camshafts and crankshaft.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880025 | 11 9 190 | Crankshaft setting pin-bmw |
| 2 | 4880207 | 11 9 461 | Bmw inlet camshaft gauge plate (OEM 11 9 461) |
| 3 | 4880208 | 11 9 462 | Bmw exhaust camshaft gauge plate (OEM 11 9 462) |
| 4 | 4880209 | 11 9 463 | Clamp assembly (N62 / N73) |






## 829097 - BALANCE SHAFT SETTING KIT BMW DIESEL N47 - 2.0


BMW - MINI

829097 has been designed to set the balance shafts on BMW N47 diesel engines when the balance shafts have been disturbed also includes the crankshaft setting bridge required to set the crankshaft in its bottom dead centre (BDC) number 1 position.(see application list).

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880291 | 11 8 750 | BMW balancer shaft locating tool |
| B | 4880292 | 11 8 790, 11 8 791, 11 8 793 | BMW crankshaft locator tool |






## 829101 - BALANCE SHAFT SETTING KIT BMW


BMW - MINI

BMW - N40, N42, N43, N45, N46, N49, N52
829101 has been specifically designed to set the balance shafts on BMW engines when the balance shafts have been disturbed.
Equivalent to OEM 11 7 700, 11 5 140, 11 9 280, 11 9 330

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880286 | 11 8 700 | BMW balancer shaft locking tool (119 330) |
| 2 | 4880287 | 11 5 140 | BMW balancer shaft holding tool (115 140) |
| 3 | 4880288 | 11 9 280 | BMW crankshaft holding tool |
| 4 | 4880258 | 11 9 330 | Balancer shaft alignment tool (N43) |





## 829102 - CRANKSHAFT HOLDING TOOL BMW DIESEL N47/57 - 1.6/2.0/3.0

BMW - MINI


DIESEL CHAIN

829102 is a crankshaft locking and holding tool is designed to lock the crankshaft on the N47 (2.0L) and N57 (3.0L) diesel engines from 2007 found in the BMW range. It is specifically required when replacing or repairing the secondary drive chains on the engines listed. Additional camshaft or balance shaft tooling may be required.
Equivalent to OEM 11 4 320.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880301 | 11 4 320 | Machining detail for BMW N47 & N57 crankshaft locking tool |
| 2 | 4880302 | - | Pin for BMW N47 & N57 crankshaft locking tool (11 4 320) |
| 3 | 4880110 | - | M5 x 10mm countersunk socket black |
| 4 | 4880169 | - | M6x16 HT setscrew-s/col |
| 5 | 4880010 | - | Washers M6 form C Zc. Pl. |
| 6 | 4880328 | - | M6 fullnut |






## 829104 - AUXILIARY DRIVE BELT WRENCH SET PETROL BMW MINI - 1.6

BMW - MINI


BELT PETROL

This tool set simplifies the removal and replacement of the serpentine belt when servicing or repairing the W10, W11 1600cc engines as used in the Mini One, Cooper & Cooper S (pre. 2007 Mk1), Mini Convertible (pre 2009 Mk1).

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880138 | 11 8 410 | Belt tensioner assembly |
| 2 | 4880139 | 11 8 390 | BMW mini camshaft pulley wrench (11 8 390) |
| 3 | 4880002, 4880003 | 11 8 470 & 11 8 280 | Ø4mm tensioner pin + Ø4.5mm tensioner pin |





## 829105 - FRONT PULLEY HOLDING TOOL BMW N47/N57 DIESEL ENGINE 1.6/2.0/3.0

BMW - MINI


DIESEL CHAIN

829105 is a special crankshaft pulley holding tool for the N47/N57 BMW diesel engines found across the BMW and Mini ranges. Designed to hold the crankshaft pulley stationary while loosening or tightening the centre bolts of the pulley.
Equivalent to OEM 11 7 220

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880221 | 11 7 220 | Brace welded assy |
| 2 | 4880220 | | Threaded boss |
| 3 | 4880333 | | M16 flat washer form a to DIN 125A |
| 4 | 4880327 | | Lock nut M16 x 1.5 24mm A/F 8mm thk chemi black |
| 5 | 4880213 | | M10 x 100 SKT HD cap screw |
| 6 | 4880217 | | M8 x 100mm cap head |





## 829121 - TIMING CHAIN LOCKING KIT PSA/BMW 1,4/1,6 PETROL

BMW - MINI


PETROL CHAIN

A complete engine timing kit designed to allow the timing to be set and checked on the 1.4 | 1.6 PSA | BMW engines found in the BMW, Mini and PSA ranges. Engine codes covered include N12, N13, N14, N16 and N18 for BMW | Mini and EP3, EP6 for Citroën | Peugeot from 2006 to 2016.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880375 | - | Inlet camshaft alignment tool |
| 2 | 4880372 | - | Exhaust camshaft alignment tool |
| 3 | 4880349 | - | M10 x 15lg caphead screw to iso 4762 |
| 4 | 4880378 | - | Camshaft alignment tool-2 base plate |
| 5 | 4880358 | - | Flywheel timing pin for psa 1.0 & 1.2 assembly |
| 6 | 4880416 | - | M5x16 c/sink skt head screw |
| 7 | 4880373 | - | Exhaust camshaft alignment tool adapter 2 |
| 8 | 4880380 | - | Link bar for a & b |
| 9 | 4880377 | - | Inlet camshaft alignment tool adapter 1 |
| 10 | 4880379 | - | Camshaft alignment tool adapter -5 |
| 11 | 4880374 | - | Exhaust camshaft alignment tool adapter 2 |
| 12 | 4880379 | - | Exhasut camshaft alignment tool adapter 3 |
| 13 | 4880415 | - | Angle bracket |
| 14 | 4880371 | - | Dummy timing chain tensioner |
| 15 | 4880415 | - | Digital inclinometer is a digital angle gauge or digital protractor |






08

## 829131 - BALANCE SHAFT ALIGNMIENT TOOL - BMW B47/B48N47

BMW - MINI


DIESEL CHAIN

Specifically designed to offer an alignment solution for the BMW 1.6 and 2.0L N47, B47 and B48 diesel engines found across the BMW range from as early as 2008 up to 2016. The set combines the BMW N47 balance shaft locking tool and the B47/B48 locking tools into one simple to use tool. The innovative EU registered design eliminates the requirement for a separate crankshaft alignment tool by combining the functionality of the OEM tools 11 8 790, 11 8 750 and 2 288 054 into one tool with interchangeable balance shaft alignment adaptors. 829131 supersedes Sonic Equipment 829097.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880404 | 2 288 054 | Balancer shaft alignment tool boss a assembly |
| 2 | 4880405 | 83 20 2 288 054 | Balancer shaft alignment tool base assembly |
| 3 | 4880406 | - | M8 x 30 cap head |
| 4 | 4880353 | 11 8 750 | Bmw N47 spigot for bmw balance shaft holding tool |
| 5 | 4880346 | - | Ht bolt M10 x 50 self colour |






## 829017 - ENGINE TIMING KIT OPEL, CHEVROLET, FIAT PETROL - 1.6, 1.8 16V

CHEVROLET - CHRYSLER DODGE


BELT PETROL

The 829017 has been developed to allow the user to change the cam belt on the later Z and A coded GM Petrol belt driven engines. These engines are also found in Fiat and Alfa Romeo vehicles as listed below.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880234 | KM-6625 | Flywheel holding tool (KM-6625) |
| 2 | 4880168 | KM-911 | Flywheel locking tool item 2 |
| 3 | 4880185 | KM6130, KM6349 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 4 | 4880239 | KM-6628A, 2 000 012 000 | Camshaft locking tool (GM) |
| 5 | 4880057 | KM-6340, 2 000 012 100 | Cam locking tool (pair) |
| 6 | 4880058 | KM-6333 | Locking pin |





## 829061 - ENGINE TIMING KIT OPEL/CHEVROLET DIESEL (Z20) - 2.0

CHEVROLET - CHRYSLER DODGE


BELT DIESEL

Developed for the Vauxhall/Chevrolet 2.0 common rail diesel engine found in the Vauxhall Antara, Chevrolet Captiva, Cruze, Epica, Lacetti and Nubira. This kit holds the correct timing position of the crankshaft and camshaft whilst changing the timing belt on the 16V SOHC belt driven diesel engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880012 | EN-48245 | Camshaft locking tool assembly (EN48245) |
| 2 | 4880011 | EN-48246 | Crankshaft locking pin (EN48246) |






## 829064 - ENGINE TIMING KIT OPEL/CHEVROLET/SAAB PETROL (A20/A24) - 2.0, 2.4

CHEVROLET - CHRYSLER DODGE


PETROL CHAIN

Developed specifically for the high power output 2.0 litre and 2.4 litre twin cam turbo charged petrol engines found across the GM, Chevrolet and Saab ranges. This kit provides all the components required to set and hold the camshafts, crankshaft and chain tensioner components when performing major engine work or replacing the cam chain and associated components.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880231 | EN-49212, EN-49212-1 | Vauxhall - Opel - camshaft locking tool LHS (OEM ref: EN-492) |
| 2 | 4880232 | EN-49212, EN-49212-2 | Vauxhall - Opel - camshaft locking tool RHS (OEM ref: EN-492) |
| 3 | 4880317 | EN-48953 | Camshaft adjuster holding tool |
| 4 | 4880318 | EN-48585 | Crankshaft bolt hole balancer |
| 5 | 4880320 | J45027-2, EN45027-2, EN-45027, | Tension plunger holder |
| 6 | 4880321 | EN-45027-1, J-45027-1 | Tension plunger remover |
| 7 | 4880319 | EN-43653, J43653 | Flywheel holding tool bottom half |
| 8 | 4880135 | EN-43653, J43653 | Flywheel holding tool |
| 9 | 4880214 | - | M6 x 50 caphead screw |
| 10 | 4880010 | - | Washers M6 form C Zc.Pl. |
| 11 | 4880173 | EN-955-20, KM 955-20 | Tensioner location pin 4mm |
| 12 | 4880172 | EN-955-10, KM955 | Tensioner location pin 2.5mm |
| 13 | 4880215 | - | M6 x 16 cap head screw self-colour to BS4168 |






08

## 829083 - ENGINE TIMING KIT CHRYSLER/LDV DIESEL CRD - 2.5, 2.8

CHEVROLET - CHRYSLER DODGE


BELT DIESEL

The 829083 kit was developed for the Chrysler DOHC common rail diesel engine found in the Voyager, Grand Voyager and the LDV Maxus van. The 829083 kit allows the user to replace the timing belt whilst maintaining the correct timed position of the camshafts and crankshaft.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880222 | VM.1089, LDV196 | Chrysler 2.5/2.8 CRD timing pin - VM.1089 |
| 2 | 4880223 | VM.1068, LDV196 | Timing pin (chrysler 2.5/2.8 CRD VM.1068) |
| 3 | 4880224 | VM.1052, LDV192 | Timing pin (chrysler 2.5/2.8 CRD VM.1052) |
| 4 | 4880225 | VM.1053, LDV193 | Timing pin (chrysler 2.5/2.8 CRD VM.1053) |
| 5 | 4880226 | VM1074 | Timing belt retaining spring (VM.1074) |
| 6 | 4880015 | VM.9660, H2587 | Tension wrench |
| 7 | 4880282 | VM.1080 | Chrysler timing pin (VM.1080) |
| 8 | 4880283 | VM.8873 | Chrysler timing pin (VM.8873) |





## 829084 - ENGINE TIMING KIT CHRYSLER/JEEP DIESEL CRD - 2.8


CHEVROLET - CHRYSLER DODGE

BELT DIESEL

The 829084 kit has been developed specifically for the 2008 and later 2.8 CRD Chrysler/Jeep engines where the cam belt drives one camshaft and the second camshaft is driven via gears. The 829084 kit is a 2 piece kit consisting of the components required to lock the crankshaft and camshafts in their timed position to allow the removal and replacement of the cam belt and associated components.

**COMPONENTS**

| REF | ART. NO. | OEM | COMPONENTS |
|---|---|---|---|
| 1 | 4880284 | VM.9992 | Chrysler crankshaft locking tool (VM.9992) |
| 2 | 4880285 | VM.9991 | Chrysler exhaust camshaft locking tool (VM.9991) |




## 829085 - ENGINE TIMING KIT CHRYSLER/JEEP DIESEL CRD - 3.0


CHEVROLET - CHRYSLER DODGE

DIESEL CHAIN

The 829085 kit has been designed for the Jeep 3.0 lt V6 diesel engine found in the late model (2011 on) Jeep Grand Cherokee. The 829085 provides all the cam and crankshaft locking tools required for chain replacement.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880311 | VM10338-1 | Camshaft locking tool RH - assy |
| 2 | 4880310 | VM10338-2 | Camshaft locking tool LH - assy |
| 3 | - | - | Cap head screws for reference 1 |
| 4 | 4880313 | VM10359a | Crankshaft timing pin assy |
| 5 | 4880312 | VM10339 | Tensioner locking pin |




## 829086 - ENGINE TIMING KIT MERCEDES-BENZ/CHRYSLER CRD - 2.2, 2.7


CHEVROLET - CHRYSLER DODGE

DIESEL CHAIN

The 829086 covers a large range of vehicles fitted with chain driven engines from Mercedes-Benz including the PT Cruiser 2.2 CRD and Jeep Grand Cherokee 2.7 CRD from Chrysler.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880203 | 602 589 00 40 00 8929 | Flywheel locking tool |
| 2 | 4880206 | 602 589 00 40 00 8929 | Camshaft locking pin assy |
| 3 | 4880205 | 601 589 02 40 00 8933 | Flywheel locking tool Mercedes-Benz 602 589 00 40 00 |
| 4 | | | Bolts for reference 3 |



## 829087 - ENGINE/BALANCE SHAFT TIMING KIT MERCEDES-BENZ DIESEL (651) - 1.8, 2.1


CHEVROLET - CHRYSLER DODGE

DIESEL CHAIN

The 829087 has been specifically designed for Mercedes-Benz vehicles fitted with the chain driven 1.8/2.1 CDI diesel engines (engine code pre fix 651). These engines are found across the Mercedes-Benz range including A, B, C, E, G and S class as well as the Sprinter and Vito vans from as early as 2007 up to 2015. These engines are also found in the Jeep and Dodge ranges. The 829087 contains the essential alignment tools to align the camshafts, crankshaft and balance shafts in one compact kit.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880316 | 651 589 01 40 00 | Camshaft alignment tool |
| 2 | 4880315 | 651 589 00 40 00 | Crankshaft holding/turning tool |
| 3/4/5/6 | 4880314 | 651 589 02 63 00 | Balance shaft lock tool assy |



## 829015 - ENGINE TIMING KIT FIAT, OPEL, SAAB JTD DIESEL - 1.6, 1.9, 2.0, 2.4

FIAT - ALFA ROMEO


DIESEL BELT

The 829015 engine timing kit has been put together to provide the essential crankshaft and cam shaft timing pins only for the Fiat/Opel JTD diesel engines found across the Fiat, Opel, Saab ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880188 | 1.870.896.900, EN-46789, 32 025 008 | Camshaft alignment tool |
| 2 | 4880136 | 1.860.898.000 | Flywheel locking tool |
| 3 | 4880137 | - | Stud assy |
| 4 | 4880218 | - | M8 x 20mm socket head screw |
| 5 | 4880091 | 1.860.965.000 | Setting pin (chem. black) (6 X 60) |
| 6 | 4880187 | 1.860.905.000, 1.860.905.010, 2.000.003.000, EN-46788, 32 025 009 | Crankshaft alignment tool |






## 829016 - ENGINE TIMING & REBUILD SET FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

FIAT - ALFA ROMEO


DIESEL CHAIN

The 829016 has been developed to allow the user to change the cam chain on the later 1.3 JTD/CDTi & HDi diesel engines found in the PSA, Fiat, Ford, Suzuki and Opel ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880200 | 1 871 000 200, 303-1469, KM-662-C | Crankshaft pulley flange holding tool |
| 2 | 4880004 | 1 870 900 400 | Timing chain tensioning tool |
| 3 | 4880005 | 0104-C, 1 870 900 300, 303-1468 | Crankshaft alignment tool |
| 4 | 4880183 | 0104-A, 1 871 000 900, 1 860 985 000, EN 46781, 09917-68610 | Camshaft alignment tool assy |
| 5 | 4880186 | EN 46785, 09912-38300 | Crankshaft pin assy |
| 6 | 4880096 | Fiat 8mm pin | Locking pin (8mm dia. 70 long) |








## 829017 - ENGINE TIMING KIT OPEL, CHEVROLET, FIAT PETROL - 1.6, 1.8 16V

FIAT - ALFA ROMEO


BELT PETROL

The 829017 has been developed to allow the user to change the cam belt on the later Z and A coded GM Petrol belt driven engines. These engines are also found in Fiat and Alfa Romeo vehicles as listed below.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880234 | KM-6625 | Flywheel holding tool (KM-6625) |
| 2 | 4880168 | KM-911 | Flywheel locking tool item 2 |
| 3 | 4880185 | KM6130, KM6349 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 4 | 4880239 | KM-6628A, 2 000 012 000 | Camshaft locking tool (GM) |
| 5 | 4880057 | KM-6340, 2 000 012 100 | Cam locking tool (pair) |
| 6 | 4880058 | KM-6333 | Locking pin |






## 829018 - ENGINE TIMING KIT FIAT, PSA, IVECO JTD DIESEL - 2.8

FIAT - ALFA ROMEO


DIESEL BELT

The 829018 has been developed for Fiat 2.8 diesel engines that are found in the Fiat, Iveco and PSA van ranges. This kit provides all the tools required to set the timed components when replacing the timing belt. The kit also includes the components require to lock the flywheel when undoing and tightening up the front pulley fixings as well as the special spacer to hold the belt tensioner in its fully retracted position.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880237 | 1 870 765 001 | Flywheel locking piece (Fiat) |
| 2 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 x 50) |
| 3 | 4880097 | 8mm pin | Locking pin (8mm dia. x 60 long) |
| 4 | 4880132 | 1 860 638 000 | Tensioning tool |





## 829019 - ENGINE TIMING KIT FIAT T JET PETROL - 1.2, 1.4


FIAT - ALFA ROMEO

The 829019 has been developed to lock the cam and crankshaft in position to allow the removal and replacement of the timing belt fitted to the 1,2/1.4 T-Jet Fiat petrol engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880182 | 1 860 992 000 | Piston height gauge |
| 2 | 4880183 | 1 860 985 000, 1 871 000 900 | Camshaft alignment tool assy |
| 3 | 4880184 | 1 860 987 000 | Tension wrench |
| 4 | 4880233 | 2 000 015 800 | Spigot lock assembly |
| 5 | 4880006 | 2 000 004 500 | Crankshaft alignment tool |





## 829020 - ENGINE TIMING KIT FIAT MULTIAIR PETROL - 1.4


FIAT - ALFA ROMEO

The 829020 has been developed to lock the cam and crankshaft in position to allow the removal and replacement of the timing belt fitted to the current generation 1.4 Fiat MultiAir engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880006 | 2 000 004 500 | Crankshaft alignment tool |
| 2 | 4880137 | 2 190 754 200 | Stud assy |
| 3 | 4880263 | 2 000 034 400 | Fiat/Alfa multiair camshaft locking tool assy |
| 4 | 4880184 | 1 860 987 000 | Tension wrench |
| 5 | 4880218 | - | M8 x 20mm socket head screw |





## 829021 - ENGINE TIMING KIT FIAT TWINAIR PETROL - 0.9


FIAT - ALFA ROMEO

The 829020 has been developed to lock the cam and crankshaft in position to allow the removal and replacement of the timing belt fitted to the current generation 1.4 Fiat MultiAir engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880266 | 2 000 035 100 | Fiat/Alfa twinair camshaft locking tool |
| 2 | 4880265 | 2 000 035 200 | Timing pin for Fiat twin air 0.9 timing set - straight |
| 3 | 4880264 | 2 000 035 300 | Timing pin for Fiat twin air 0.9 timing set - bent |
| 4 | 4880165 | - | M8 x 25mm socket head cap screw |
| 5 | 4880218 | - | M8 x 20mm socket head screw |





## 829022 - TWIN CAMSHAFT LOCKING TOOL OPEL, FIAT PETROL - 2.2


FIAT - ALFA ROMEO

The 829020 has been developed to lock the cam and crankshaft in position to allow the removal and replacement of the timing belt fitted to the current generation 1.4 Fiat MultiAir engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880179 | KM 6148 | Camshaft locking tool (assembled) |
| 2 | 4880180 | KM 6077 | Tension pin 1.0 |






## 829023 - ENGINE TIMING KIT FORD, PSA, FIAT TDCI, HDI DIESEL - 1.4, 1.5, 1.6

FIAT - ALFA ROMEO

BELT DIESEL

The 829023 is an engine timing kit specifically designed for the Ford/PSA 1.4/1.6 TDCi/HDi diesel engines found across the Ford, PSA and Fiat ranges.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880090 | 303-732, 21-260 | Setting pin 5.0mm (5 x 50) |
| 2 | 4880096 | 303-735, 21-263 | Locking pin (8mm dia. 70 long) |
| 3 | 4880064 | 303-734, 21-262 | Flywheel locking pin (12 x 55) |
| 4 | 4880061 | 303-393, 21-168 | Flywheel locking tool-Ford |
| 5 | 4880062 | 303-393-01 | Tooth block item 2 |
| 6 | 4880063 | 303-293-02 | Short tooth block |


## 829024 - ENGINE TIMING KIT FIAT, FORD PETROL - 1.2 8V

FIAT - ALFA ROMEO

BELT PETROL

The 829024 is an engine locking kit designed for the Fiat 1.2 petrol engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880184 | 1 860 987 000 | Tension wrench |
| 2 | 4880007 | 2 000 004 400,<br>2 190 754 400 | Camshaft alignment strap - machined |
| 3 | 4880008 | 2 000 004 200,<br>2 190 754 200 | Camshaft sprocket locking tool |
| 4 | 4880009 | 2 000 004 300 | Camshaft cover alignment tool |
| 5 | 4880006 | 2 000 004 500,<br>2 190 754 500 | Crankshaft alignment tool |
| 6 | 4880202 | - | Skt HD capscrew M10x20 |
| 7 | 4880010 | - | Washers M6 |
| 8 | 4880329 | - | M6 set screw 30mm long zinc |
| 9 | 4880332 | - | M8 x 20 H.T. setscrew |


## 829025 - ENGINE TIMING KIT FIAT JTD DIESEL - 2.3, 3.0

FIAT - ALFA ROMEO

BELT DIESEL

The 829025 is an engine timing locking tool set for Fiat Ducato 2.3 JTD. This kit includes the latest crankshaft timing pin required on engines produced from 2006-2008. The 2.3 JTD twin camshaft common rail diesel engines are belt driven between crankshaft and inlet camshaft but utilise a chain to connect both camshafts.






**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880130 | 99360614 | Camshaft alignment barrel assembly |
| 2 | 4880131 | 99360615 | Crankshaft timing pin |
| 3 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 x 50) |
| 4 | 4880001 | 2 000 018 200 | Balancer shaft locking screw - Rover/Honda |

## 829026 - ENGINE TIMING KIT FIAT, PSA, OPEL, IVECO JTD DIESEL - 2.5

FIAT - ALFA ROMEO

BELT DIESEL

The 829026 is a small diesel locking kit specifically assembled to cover the 2.5/2.8 belt driven diesel engines found in the Citroën, Peugeot, Renault and Fiat ranges.




**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880132 | 1 860 638 000 | Tensioning tool |
| 2 | 4880095 | 1 870 667 000,<br>1 870 765 001 | Locking pin (zinc pl.) |
| 3 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 X 50) |

# Timing tools


## 829039 - ENGINE TIMING KIT FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

FIAT - ALFA ROMEO

The 829039 engine timing kit allows the valve timing to be set on the current 1,3 Multijet Fiat derived diesel engines found across the Fiat, Ford, Opel & PSA ranges.

BELT DIESEL






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880135 | 153A | Flywheel holding tool |
| 2 | 4880183 | 21 860 985 000, EN 46781, 303-1472, 0104-A | Camshaft alignment tool assy. |
| 3 | 4880005 | 1 870 900 300, 303-1468, 0104-C | Crankshaft alignment tool |
| 4 | 4880280 | 303-1475, 1 871 008 600 | Ford 1.3 diesel camshaft support tool Ø36 ID |


## 829041 - ENGINE TIMING & REBUILD SET PSA, FIAT DW10, DW12 - 2.0, 2.2

FIAT - ALFA ROMEO

The 829041 kit brings together the tools required to set the valve timing on the extensive range of DW10 2,0 and DW12 2,2 Diesel engines as well as the DV4 1,4 and DV6 1,6 diesel engines found across the PSA and Fiat ranges.

BELT DIESEL






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880072 | 7099-TM | Crankshaft pin - 8 X 380 |
| 2 | 4880112 | 0188K, 0132AK, 0153AK, 0187J, 4533-TAD | Timing belt Retaining clip |
| 3 | 4880113 | 0188P, 7015-T, 0188P2 | Puller beam |
| 4 | 4880068 | 303-1059 | Timing pin |
| 5 | 4880080 | 0188AH | Centraliser spring - 1.4mm dia |
| 6 | 4880106 | 0188F | Flywheel lock (zinc PL.) |
| 7 | 4880108 | 0188J2 | Tension adjustment tool |
| 8 | 4880097 | 0188M | Locking pin (8mm dia x 60) |
| 9 | 4880227 | 0188Q2 | 2mm formed locking pin (BZP) 210 x 50 |
| 10 | 4880228 | 0153AL | 3mm formed locking pin (yellow passivate) |
| 11 | 4880060 | 0188Q1 | 4.0mm setting pin |
| 12 | 4880104 | 0188J/J1 | Tension adjustment tool |
| 13 | 4880096 | 0189B | Locking pin (8mm dia. 70 long) |
| 14 | 4880090 | 0178D, 303-732, 0194A | Setting pin 5.0mm (5 x 50) |
| 15 | 4880064 | 303-734, 0194C | Flywheel locking pin (12 x 55) |
| 16 | 4880255 | 0.532Y, 9967.34 | 8mm multi-bend flywheel timing pin |


## 829063 - ENGINE TIMING KIT OPEL/FIAT/FORD/PSA DIESEL JTD/HDI - 1.3

FIAT - ALFA ROMEO

This is an essential engine timing tool set that provides the camshaft and crankshaft timing tools only.

BELT DIESEL






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880183 | 104-A, EN 46781 | Camshaft alignment tool assy |
| 2 | 4880186 | - | Crankshaft pin assy |
| 3 | 4880096 | EN-46785 | Locking pin (8mm dia. 70 long) |

## 829088 - CAMSHAFT HOLDING TOOL FIAT/FORD/OPEL DIESEL JTD - 1.3

FIAT - ALFA ROMEO


DIESEL

The 829088 camshaft pulley holding tool has been designed to allow the user to loosen and tighten the camshaft pulley fixings without moving the camshafts or causing damage to any timing tools that may be fitted. Conveniently designed to allow the use of a ½ drive wrench the 829088 combines the double headed OEM tool into one single tool.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829088 | 1 871 008 600 303-1475 | Camshaft holding tool Fiat/Ford/Opel diesel JTD - 1,3 |





## 829016 - ENGINE TIMING & REBUILD SET FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

FORD


DIESEL CHAIN

The 829016 has been developed to allow the user to change the cam chain on the later 1.3 JTD/CDTi & HDi diesel engines found in the PSA, Fiat, Ford, Suzuki and Opel ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880200 | 1 871 000 200, 303-1469, KM-662-C | Crankshaft pulley flange holding tool |
| 2 | 4880004 | 1 870 900 400 | Timing chain tensioning tool |
| 3 | 4880005 | 0104-C, 1 870 900 300, 303-1468 | Crankshaft alignment tool |
| 4 | 4880183 | 0104-A, 1 871 000 900, 1 860 985 000, EN 46781, 09917-68610 | Camshaft alignment tool assy |
| 5 | 4880186 | EN 46785, 09912-38300 | Crankshaft pin assy |
| 6 | 4880096 | Fiat 8mm pin | Locking pin (8mm dia. 70 long) |







## 829023 - ENGINE TIMING KIT FORD, PSA, FIAT TDCI, HDI DIESEL - 1.4, 1.5, 1.6

FORD


BELT DIESEL

The 829023 is an engine timing kit specifically designed for the Ford/PSA 1.4/1.6 TDCi/HDi diesel engines found across the Ford, PSA and Fiat ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880090 | 303-732, 21-260 | Setting pin 5.0mm (5 x 50) |
| 2 | 4880096 | 303-735, 21-263 | Locking pin (8mm dia. 70 long) |
| 3 | 4880064 | 303-734, 21-262 | Flywheel locking pin (12 x 55) |
| 4 | 4880061 | 303-393, 21-168 | Flywheel locking tool-Ford |
| 5 | 4880062 | 303-393-01 | Tooth block item 2 |
| 6 | 4880063 | 303-293-02 | Short tooth block |





## 829024 - ENGINE TIMING KIT FIAT, FORD PETROL - 1.2 8V

FORD


BELT PETROL

The 829024 is an engine locking kit designed for the Fiat 1.2 petrol engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880184 | 1 860 987 000 | Tension wrench |
| 2 | 4880007 | 2 000 004 400, 2 190 754 400 | Camshaft alignment strap - machined |
| 3 | 4880008 | 2 000 004 200, 2 190 754 200 | Camshaft sprocket locking tool |
| 4 | 4880009 | 2 000 004 300 | Camshaft cover alignment tool |
| 5 | 4880006 | 2 000 004 500, 2 190 754 500 | Crankshaft alignment tool |
| 6 | 4880202 | - | Skt HD capscrew M10x20 |
| 7 | 4880010 | - | Washers M6 |
| 8 | 4880329 | - | M6 set screw 30mm long zinc |
| 9 | 4880332 | - | M8 x 20 H.T. setscrew |






## 829040 - ENGINE TIMING KIT JAGUAR LAND ROVER, FORD, PSA DIESEL DW12 - 2.2

FORD

BELT DIESEL

The 829040 is a compact tool set which includes the camshaft sprocket, flywheel locking tools and flywheel timing pin required when setting the valve timing and/or changing the timing belt on DW12 (2,2lt) diesel engines found in the Land Rover, Ford, Peugeot and Citroën ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880096 | 303-1277, 0188.M | Locking pin (8mm dia. 70 long) |
| 2 | 4880061 | 303-1272, 0188.F | Flywheel locking tool-Ford |
| 3 | 4880068 | 303-1270, 303-1059 | Timing pin |
| 4 | 4880080 | 0188AH | Centraliser spring - 1.4mm dia |
| 5 | 4880106 | 0188F | Flywheel lock (zinc PL.) |


## 829042 - ENGINE TIMING KIT FORD DIESEL TDCI 2.2, 3.2

FORD

DIESEL CHAIN

The 829042 kit has been developed specifically for the chain driven 2.2 common rail diesel engines fitted in the Ford Transit from around 2006 with the engine numbers Listed on our website. The 829042 is a 4 piece kit consisting of the components required to lock the crankshaft and cam sprockets in their timed position to allow the removal and replacement of the cam chain and associated components.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880091 | 6mm pin x2 | Setting pin (chem. black) (6 X 60) |
| 2 | 4880066 | 303-698 / 21-251 | Timing pin |
| 3 | 4880273 | 303-1587 | Ford 2.2/2.3 global puma TDC setting tool assembly - previou |


## 829043 - ENGINE TIMING KIT FORD DURATORQ (TDCI) BELT DRIVEN DIESEL - 1.4, 1.6, 1.8, 2.0

FORD

BELT DIESEL

The 829043 kit has been developed specifically designed for the Ford 1.4lt, 1.6lt, 1.8lt and 2.0 belt driven diesel engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880050 | 303-376B | Camshaft alignment strap (chem. black) |
| 2 | 4880070 | 21-104 , 303-193 | Setting pin |
| 3 | 4880068 | 303-1059 | Timing pin |
| 4 | 4880096 | 303-735, 21-263 | Locking pin (8mm dia. 70 long) |
| 5 | 4880064 | 303-734, 21-262 | Flywheel locking pin (12 x 55) |
| 6 | 4880061 | 303-393, 21-168 | Flywheel locking tool-Ford |
| 7 | 4880062 | 303-393-01 | Tooth block item 2 |
| 8 | 4880063 | 303-393-02 | Short tooth block |
| 9 | 4880090 | 303-732, 21-260 | Setting pin 5.0mm (5 x 50) |


## 829044 - ENGINE TIMING KIT FORD/VOLVO PETROL - 1.25, 1.4, 1.6, 1.8, 2.0

FORD

BELT PETROL

The 829044 kit has been developed specifically for late Ford 1.25lt, 1.4lt, 1.6lt, petrol engines. Coverage also includes some 1.8lt, 2.0lt & 2.3lt engines





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880049 | 21-163, 303-574 | Crankshaft locking pin - Ford (chem. black) |
| 2 | 4880051 | 21-210, 303-507 | Mazda screw |
| 3 | 4880052 | 21-259, 303-748 | Setting pin (chem. black) |
| 4 | 4880274 | 303-1054 | Locking pin |
| 5 | 4880050 | 303-376B | Camshaft alignment strap (chem. black) |

## 829045 - ENGINE TIMING KIT FORD PETROL 16V WITH VCT - 1.6

FORD


BELT PETROL

The 829045 has been developed to provide the essential tools required to set and time the main engine components when replacing the camshaft drive belts on the 1,25/1,4/1,5/1.6 16V petrol Ford Engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880274 | 303-1054 | Locking pin |
| 2 | 4880049 | 303-748 | Crankshaft locking pin - Ford (chem. black) |
| 3 | 4880069 | 303-1097 | Camshaft sprocket locking tool 303-1097 |
| 4 | 4880050 | 303-376B | Camshaft alignment strap (chem. black) |






## 829046 - ENGINE TIMING KIT MAZDA, FORD PETROL - 1.8, 2.0, 2.3

FORD


PETROL CHAIN

The 829046 kit has been developed to allow the user to lock the cam and crankshaft in position to allow the removal and replacement of the timing chain fitted to the twin cam engines fitted to the Ford and Mazda ranges as listed on our website.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880267 | 49 UN30 310610, 303-1061 | Machining detail for ford duratec camshaft aligment bracket |
| 2 | 4880051 | 999 7152/49JE01 061, 303 507, 21-210 | Mazda Screw |
| 3 | 4880052 | 49N010 101/MOT 1430 303 620, 999 7201, 21-163 | Setting pin (chem. black) |
| 4 | 4880050 | 999 7151, 303 376, 49JE01 054, 303 367//21 162, 49UN30 3376 | Camshaft alignment strap (chem. black) |






## 829047 - ENGINE TIMING KIT FORD SCTI ECOBOOST PETROL - 2.0

FORD


PETROL CHAIN

The 829047 kit has been developed specifically for the 2.0 direct injection chain driven petrol engines fitted with variable valve timing and found in both the Ford and Volvo ranges. 829047 is a 5 piece engine timing kit designed for the Ford 2.0 direct injection ecoboost petrol engines found in the Ford Focus, Mondeo and S-Max. Developed to allow the timing chain to be replaced whilst locking the crankshaft and camshafts in their correct timed positions. The 829047 also includes the crankshaft position sensor alignment tool.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880245 | 303-1565 | Ford GTDI M14 Camshaft alignment tool assy |
| 2 | 4880248 | | Dia. 2.0mm tensioner pin |
| 3 | 4880278 | 303-1504 | Ford 2.0 camshaft alignment tool |
| 4 | 4880281 | 303-1521 | Ford cranksaft sensor alignment tool (CKP) |
| 5 | 4880049 | 303-748 | Crankshaft locking pin - Ford (chem. black) |






## 829048 - ENGINE TIMING KIT FORD, VOLVO SCTI ECOBOOST PETROL - 1.6

FORD


BELT PETROL

The 829048 kit has been developed specifically for the 1.6 direct injection petrol engines fitted with variable valve timing and found in both the Ford and Volvo ranges. 829048 is a 4 piece kit consisting of the components required to lock the crankshaft and cam pulleys in their timed position to allow the removal and replacement of the camshaft timing belt. The 829048 also includes the crankshaft front pulley alignment tool.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880249 | 303-1054 | Dia. 3.0mm tensioner pin |
| 2 | 4880270 | 303-1550, 999-7431 | Ford 1.6 ecoboost crankshaft pulley alignment Tool assembly |
| 3 | 4880049 | 303-748, 999-7406 | Crankshaft locking pin - Ford (chem. black) |
| 4 | 4880069 | 303-1097, 999-7429 | Camshaft sprocket locking tool 303-1097 |






## 829049 - ENGINE TIMING KIT FORD, PSA DIESEL TDCI, HDI - 1.4, 1.6

FORD

BELT DIESEL

The 829049 kit has been developed specifically for the Ford 1.4 and 1.6 common rail diesel engines with the engine numbers listed on our website. The 829049 is a 4 piece kit consisting of the components required to lock the crankshaft and cam pulleys in their timed position to allow the removal and replacement of the cam belt and associated components.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880091 | 6mm pin x2 | Setting pin (chem. black) (6 X 60) |
| 2 | 4880066 | 303-698 / 21-251 | Timing pin |
| 3 | 4880273 | 303-1587 | Ford 2.2/2.3 global puma TDC setting tool assembly |


## 829050 - ENGINE TIMING & FUEL PUMP SETTING KIT FORD, LSV DIESEL - 2.0. 2.4

FORD

DIESEL CHAIN

The 829050 kit has been developed specifically for the Ford/LDV/Jaguar 2.0lt, 2.2lt, 2.4lt and 3.2lt diesel engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880240 | 303-249-01 | Fuel pump remover leg assembly |
| 2 | 4880241 | 303-249-01 | Center location plug for diesel pump remover |
| 3 | 4880296 | 303-682 | Ford engine front cover alignment tool 303-682 |
| 4 | 4880066 | 303-698 | Timing pin |
| 5 | 4880091 | - | Setting pin (chem. black) (6 x 60) |
| 6 | 4880279 | 303-705, 303-1093 | Ford oil pump alignment tool- lasercut plated |
| 7 | 4880014 | 303-249-01 | Puller centre screw |
| 8 | 4880013 | 303 249 | Puller beam |
| 9 | 4880331 | - | M8 x 55LG 1.25P - zinc - set screw |
| 10 | 4880191 | 303-679 | Fuel pump cover tool body |
| 11 | 4880047 | - | Washer M8 zinc plated |
| 12 | 4880065 | 303-675 | Flywheel locking pin |
| 13 | 4880064 | 303-734 | Flywheel locking pin (12 x 55) |
| 14 | 4880090 | 303-732 | Setting pin 5.0mm (5 x 50) |
| 15 | 4880096 | 303-735 | Locking pin (8mm dia. 70 long) |
| 16 | 4880144 | - | Tensioner locking pin 1.4mm bzp & clear passivate |
| 17 | 4880190 | 303-1151 | 303-1151 Locking tool |
| 18 | 4880273 | 303-1587 | Ford 2.2/2.3 global puma TDC setting tool assembly - previous |

## 829051 - ENGINE TIMING KIT FORD PETROL GTDI ECOBOOST - 1.0


FORD

BELT PETROL

Specifically designed for the new Ford 1.0lt 3 cylinder ecoboost engines. The 829051 kit offers the timing tools required for replacement of the oil bathed camshaft drive belt on these engines.

Note: Where the VCT pulleys require removing or setting the additional kit part number 829050 will be required.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880253 | 303-1604 | Ford 1.01 - GTDI cranksaft timing pin |
| 2 | 4880254 | 303-1602 | Large tooth block version of MM 23060 10 - OEM 303.1602 |
| 3 | 4880274 | 303-1054 | Locking pin |
| 4 | 4880096 | 8mm tensioner pin | Locking pin (8mm dia. 70 long) |
| 5 | 4880242 | 303-1605/1 | Assembly details for 303-1605/1 camshaft locking tool |
| 6 | 4880243 | 303-1606/2 | Assembly details for 303-1605/2 camshaft locking tool |
| 7 | 4880238 | 303-1603 | Ford oil seal installer |
| 8 | 4880121 | 4mm tensioner pin | Auxiliary belt tensioner locking pin |
| 9 | 4880084 | 303-732 | DTI extension item 3 |

## 829052 - VARIABLE VALVE SETTING KIT FORD PETROL VCT ECOBOOST - 1.0

FORD


BELT PETROL

Specifically designed for the new Ford 1.0lt 3 cylinder ecoboost engines. and used in conjunction with 829051 to assemble the VCT (Variable Camshaft Timing) units on the camshafts in their TDC position without play. Required to align the VCT units when they are assembled on the camshafts.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880246 | 303-1606-1 | Variable camshaft timing locking tool assembly - inlet 303-1 |
| 2 | 4880247 | 303-1606 -2 | Variable camshaft timing locking tool assembly - exhaus T 30 |






## 829063 - ENGINE TIMING KIT OPEL/FIAT/FORD/PSA DIESEL JTD/HDI - 1.3

FORD


BELT DIESEL

This is an essential engine timing tool set that provides the camshaft and crankshaft timing tools only.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880183 | 104-A, EN 46781 | Camshaft alignment tool assy |
| 2 | 4880186 | - | Crankshaft pin assy |
| 3 | 4880096 | EN-46785 | Locking pin (8mm dia. 70 long) |






08

## 829088 - CAMSHAFT HOLDING TOOL FIAT/FORD/OPEL DIESEL JTD - 1.3

FORD


DIESEL

The 829088 camshaft pulley holding tool has been designed to allow the user to loosen and tighten the camshaft pulley fixings without moving the camshafts or causing damage to any timing tools that may be fitted. Conveniently designed to allow the use of a ½ drive wrench the 829088 combines the double headed OEM tool into one single tool.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829088 | 1 871 008 600 303-1475 | Camshaft holding tool Fiat/Ford/Opel diesel JTD - 1,3 |





## 829089 - CAMSHAFT SETTING TOOL VOLVO/FORD

FORD


PETROL

The 829089 is designed to hold the front crankshaft pulley while tightening or loosening the pulley fixings across the Volvo range of engines and the Ford 2.5 petrol engine found in the ST Focus etc.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829089 | 999 5433, 303-1179 | Crankshaft holding tool Volvo/Ford |





## 829094 - TIMING CHAIN TENSIONER LEVER FORD PETROL, DIESEL

FORD


DIESEL PETROL CHAIN

The 829094 flywheel locking kit is equivalent to the Ford OEM flywheel locking kit as detailed below. It is used to lock the flywheel to allow front pulleys etc. to be loosened and tightened without turning the engine.
N.B: Starter motor must first be removed.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880061 | 21-168 A, 303-393A | Flywheel locking tool-Ford |
| 2 | 4880062 | 303-393-02 | Tooth block item 2 |
| 3 | 4880063 | 303-393-01 | Short tooth block |





## 829095 - HIGH PRESSURE FUEL PUMP PULLER DIESEL FORD - TDCI - TRANSIT 2.2

FORD

DIESEL CHAIN

As of 2011 Ford changed the method of fuel pump sprocket removal on the 2.2 TDCI (Puma) diesel engines. The sprocket no longer has threaded holes which means the legs of the puller used to remove the sprocket must be hooked in shape. The K00286 puller allows the removal of these sprockets by allowing the high pressure diesel injection pump to be pushed out of the pump sprocket to enable pump removal without disturbing the timing chain. Special note: To perform this task the 829095 must be used with Ford special tool 303-1151 (sprocket holding tool).


Note: The 829095 kit contains a force screw. Force screws must be lubricated with high pressure grease. Sonic recommends the use of molybdenum disulphide grease (drive shaft grease).
Do not use assembly or anti-seize greases (copper greases).

Equivalent to OEM 303-249, 303-249-01

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880240 | 303-249-01 | Fuel pump remover leg assembly |
| 2 | 4880241 | 303-249-01 | Center location plug for diesel pump remover |
| 3 | 4880013 | 303-249 | Puller beam |
| 4 | 4880014 | 303-249-01 | Puller centre screw |
| 5 | 4880219 | 303-249 | M8 x 50 cap head |
| 6 | 4880047 | 999 5382 | Washer M8 zinc plated |






## 829106 - CAM BELT TENSIONER WRENCH VAG ADJUSTABLE HEAD

FORD

PETROL

The 829106 is an adjustable cam-belt tensioner tool. Equivalent to EOM T10020 and Matra V159.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829100 | T10020//Matra V159 | Cam belt tensioner wrench vag adjustable head |






NOTE : l'utilisation de ce kit nécessite l'acquisition d'outils supplémentaires.

## 829107 - OIL PUMP ALIGNMENT PLATE FORD, JAGUAR, LAND ROVER, ROVER, PSA DURATORQ DIESEL 2.0, 2.2, 2.4, 3.2

FORD


DIESEL CHAIN

The 829107 oil pump alignment tool has been developed to allow the user to correctly align the engine oil pump in the sump after an engine rebuild etc. it is important that the pump be correctly and accurately aligned to ensure the oil pump sprocket is not operating with excessive side loads.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 829107 | 303-705, 303-1093, 0198.H | Oil pump alignment plate Ford/Jaguar Land Rover/PSA diesel |






NOTE : l'utilisation de ce kit nécessite l'acquisition d'outils supplémentaires.

## 829135 - FORD CAMBELT TIMING KIT FORD 1.0 GTDI

FORD


DIESEL CHAIN

Developed to lock the engines of the vehicles listed in their "timed" position so that the cambelt can be safely removed and replaced. Please note: where the VCT pulleys require removing or setting an additional kit will also be required.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880254 | 303-1602 | Large tooth block version of mm 23060 10 - O.E.M 303.1602 |
| B | 4880253 | 303-1604 | Ford 1.01 - GTDI cranksaft timing pin |
| C | 4880274 | 303-1054 | Locking pin |
| D | 4880096 | 303-732 | Locking pin (8mm dia. 70 Long) |
| E | 4880367 | 303-1605/2 | Camshaft setting block exhaust |
| F | 4880366 | 303-1605/1 | Camshaft locking block inlet |
| G | 4880238 | 303-1603 | Ford oil seal installer |
| H | 4880090 | 4mm pin | Setting pin 5.0mm (5 x 50) |
| I | 4880121 | 8mm pin | Auxiliary belt tensioner locking pin |
| J | 4880216 | - | M6x30 cap head screw |





## 829053 - ENGINE TIMING KIT HONDA PETROL SOHC/DOHC - 1.6, 1.8, 2.0, 2.2, 2.3, 3.0


HONDA

BELT PETROL

The 829053 has been designed to offer not only the special tools listed by Honda for the applications listed but also the correctly sized M6 bolt that is required to lock the sprung loaded cam belt tensioners found on many of the listed applications.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880236 | 14540-P13-003 | Tension locking tool for Honda 87 onwards |
| 2 | 4880001 | 07LAG-PT20100 / 18G1671 | Balancer shaft locking screw - Rover/Honda |
| 3 | 4880090 | 07744-0010400 | Setting pin 5.0mm (5 x 50) |
| 4 | 4880073 | - | HT setscrew M6 x 45 Zc.PL. |




## 829018 - ENGINE TIMING KIT FIAT, PSA, IVECO JTD DIESEL - 2.8


IVECO

DIESEL BELT

The 829018 has been developed for Fiat 2.8 diesel engines that are found in the Fiat, Iveco and PSA van ranges. This kit provides all the tools required to set the timed components when replacing the timing belt. The kit also includes the components require to lock the flywheel when undoing and tightening up the front pulley fixings as well as the special spacer to hold the belt tensioner in its fully retracted position.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880237 | 1 870 765 001 | Flywheel locking piece (Fiat) |
| 2 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 x 50) |
| 3 | 4880097 | 8mm pin | Locking pin (8mm dia. x 60 long) |
| 4 | 4880132 | 1 860 638 000 | Tensioning tool |




## 829026 - ENGINE TIMING KIT FIAT, PSA, OPEL, IVECO JTD DIESEL - 2.5


IVECO

BELT DIESEL

The 829026 is a small diesel locking kit specifically assembled to cover the 2.5/2.8 belt driven diesel engines found in the Citroën, Peugeot, Renault and Fiat ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880132 | 1 860 638 000 | Tensioning tool |
| 2 | 4880095 | 1 870 667 000,<br>1 870 765 001 | Locking pin (zinc pl.) |
| 3 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 X 50) |




## 829037 - ENGINE TIMING KIT JAGUAR LAND ROVER DIESEL TDV6 - 2.7


JAGUAR

BELT DIESEL

The 829037 engine timing kit allows the valve timing to be set and maintained during cam belt replacement on the popular Jaguar/Land Rover TDV6 diesel engine found across the Jaguar & Land Rover ranges. The 829037 also includes the additional PSA locking tools required for the 2.7 HDi engine found in the Citroën and Peugeot ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880127 | 303-1132 | Camshaft sprocket timing pin |
| 2 | 4880079 | 303-1126 | Camshaft sprocket timing pin |
| 3 | 4880129 | 303-1116 | Fly wheel locking tool |
| 4 | 4880128 | 303-1117 | Fly wheel locking tool 2 |
| 5 | 4880077 | 0195-K | Flywheel locking pin Peugeot 0195-K |
| 6 | 4880078 | 0195-C | Coolant pump pulley pin Peugeot 0195-C |



## 829040 - ENGINE TIMING KIT JAGUAR LAND ROVER, FORD, PSA DIESEL DW12 - 2.2

JAGUAR


BELT DIESEL

The 829040 is a compact tool set which includes the camshaft sprocket, flywheel locking tools and flywheel timing pin required when setting the valve timing and/or changing the timing belt on DW12 (2,2lt) diesel engines found in the Land Rover, Ford, Peugeot and Citroën ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880096 | 303-1277, 0188.M | Locking pin (8mm dia. 70 long) |
| 2 | 4880061 | 303-1272, 0188.F | Flywheel locking tool-Ford |
| 3 | 4880068 | 303-1270, 303-1059 | Timing pin |
| 4 | 4880080 | 0188AH | Centraliser spring - 1.4mm dia |
| 5 | 4880106 | 0188F | Flywheel lock (zinc PL.) |





## 829107 - OIL PUMP ALIGNMENT PLATE FORD, JAGUAR, LAND ROVER, ROVER, PSA DURATORQ DIESEL 2.0, 2.2, 2.4, 3.2

JAGUAR

DIESEL CHAIN


The 829107 oil pump alignment tool has been developed to allow the user to correctly align the engine oil pump in the sump after an engine rebuild etc. it is important that the pump be correctly and accurately aligned to ensure the oil pump sprocket is not operating with excessive side loads.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 829107 | 303-705, 303-1093, 0198.H | Oil pump alignment plate Ford/Jaguar Land Rover/PSA diesel |




A



NOTE : l'utilisation de ce kit nécessite l'acquisition d'outils supplémentaires.



## 829126 - ENGINE TIMING KIT - JLR 2,0 GTDI

JAGUAR


BELT DIESEL

A comprehensive engine timing tool kit for the Jaguar, Land Rover 2.0 Petrol GTDI (Gasoline Turbo Direct Injection) engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880278 | 303-1600, 303-1565 | Ford 2.0 camshaft alignment tool |
| B | 4880390 | 303-1595 | Crankshaft alignment tool plate with guides and pins |
| C | 4880389 | 303-1595 | Threaded bush guide 16 x 56mm |
| D | 4880391 | 303-1595 | Threaded pin 6 x 61 |
| E | 4880281 | 303-1521 | Ford cranksaft sensor alignment tool (CKP) |
| F | 4880392 | 303-1594 | Flywheel locking tool |
| G | 4880049 | 303-748 | Crankshaft locking pin - Ford (chem. black) |






## 829083 - ENGINE TIMING KIT CHRYSLER/LDV DIESEL CRD - 2.5, 2.8

JEEP


BELT DIESEL

The 829083 kit was developed for the Chrysler DOHC common rail diesel engine found in the Voyager, Grand Voyager and the LDV Maxus van. The 829083 kit allows the user to replace the timing belt whilst maintaining the correct timed position of the camshafts and crankshaft.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880222 | VM.1089, LDV196 | Chrysler 2.5/2.8 CRD timing pin - VM.1089 |
| 2 | 4880223 | VM.1068, LDV196 | Timing pin (chrysler 2.5/2.8 CRD VM.1068) |
| 3 | 4880224 | VM.1052, LDV192 | Timing pin (chrysler 2.5/2.8 CRD VM.1052) |
| 4 | 4880225 | VM.1053, LDV193 | Timing pin (chrysler 2.5/2.8 CRD VM.1053) |
| 5 | 4880226 | VM1074 | Timing belt retaining spring (VM.1074) |
| 6 | 4880015 | VM.9660, H2587 | Tension wrench |
| 7 | 4880282 | VM.1080 | Chrysler timing pin (VM.1080) |
| 8 | 4880283 | VM.8873 | Chrysler timing pin (VM.8873) |





## 829084 - ENGINE TIMING KIT CHRYSLER/JEEP DIESEL CRD - 2.8


JEEP

BELT DIESEL

The 829084 kit has been developed specifically for the 2008 and later 2.8 CRD Chrysler/Jeep engines where the cam belt drives one camshaft and the second camshaft is driven via gears. The 829084 kit is a 2 piece kit consisting of the components required to lock the crankshaft and camshafts in their timed position to allow the removal and replacement of the cam belt and associated components.

**COMPONENTS**

| REF | ART. NO. | OEM | COMPONENTS |
|---|---|---|---|
| 1 | 4880284 | VM.9992 | Chrysler crankshaft locking tool (VM.9992) |
| 2 | 4880285 | VM.9991 | Chrysler exhaust camshaft locking tool (VM.9991) |




## 829085 - ENGINE TIMING KIT CHRYSLER/JEEP DIESEL CRD - 3.0


JEEP

DIESEL CHAIN

The 829085 kit has been designed for the Jeep 3.0 lt V6 diesel engine found in the late model (2011 on) Jeep Grand Cherokee. The 829085 provides all the cam and crankshaft locking tools required for chain replacement.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880311 | VM10338-1 | Camshaft locking tool RH - assy |
| 2 | 4880310 | VM10338-2 | Camshaft locking tool LH - assy |
| 3 | - | - | Cap head screws for reference 1 |
| 4 | 4880313 | VM10359a | Crankshaft timing pin assy |
| 5 | 4880312 | VM10339 | Tensioner locking pin |




## 829087 - ENGINE/BALANCE SHAFT TIMING KIT MERCEDES-BENZ DIESEL (651) - 1.8, 2.1


JEEP

DIESEL CHAIN

The 829087 has been specifically designed for Mercedes-Benz vehicles fitted with the chain driven 1.8/2.1 CDI diesel engines (engine code pre fix 651). These engines are found across the Mercedes-Benz range including A, B, C, E, G and S class as well as the Sprinter and Vito vans from as early as 2007 up to 2015. These engines are also found in the Jeep and Dodge ranges. The 829087 contains the essential alignment tools to align the camshafts, crankshaft and balance shafts in one compact kit.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880316 | 651 589 01 40 00 | Camshaft alignment tool |
| 2 | 4880315 | 651 589 00 40 00 | Crankshaft holding/turning tool |
| 3/4/5/6 | 4880314 | 651 589 02 63 00 | Balance shaft lock tool assy |



## 829046 - ENGINE TIMING KIT MAZDA, FORD PETROL - 1.8, 2.0, 2.3


MAZDA

PETROL CHAIN

The 829046 kit has been developed to allow the user to lock the cam and crankshaft in position to allow the removal and replacement of the timing chain fitted to the twin cam engines fitted to the Ford and Mazda ranges as listed on our website.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880267 | 49 UN30 310610, 303-1061 | Machining detail for ford duratec camshaft aligment bracket |
| 2 | 4880051 | 999 7152/49JE01 061, 303 507, 21-210 | Mazda Screw |
| 3 | 4880052 | 49N010 101/MOT 1430 303 620, 999 7201, 21-163 | Setting pin (chem. black) |
| 4 | 4880050 | 999 7151, 303 376, 49JE01 054, 303 367//21 162, 49UN30 3376 | Camshaft alignment strap (chem. black) |



# Timing tools

## 829086 - ENGINE TIMING KIT MERCEDES-BENZ/CHRYSLER CRD - 2.2, 2.7

MERCEDES


DIESEL CHAIN

The 829086 covers a large range of vehicles fitted with chain driven engines from Mercedes-Benz including the PT Cruiser 2.2 CRD and Jeep Grand Cherokee 2.7 CRD from Chrysler.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880203 | 602 589 00 40 00 8929 | Flywheel locking tool |
| 2 | 4880206 | 602 589 00 40 00 8929 | Camshaft locking pin assy |
| 3 | 4880205 | 601 589 02 40 00 8933 | Flywheel locking tool Mercedes-Benz 602 589 00 40 00 |
| 4 | | | Bolts for reference 3 |





## 829087 - ENGINE/BALANCE SHAFT TIMING KIT MERCEDES-BENZ DIESEL (651) - 1.8, 2.1

MERCEDES


DIESEL CHAIN

The 829087 has been specifically designed for Mercedes-Benz vehicles fitted with the chain driven 1.8/2.1 CDI diesel engines (engine code pre fix 651). These engines are found across the Mercedes-Benz range including A, B, C, E, G and S class as well as the Sprinter and Vito vans from as early as 2007 up to 2015. These engines are also found in the Jeep and Dodge ranges. The 829087 contains the essential alignment tools to align the camshafts, crankshaft and balance shafts in one compact kit.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880316 | 651 589 01 40 00 | Camshaft alignment tool |
| 2 | 4880315 | 651 589 00 40 00 | Crankshaft holding/turning tool |
| 3/4/5/6 | 4880314 | 651 589 02 63 00 | Balance shaft lock tool assy |





## 829120 - CAMSHAFT VALVE TIMING KIT - MERCEDES BENZ 1,8/2,1/2,2

MERCEDES


DIESEL CHAIN

Specifically designed for the Mercedes-Benz vehicles fitted with the chain driven 1.8 | 2.1 CDI diesel engines (engine code pre fix 651). The specially designed cam locking tool can be used on both early and late versions of the 651 Mercedes-Benz engine. These engines are found across the Mercedes-Benz range including as well as in the Jeep and Dodge ranges. NOTE: 829120 supersedes Sonic Equipment kit 829087.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880385 | 651 589 09 40 00, 651 589 01 40 00 | Camshaft locking tool + bolts |
| 2 | 4880315 | 651 589 01 40 00 | Crankshaft holding/turning tool |
| 3 | 4880314 | 651 158 90 26 300 | Balance shaft lock tool assy |
| 4 | 4880314 | 651 158 90 26 300 | Balance shaft lock tool assy |
| 5 | 4880314 | 651 158 90 26 300 | Balance shaft lock tool assy |






## 829124 - TIMING CHAIN FITTING BRIDGE - MERCEDEZ BENZ

MERCEDES


DIESEL CHAIN

The Mercedes-Benz M651 1.8 | 2.1 diesel engines can suffer from issues requiring the replacement of the timing chain. The M651 timing chain is at the back of the engine (flywheel end) which makes the replacement of the timing chain difficult. To avoid the need for completely stripping the engine the new chain must be attached to the old chain and "threaded" around the engine sprockets while turning the crankshaft. The 829124 Timing Chain Fitting Bridge helps guide the new chain into position while the old chain is extracted by maintaining the contact of the new chain with the sprocket.
Note: the 829124 must be used with the cam locking tools found in 829120 M651 engine timing kits.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829214 | 651 587 03 04 00 | Timing Chain Fitting Bridge - Mercedez Benz |






## 829134 - ENGINE TIMING KIT - RENAULT/NISSAN/MERCEDES/VAUXHALL 1,6D

MERCEDES

BELT DIESEL

829134 has been developed specifically for the 1.6 R9M diesel engines fitted across the Renault, Nissan, Vauxhall/Opel and Mercedes-Benz ranges as listed. The 829134 contains all the essential tools required to lock the engine in its "timed" position for safe removal and replacement of the camshaft drive chain.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880359 | 626 589 04 40 00, MOT 1969 | Camshaft alignment tool |
| 2 | 4880118 | 626 589 02 40 00,MOT 1770 EN956-1, EN48334 | Crankshaft pulley holding tool |
| 3 | 4880201 | - | Locking pin |
| 4 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 5 | 4880293 | 629 589 00 15 00, MOT 1970 | Crankshaft timing pin Renault OEM MOT1970 |


## 829054 - ENGINE TIMING KIT RENAULT/NISSAN PETROL (K4) - 1.6, 2.0

NISSAN

BELT PETROL

The 829054 offers the essential engine timing tools required for the Renault petrol 16V belt driven 1.6L and 2.0L engines. The 829054 kit of four tools enables the correct engine timing to be performed on Renault K4J, K4M & F4P, F4R engines, when changing the timing belt. The set includes 2 crankshaft timing pins and camshaft setting bar with the bracket specifically for the K4M 813 engine from 2003 onwards.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 3 | 4880109 | MOT 1496 | Camshaft setting bar - Renault |
| 4 | 4880111 | MOT 1750 | Mounting bracket (MOT 1759) |


## 829055 - ENGINE TIMING KIT RENAULT/OPEL/NISSAN DIESEL (BELT DRIVE) - 1.5, 1.9, 2.2, 2.3, 2.5

NISSAN

BELT DIESEL

The 829055 offers the essential engine timing tools required for the Renault belt driven DCI range of diesel engines. It includes the tools required for 1.5, 1.9, 2.2, 2.3 and 2.5 DCi diesel engines found in the Dacia, Nissan, Renault, Suzuki and Opel/Vauxhall ranges.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880047 | - | Washer M8 zinc plated |
| 3 | 4880073 | - | Ht setscrew M6 x 45 Zc.PL. |
| 4 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 5 | 4880096 | MOT 1430 | Locking pin (8mm dia. 70 long) |
| 6 | 4880116 | MOT 1543 | Tensioning tool - Renault 19 DCI |
| 7 | 4880174 | MOT 1538 | High pressure pump pin C/W T/bar |
| 8 | 4880175 | MOT 1536 KM6203 | Crankshaft timing pin (7 x 80) |
| 9 | 4880177 | - | H.T. Setscrew M8x60 zinc plate |
| 10 | 4880178 | MOT 1534 KM6205 | Inlet cam setting tool (chem. black) |
| 11 | 4880176 | MOT 1537 KM6205 | Exhaust cam setting tool |

# Timing tools


## 829056 - ENGINE TIMING KIT RENAULT/OPEL/NISSAN DIESEL (CHAIN DRIVE) - 1.6, 2.0, 2.3

NISSAN

DIESEL CHAIN

The 829056 has been specifically put together to allow the user to lock the engine components of the 1.6, 2.0 and 2.3 Renault engines used across the Renault, Opel and Nissan ranges. The 829056 kit includes the essential tools required to allow the removal and replacement of the engine timing chain.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880122 | MOT 1766, EN48330 | Crankshaft locking pin |
| 2 | 4880119 | MOT 1769, EN48332, MOT 1969 (1,6L) | Camshaft setting tool (MOT 1769) |
| 3 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 4 | 4880118 | MOT 1770, KM 956-1, EN-48334 | Crankshaft pulley holding tool |
| 5 | 4880120 | MOT 1773, EN48331 | Camshaft gear alignment tool |
| 6 | 4880201 | - | Locking pin |
| 7 | 4880210 | - | 4mm hex key |
| 8 | 4880330 | - | M6 x 40 HT setscrew |
| 9 | 4880293 | MOT 1970 | Crankshaft timing pin Renault OEM MOT1970 |
| 10 | | MOT 1969 | For 1.6l engines (R9M) |
| 11 | | MOT 1769 | For 2.0l/2.3l engines (M9R/M9T) |


## 829130 - FLYWHEEL/FRONT PULLEY LOCKING TOOL SET - RENAULT/NISSAN

NISSAN

BELT PETROL

The 829130 has been developed to provide a locking solution for the flywheel and front pulley on the Renault engines listed below. The kit also provides the primary tools required for timing chain replacement on the Renault twin cam 1.4,1.6, 2.0, 2.5 and 3.5 litre petrol engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880403 | MOT 919-02 | Flywheel locking tool - assy |
| 2 | 4880402 | MOT.1431 | Flywheel locking tool - assy |
| 3 | 4880414 | MOT 1716 | Cover/sump/joint separator tool |
| 4 | 4880401 | MOT 2019 / MOT 1789 | Crankshaft pulley holding tool |


## 829134 - ENGINE TIMING KIT - RENAULT/NISSAN/MERCEDES/VAUXHALL 1,6D

NISSAN

BELT DIESEL

829134 has been developed specifically for the 1.6 R9M diesel engines fitted across the Renault, Nissan, Vauxhall/Opel and Mercedes-Benz ranges as listed. The 829134 contains all the essential tools required to lock the engine in its "timed" position for safe removal and replacement of the camshaft drive chain.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880359 | 626 589 04 40 00, MOT 1969 | Camshaft alignment tool |
| 2 | 4880118 | 626 589 02 40 00,MOT 1770 EN956-1, EN48334 | Crankshaft pulley holding tool |
| 3 | 4880201 | - | Locking pin |
| 4 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 5 | 4880293 | 629 589 00 15 00, MOT 1970 | Crankshaft timing pin Renault OEM MOT1970 |


## 829015 - ENGINE TIMING KIT FIAT, OPEL, SAAB JTD DIESEL - 1.6, 1.9, 2.0, 2.4

OPEL

BELT DIESEL

The 829015 engine timing kit has been put together to provide the essential crankshaft and cam shaft timing pins only for the Fiat/Opel JTD diesel engines found across the Fiat, Opel, Saab ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880188 | 1.870.896.900, EN-46789, 32 025 008 | Camshaft alignment tool |
| 2 | 4880136 | 1.860.898.000 | Flywheel locking tool |
| 3 | 4880137 | - | Stud assy |
| 4 | 4880218 | - | M8 x 20mm socket head screw |
| 5 | 4880091 | 1.860.965.000 | Setting pin (chem. black) (6 X 60) |
| 6 | 4880187 | 1.860.905.000, 1.860.905.010, 2.000.003.000, EN-46788, 32 025 009 | Crankshaft alignment tool |

## 829016 - ENGINE TIMING & REBUILD SET FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

**OPEL**


DIESEL CHAIN

The 829016 has been developed to allow the user to change the cam chain on the later 1.3 JTD/CDTi & HDi diesel engines found in the PSA, Fiat, Ford, Suzuki and Opel ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880200 | 1 871 000 200, 303-1469, KM-662-C | Crankshaft pulley flange holding tool |
| 2 | 4880004 | 1 870 900 400 | Timing chain tensioning tool |
| 3 | 4880005 | 0104-C, 1 870 900 300, 303-1468 | Crankshaft alignment tool |
| 4 | 4880183 | 0104-A, 1 871 000 900, 1 860 985 000, EN 46781, 09917-68610 | Camshaft alignment tool assy |
| 5 | 4880186 | EN 46785, 09912-38300 | Crankshaft pin assy |
| 6 | 4880096 | Fiat 8mm pin | Locking pin (8mm dia. 70 long) |






## 829017 - ENGINE TIMING KIT OPEL, CHEVROLET, FIAT PETROL - 1.6, 1.8 16V

**OPEL**


BELT PETROL

The 829017 has been developed to allow the user to change the cam belt on the later Z and A coded GM Petrol belt driven engines. These engines are also found in Fiat and Alfa Romeo vehicles as listed below.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880234 | KM-6625 | Flywheel holding tool (KM-6625) |
| 2 | 4880168 | KM-911 | Flywheel locking tool item 2 |
| 3 | 4880185 | KM6130, KM6349 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 4 | 4880239 | KM-6628A, 2 000 012 000 | Camshaft locking tool (GM) |
| 5 | 4880057 | KM-6340, 2 000 012 100 | Cam locking tool (pair) |
| 6 | 4880058 | KM-6333 | Locking pin |








## 829022 - TWIN CAMSHAFT LOCKING TOOL OPEL, FIAT PETROL - 2.2

**OPEL**


BELT PETROL

The 829020 has been developed to lock the cam and crankshaft in position to allow the removal and replacement of the timing belt fitted to the current generation 1.4 Fiat MultiAir engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880179 | KM 6148 | Camshaft locking tool (assembled) |
| 2 | 4880180 | KM 6077 | Tension pin 1.0 |






## 829026 - ENGINE TIMING KIT FIAT, PSA, OPEL, IVECO JTD DIESEL - 2.5


**OPEL**

BELT DIESEL

The 829026 is a small diesel locking kit specifically assembled to cover the 2.5/2.8 belt driven diesel engines found in the Citroën, Peugeot, Renault and Fiat ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880132 | 1 860 638 000 | Tensioning tool |
| 2 | 4880095 | 1 870 667 000, 1 870 765 001 | Locking pin (zinc pl.) |
| 3 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 X 50) |




# Timing tools

## 829039 - ENGINE TIMING KIT FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

**OPEL**

The 829039 engine timing kit allows the valve timing to be set on the current 1,3 Multijet Fiat derived diesel engines found across the Fiat, Ford, Opel & PSA ranges.





**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880135 | 153A | Flywheel holding tool |
| 2 | 4880183 | 21 860 985 000, EN 46781, 303-1472, 0104-A | Camshaft alignment tool assy. |
| 3 | 4880005 | 1 870 900 300, 303-1468, 0104-C | Crankshaft alignment tool |
| 4 | 4880280 | 303-1475, 1 871 008 600 | Ford 1.3 diesel camshaft support tool Ø36 ID |

## 829055 - ENGINE TIMING KIT RENAULT/OPEL/NISSAN DIESEL (BELT DRIVE) - 1.5, 1.9, 2.2, 2.3, 2.5

**OPEL**

The 829055 offers the essential engine timing tools required for the Renault belt driven DCI range of diesel engines. It includes the tools required for 1.5, 1.9, 2.2, 2.3 and 2.5 DCi diesel engines found in the Dacia, Nissan, Renault, Suzuki and Opel/Vauxhall ranges.





**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880047 | - | Washer M8 zinc plated |
| 3 | 4880073 | - | Ht setscrew M6 x 45 Zc.PL. |
| 4 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 5 | 4880096 | MOT 1430 | Locking pin (8mm dia. 70 long) |
| 6 | 4880116 | MOT 1543 | Tensioning tool - Renault 19 DCI |
| 7 | 4880174 | MOT 1538 | High pressure pump pin C/W T/bar |
| 8 | 4880175 | MOT 1536 KM6203 | Crankshaft timing pin (7 x 80) |
| 9 | 4880177 | - | H.T. Setscrew M8x60 zinc plate |
| 10 | 4880178 | MOT 1534 KM6205 | Inlet cam setting tool (chem. black) |
| 11 | 4880176 | MOT 1537 KM6205 | Exhaust cam setting tool |

## 829056 - ENGINE TIMING KIT RENAULT/OPEL/NISSAN DIESEL (CHAIN DRIVE) - 1.6, 2.0, 2.3

**OPEL**

The 829056 has been specifically put together to allow the user to lock the engine components of the 1.6, 2.0 and 2.3 Renault engines used across the Renault, Opel and Nissan ranges. The 829056 kit includes the essential tools required to allow the removal and replacement of the engine timing chain.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880122 | MOT 1766, EN48330 | Crankshaft locking pin |
| 2 | 4880119 | MOT 1769, EN48332, MOT 1969 (1,6L) | Camshaft setting tool (MOT 1769) |
| 3 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 4 | 4880118 | MOT 1770, KM 956-1, EN-48334 | Crankshaft pulley holding tool |
| 5 | 4880120 | MOT 1773, EN48331 | Camshaft gear alignment tool |
| 6 | 4880201 | - | Locking pin |
| 7 | 4880210 | - | 4mm hex key |
| 8 | 4880330 | - | M6 x 40 HT setscrew |
| 9 | 4880293 | MOT 1970 | Crankshaft timing pin Renault OEM MOT1970 |
| 10 | | MOT 1969 | For 1.6l engines (R9M) |
| 11 | | MOT 1769 | For 2.0l/2.3l engines (M9R/M9T) |


## 829060 - ENGINE TIMING KIT OPEL PETROL (CHAIN DRIVE DOHC (A12/A14) - 1.2, 1.4

OPEL

PETROL CHAIN

The 829060 has been developed to allow the user to lock the cam and crankshafts in position to allow the removal and replacement of the timing chain fitted to the Vauxhall/Opel twin cam engines listed on our website. The 829060 kit is a 7 piece tool kit made up of the required camshaft and crankshaft locking tools.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880276 | EN-49977-200 | Vauxhall camshaft locking tool EN-49977-100 |
| 2 | 4880244 | EN-49977-100 | Camsprocket locking tool (EN-49977-200) |
| 3 | 4880277 | EN-49978 | Camshaft locking tool (EN-49978) |
| 4 | 4880170 | KM-953-A | Camshaft setting plate (chem. black) |
| 5 | 4880171 | KM-952 | Flywheel locking pin |
| 6 | 4880173 | KM-955-2 | Tensioner location pin 4mm |
| 7 | 4880172 | KM-955-1 | Tensioner location pin 2.5mm |


## 829061 - ENGINE TIMING KIT OPEL/CHEVROLET DIESEL (Z20) - 2.0

OPEL

BELT DIESEL

Developed for the Vauxhall/Chevrolet 2.0 common rail diesel engine found in the Vauxhall Antara, Chevrolet Captiva, Cruze, Epica, Lacetti and Nubira. This kit holds the correct timing position of the crankshaft and camshaft whilst changing the timing belt on the 16V SOHC belt driven diesel engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880012 | EN-48245 | Camshaft locking tool assembly (EN48245) |
| 2 | 4880011 | EN-48246 | Crankshaft locking pin (EN48246) |


## 829062 - ENGINE TIMING KIT OPEL, RENAULT, SAAB DIESEL DOHC CDTI - 1.9

OPEL

BELT DIESEL

The 829062 provides the essential tools required to replace the camshaft drive belt and remove the camshafts on the Vauxhall/Opel CDTi 1.9/2.0lt twin cam diesel engines listed below.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880137 | EN-46788 | Stud assy |
| 2 | 4880185 | KM-6130, 6349 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 3 | 4880187 | EN-46788/1, 32 025 009 | Crankshaft alignment tool |
| 4 | 4880188 | EN-46789, 32 025 008 | Camshaft alignment tool |
| 5 | 4880189 | EN-46789-100 | Camshaft setting pin assy. |
| 6 | 4880332 | SSM8x20B | M8 x 20 H.T. setscrew |


## 829063 - ENGINE TIMING KIT OPEL/FIAT/FORD/PSA DIESEL JTD/HDI - 1.3

OPEL

BELT DIESEL

This is an essential engine timing tool set that provides the camshaft and crankshaft timing tools only.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880183 | 104-A, EN 46781 | Camshaft alignment tool assy |
| 2 | 4880186 | - | Crankshaft pin assy |
| 3 | 4880096 | EN-46785 | Locking pin (8mm dia. 70 long) |

# Timing tools


## 829064 - ENGINE TIMING KIT OPEL/CHEVROLET/SAAB PETROL (A20/A24) - 2.0, 2.4

OPEL

PETROL CHAIN

Developed specifically for the high power output 2.0 litre and 2.4 litre twin cam turbo charged petrol engines found across the GM, Chevrolet and Saab ranges. This kit provides all the components required to set and hold the camshafts, crankshaft and chain tensioner components when performing major engine work or replacing the cam chain and associated components.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880231 | EN-49212, EN-49212-1 | Vauxhall - Opel - camshaft locking tool LHS (OEM ref: EN-492) |
| 2 | 4880232 | EN-49212, EN-49212-2 | Vauxhall - Opel - camshaft locking tool RHS (OEM ref: EN-492) |
| 3 | 4880317 | EN-48953 | Camshaft adjuster holding tool |
| 4 | 4880318 | EN-48585 | Crankshaft bolt hole balancer |
| 5 | 4880320 | J45027-2, EN45027-2, EN-45027, | Tension plunger holder |
| 6 | 4880321 | EN-45027-1, J-45027-1 | Tension plunger remover |
| 7 | 4880319 | EN-43653, J43653 | Flywheel holding tool bottom half |
| 8 | 4880135 | EN-43653, J43653 | Flywheel holding tool |
| 9 | 4880214 | - | M6 x 50 caphead screw |
| 10 | 4880010 | - | Washers M6 form C Zc.Pl. |
| 11 | 4880173 | EN-955-20, KM 955-20 | Tensioner location pin 4mm |
| 12 | 4880172 | EN-955-10, KM955 | Tensioner location pin 2.5mm |
| 13 | 4880215 | - | M6 x 16 cap head screw self-colour to BS4168 |

08

## 829065 - CAMSHAFT ALIGNEMENT KIT OPEL/SAAB PETROL TURBO (Z20/B20) - 2.0


OPEL

PETROL CHAIN

The 829065 kit has been developed to change the camshaft drive chain on the twin cam chain driven 2.0lt turbo petrol engines found in the Vauxhall and Saab ranges from 2002 to 2012.

829065 is an 4 piece kit consisting of the components required to lock the camshaft, hold the crankshaft and set the chain tensioner when replacing the timing chain.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880298 | KM-6362-1 EN-48366-001 | Camblock with inlet marking for vauxhall Z20NET engine (2.0L |
| 2 | 4880299 | KM-6362-2 EN-48366-002 | Camblock with exhaust marking for vauxhall Z20NET engine (2. |
| 3 | 4880180 | KM-6077 83 96 392 | Tension pin 1.0 |
| 4 | 4880230 | KM-J-38122-A 83 96 210 | Holding tool (KM-J-38122-A) |


## 829088 - CAMSHAFT HOLDING TOOL FIAT/FORD/OPEL DIESEL JTD - 1.3

OPEL

DIESEL

The 829088 camshaft pulley holding tool has been designed to allow the user to loosen and tighten the camshaft pulley fixings without moving the camshafts or causing damage to any timing tools that may be fitted. Conveniently designed to allow the use of a ½ drive wrench the 829088 combines the double headed OEM tool into one single tool.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829088 | 1 871 008 600 303-1475 | Camshaft holding tool Fiat/Ford/Opel diesel JTD - 1,3 |


## 829091 - CRANKSHAFT HOLDING TOOL OPEL 2.0, 2.2

OPEL

BELT PETROL

The 829091 is designed to hold the front crankshaft pulley while tightening or loosening the pulley fixings on the GM/Opel/Saab 2,0lt and 2,2 lt petrol engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880230 | KM-J-38122-A | Holding tool (KM-J-38122-A) |


## 829116 - ENGINE TIMING KIT VAUXHALL/OPEL 1.6 CDTI

OPEL

CHAIN DIESEL

A comprehensive kit to lock the 1.6 diesel engine into its timed position for the removal and replacement of the timing chain to the models listed. Included in this kit is the added component of the camshaft sprocket support bracket that is required when removing the camshaft for essential work on the cam followers. Applications: Astra-J, Astra-K, GTC, Insignia-A, Meriva-B, Mokka, Mokka X & Zafira-C Tourer (from 2013) CDTi EcoFlex. Engine codes: B16DTC, B16DTE, B16DTH, B16DTJ, B16DTL, B16DTN, B16DTR, B16DTU.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880185 | EN-6349 EN6130 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 2 | 4880355 | EN-51143 | Camshaft alighment setting pin |
| 3 | 4880356 | EN-51140 | Crankshaft alignment tool |
| 4 | 4880348 | EN-50513 | Tensioner locking pin |
| 5 | 4880357 | EN-51188 | Camshaft sprocket holding tool |
| 6 | 4880347 | - | M10 x 40 hex head bolt |
| 7 | 4880215 | - | M6 x 16 cap head screw self-colour to bs4168 |


## 829119 - ENGINE TIMING KIT VAUXHALL/OPEL 1.6 SIDI PETROL

OPEL

BELT PETROL

Specially designed crankshaft pulley holding tool designed to be used with a 1/2"D power bar. Applications: SIDI Turbo, SIDI Turbo EcoFLEX: Vauxhall: Astra-J (2013-2015), Astra-K (from 2015), Cascada (from 2013), GTC (from 2015), Insignia (2013-2017), Zafira-C Tourer (from 2013). Specifically designed for A16XHT, A16SHT, B16XHT, B16SHT and B16SHL petrol turbo engines.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880370 | EN-6349 EN6130 | Balance shaft sprocket locking |
| 2 | 4880348 | EN-51143 | Tensioner locking pin |
| 3 | 4880369 | EN-51140 | Camshaft holding & alignment tool |
| 4 | 4880368 | EN-50513 | Crankshaft pulley holding tool |




## 829127 - ENGINE TIMING TOOL KIT - VAUXHALL/OPEL 2,0CDTI

OPEL

CHAIN DIESEL

This kit has been developed to lock the main engine components on the latest Vauxhall/Opel CDTi 2.0L engines from 2014 onwards, to allow removal and replacement of the camshaft drive belt. The kit also contains the tool required to lock the flywheel on vehicles fitted with automatic transmission.
N.B: for replacement of the camshaft drive chain in the cylinder head additional tooling will be required – 829128.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880394 | EN-51413 | High pressure fuel pump sprocket locking tool |
| 2 | 4880121 | EN-955-2 | Auxiliary belt tensioner locking pin |
| 3 | 4880397 | EN-51412 | Crankshaft timing tool |
| 4 | 4880396 | EN-51414 | Camshaft locking pin |
| 5 | 4880398 | EN-51411 | Crankshaft pulley holding tool assy |
| 6 | 4880353 | - | M8 x 30 cap head |
| 7 | 4880354 | EN-51412 | Locking pin 6.35 X 50mm |


## 829128 - ENGINE TIMING CHAIN KIT - VAUXHALL/OPEL 2,0CDTI

OPEL

CHAIN DIESEL

Developed to allow the user to lock the camshafts of the vehicles listed in to their "timed" position for the removal and replacement of the camshaft drive chain within the head and removal of the camshafts. **N.B: Additional tooling is required if the timing belt is to be replaced to lock the crankshaft and camshaft belt sprockets, please see 829127 for additional tools.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880393 | EN-51415 | Camshaft locking tool assembly |
| 2 | 4880395 | - | Camshaft locking tool beam extension block |
| 3 | 4880274 | EN-51418 | Locking pin |
| 4 | 4880214 | - | M6 x 50 caphead screw |
| 5 | 4880350 | - | M6 x 35 socket head cap screw |

## 829132 - AUXILIARY BELT TENSIONER SPANNER 15MM VAUXHALL/OPEL

OPEL

BELT PETROL DIESEL

Part of the Sonic range of timing tools for Vauxhall, Opel engines



**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829132 | KM-913-A, EN-913-A | Auxiliary belt tensioner spanner 15mm Vauxhall/Opel |


## 829134 - ENGINE TIMING KIT - RENAULT/NISSAN/MERCEDES/VAUXHALL 1,6D

OPEL

BELT DIESEL

829134 has been developed specifically for the 1.6 R9M diesel engines fitted across the Renault, Nissan, Vauxhall/Opel and Mercedes-Benz ranges as listed. The 829134 contains all the essential tools required to lock the engine in its "timed" position for safe removal and replacement of the camshaft drive chain.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880359 | 626 589 04 40 00, MOT 1969 | Camshaft alignment tool |
| 2 | 4880118 | 626 589 02 40 00,MOT 1770 EN956-1, EN48334 | Crankshaft pulley holding tool |
| 3 | 4880201 | - | Locking pin |
| 4 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 5 | 4880293 | 629 589 00 15 00, MOT 1970 | Crankshaft timing pin Renault OEM MOT1970 |

08


## 829016 - ENGINE TIMING & REBUILD SET FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

PSA - PEUGEOT - CITROËN

DIESEL CHAIN

The 829016 has been developed to allow the user to change the cam chain on the later 1.3 JTD/CDTi & HDi diesel engines found in the PSA, Fiat, Ford, Suzuki and Opel ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880200 | 1 871 000 200, 303-1469, KM-662-C | Crankshaft pulley flange holding tool |
| 2 | 4880004 | 1 870 900 400 | Timing chain tensioning tool |
| 3 | 4880005 | 0104-C, 1 870 900 300, 303-1468 | Crankshaft alignment tool |
| 4 | 4880183 | 0104-A, 1 871 000 900, 1 860 985 000, EN 46781, 09917-68610 | Camshaft alignment tool assy |
| 5 | 4880186 | EN 46785, 09912-38300 | Crankshaft pin assy |
| 6 | 4880096 | Fiat 8mm pin | Locking pin (8mm dia. 70 long) |


## 829018 - ENGINE TIMING KIT FIAT, PSA, IVECO JTD DIESEL - 2.8

PSA - PEUGEOT - CITROËN

DIESEL BELT

The 829018 has been developed for Fiat 2.8 diesel engines that are found in the Fiat, Iveco and PSA van ranges. This kit provides all the tools required to set the timed components when replacing the timing belt. The kit also includes the components require to lock the flywheel when undoing and tightening up the front pulley fixings as well as the special spacer to hold the belt tensioner in its fully retracted position.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880237 | 1 870 765 001 | Flywheel locking piece (Fiat) |
| 2 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 x 50) |
| 3 | 4880097 | 8mm pin | Locking pin (8mm dia. x 60 long) |
| 4 | 4880132 | 1 860 638 000 | Tensioning tool |


## 829023 - ENGINE TIMING KIT FORD, PSA, FIAT TDCI, HDI DIESEL - 1.4, 1.5, 1.6

PSA - PEUGEOT - CITROËN

BELT DIESEL

The 829023 is an engine timing kit specifically designed for the Ford/PSA 1.4/1.6 TDCi/HDi diesel engines found across the Ford, PSA and Fiat ranges.






**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880090 | 303-732, 21-260 | Setting pin 5.0mm (5 x 50) |
| 2 | 4880096 | 303-735, 21-263 | Locking pin (8mm dia. 70 long) |
| 3 | 4880064 | 303-734, 21-262 | Flywheel locking pin (12 x 55) |
| 4 | 4880061 | 303-393, 21-168 | Flywheel locking tool-Ford |
| 5 | 4880062 | 303-393-01 | Tooth block item 2 |
| 6 | 4880063 | 303-293-02 | Short tooth block |

## 829026 - ENGINE TIMING KIT FIAT, PSA, OPEL, IVECO JTD DIESEL - 2.5

PSA - PEUGEOT - CITROËN

BELT DIESEL

The 829026 is a small diesel locking kit specifically assembled to cover the 2.5/2.8 belt driven diesel engines found in the Citroën, Peugeot, Renault and Fiat ranges.




**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880132 | 1 860 638 000 | Tensioning tool |
| 2 | 4880095 | 1 870 667 000,<br>1 870 765 001 | Locking pin (zinc pl.) |
| 3 | 4880090 | 1 860 617 000 | Setting pin 5.0mm (5 X 50) |

08


## 829030 - ENGINE TIMING KIT BMW, PSA PETROL N12, N14 -1.4, 1.6

PSA - PEUGEOT - CITROËN

PETROL CHAIN

The 829030 has been developed to allow the removal and fitting of the camshaft drive chains on the PSA/Mini 1,4 and 1,6 petrol engines.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880035 | 11 9 540 / 0197-A3 | Camshaft alignment tool body type 2 (of 2) |
| 2 | 4880034 | 119540 / 0197-A3 | Camshaft alignment tool body type 1 (of 2) |
| 3 | 4880036 | 11 9 540 / 0197-A1 | Camshaft alignment tool item 1 of 2 (OEM 119 540QC4 item 1) |
| 4 | 4880030 | 11 9 550 / 0197-A2 | Camshaft alignment tool (119 550/551) inlet setting plate |
| 5 | 4880031 | 11 9 551 | Camshaft alignment plate (OEM 119 550/551 - exhaust setting) |
| 6 | 4880032 | 11 9 552 | Support clamp BMW (oem 119 550/552) |
| 7 | 4880026 | 11 9 340 | Timing chain pre-tensioning tool assembly (11 9 340) |
| 8 | 4880134 | - | M6 x 30 hex head setscrew black (self colour) |
| 9 | 4880028 | - | M6 x 30 hex head setscrew |
| 10 | 4880322 | - | Shank bolt 6 x 12 x M5 thread |
| 11 | 4880033 | 11 9 590 / 0197-B | Crankshaft setting pin G.A-BMW |
| 12 | 4880181 | - | M6 x 20 H T setscrew S/C |
| 13 | 4880216 | - | M6 x 30 cap head screw |


## 829035 - ENGINE TIMING KIT PSA PETROL - 1.4

PSA - PEUGEOT - CITROËN

BELT PETROL

The 829035 has been developed to offer the required engine locking tools to fit the popular PSA 1.4 belt driven 16v and 8v petrol engines. Fitted to the models listed between 2000 and 2013.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880235 | 0132QY | Flywheel locating pin (PSA 0132QY) |
| 2 | 4880112 | 4533-TAD/0132-AK | Timing belt retaining clip |
| 3 | 4880228 | 3mm pin | 3mm formed locking pin (yellow passivate) |
| 4 | 4880090 | 0194-A | Setting pin 5.0mm (5 x 50) |
| 5 | 4880096 | 4533-TAC1/0132-AJ1 | Locking pin (8mm dia. 70 long) |
| 6 | 4880054 | 0132RZ/4507-TB | Pin dia. 10 X 80 long |
| 7 | 4880053 | 4507-TA | Setting pin 6 x 140 D |


## 829036 - ENGINE TIMING KIT PSA PETROL 3 CYLINDER - 1.0, 1.2

PSA - PEUGEOT - CITROËN

The 829036 has been developed for the latest generation of Citroën/Peugeot 1.0lt and 1.2lt 3 cylinder petrol engines. The 829036 engine timing kit has been designed to hold the cam shafts and crankshaft in their timed position during belt replacement. The 829036 is made up of a 2 piece camshaft locking bridge and 1 piece crankshaft setting pin.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880300 | 0109-2A | Assembly detail for k00605 PSA 1.0/1.1 VVT 3 cylinder timing |
| 2 | 4880303 | 0109-2B | Flywheel timing pin for PSA 1.0 & 1.2 assembly |
| 3 | - | - | With part 4880300, item 3 will be included |


## 829038 - ENGINE TIMING KIT PSA PETROL (EW) - 2.0, 2.2 16V

PSA - PEUGEOT - CITROËN

The 829038 engine timing kit allows the valve timing to be set and maintained during cam belt replacement on the popular EW coded PSA engines used across the Citroën and Peugeot ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880055 | 0189C | Flywheel locking pin |
| 2 | 4880074 | 0189R | Crankshaft setting pin |
| 3 | 4880075 | 0189S1 | Tensioner adjuster - assembly |
| 4 | 4880076 | 0189S2 | Tension gauge |
| 5 | 4880097 | 0132AJ2, 0188M, 4533TAC2 | Locking pin (8mm dia x 60) |
| 6 | 4880090 | 0132AB, 0178D, 4527-TS2 | Setting pin 5.0mm (5 x 50) |
| 7 | 4880096 | 5711-TD | Locking pin (8mm dia. 70 long) |
| 8 | 4880099 | 0189AZ | Timing pins item 2 |
| 9 | 4880100 | 0189L | Locking pin |
| 10 | 4880098 | 0189A | Timing pins item 1 |
| 11 | 4880112 | 0188K, 0132AK, 0153AK, 0187J, 4533-TAD | Timing belt retaining clip |


## 829039 - ENGINE TIMING KIT FIAT, OPEL, FORD, PSA JTD DIESEL - 1.3

PSA - PEUGEOT - CITROËN

The 829039 engine timing kit allows the valve timing to be set on the current 1,3 Multijet Fiat derived diesel engines found across the Fiat, Ford, Opel & PSA ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880135 | 153A | Flywheel holding tool |
| 2 | 4880183 | 21 860 985 000, EN 46781, 303-1472, 0104-A | Camshaft alignment tool assy. |
| 3 | 4880005 | 1 870 900 300, 303-1468, 0104-C | Crankshaft alignment tool |
| 4 | 4880280 | 303-1475, 1 871 008 600 | Ford 1.3 diesel camshaft support tool Ø36 ID |


## 829040 - ENGINE TIMING KIT JAGUAR LAND ROVER, FORD, PSA DIESEL DW12 - 2.2

PSA - PEUGEOT - CITROËN

BELT DIESEL

The 829040 is a compact tool set which includes the camshaft sprocket, flywheel locking tools and flywheel timing pin required when setting the valve timing and/or changing the timing belt on DW12 (2,2lt) diesel engines found in the Land Rover, Ford, Peugeot and Citroën ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880096 | 303-1277, 0188.M | Locking pin (8mm dia. 70 long) |
| 2 | 4880061 | 303-1272, 0188.F | Flywheel locking tool-Ford |
| 3 | 4880068 | 303-1270, 303-1059 | Timing pin |
| 4 | 4880080 | 0188AH | Centraliser spring - 1.4mm dia |
| 5 | 4880106 | 0188F | Flywheel lock (zinc PL.) |


## 829041 - ENGINE TIMING & REBUILD SET PSA, FIAT DW10, DW12 - 2.0, 2.2

PSA - PEUGEOT - CITROËN

BELT DIESEL

The 829041 kit brings together the tools required to set the valve timing on the extensive range of DW10 2,0 and DW12 2,2 Diesel engines as well as the DV4 1,4 and DV6 1,6 diesel engines found across the PSA and Fiat ranges.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880072 | 7099-TM | Crankshaft pin - 8 X 380 |
| 2 | 4880112 | 0188K, 0132AK, 0153AK, 0187J, 4533-TAD | Timing belt Retaining clip |
| 3 | 4880113 | 0188P, 7015-T, 0188P2 | Puller beam |
| 4 | 4880068 | 303-1059 | Timing pin |
| 5 | 4880080 | 0188AH | Centraliser spring - 1.4mm dia |
| 6 | 4880106 | 0188F | Flywheel lock (zinc PL.) |
| 7 | 4880108 | 0188J2 | Tension adjustment tool |
| 8 | 4880097 | 0188M | Locking pin (8mm dia x 60) |
| 9 | 4880227 | 0188Q2 | 2mm formed locking pin (BZP) 210 x 50 |
| 10 | 4880228 | 0153AL | 3mm formed locking pin (yellow passivate) |
| 11 | 4880060 | 0188Q1 | 4.0mm setting pin |
| 12 | 4880104 | 0188J/J1 | Tension adjustment tool |
| 13 | 4880096 | 0189B | Locking pin (8mm dia. 70 long) |
| 14 | 4880090 | 0178D, 303-732, 0194A | Setting pin 5.0mm (5 x 50) |
| 15 | 4880064 | 303-734, 0194C | Flywheel locking pin (12 x 55) |
| 16 | 4880255 | 0.532Y, 9967.34 | 8mm multi-bend flywheel timing pin |


## 829063 - ENGINE TIMING KIT OPEL/FIAT/FORD/PSA DIESEL JTD/HDI - 1.3

PSA - PEUGEOT - CITROËN

BELT DIESEL

This is an essential engine timing tool set that provides the camshaft and crankshaft timing tools only.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880183 | 104-A, EN 46781 | Camshaft alignment tool assy |
| 2 | 4880186 | - | Crankshaft pin assy |
| 3 | 4880096 | EN-46785 | Locking pin (8mm dia. 70 long) |

## 829107 - OIL PUMP ALIGNMENT PLATE FORD, JAGUAR, LAND ROVER, ROVER, PSA DURATORQ DIESEL 2.0, 2.2, 2.4, 3.2

**PSA - PEUGEOT - CITROËN**

DIESEL | CHAIN


The 829107 oil pump alignment tool has been developed to allow the user to correctly align the engine oil pump in the sump after an engine rebuild etc. it is important that the pump be correctly and accurately aligned to ensure the oil pump sprocket is not operating with excessive side loads.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 829107 | 303-705, 303-1093, 0198.H | Oil pump alignment plate Ford/Jaguar Land Rover/PSA diesel |




A



NOTE : l'utilisation de ce kit nécessite l'acquisition d'outils supplémentaires.

## 829022 - TWIN CAMSHAFT LOCKING TOOL OPEL, FIAT PETROL - 2.2

**RENAULT - DACIA**


BELT | PETROL

The 829020 has been developed to lock the cam and crankshaft in position to allow the removal and replacement of the timing belt fitted to the current generation 1.4 Fiat MultiAir engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880179 | KM 6148 | Camshaft locking tool (assembled) |
| 2 | 4880180 | KM 6077 | Tension pin 1.0 |






## 829054 - ENGINE TIMING KIT RENAULT/NISSAN PETROL (K4) - 1.6, 2.0

**RENAULT - DACIA**


BELT | PETROL

The 829054 offers the essential engine timing tools required for the Renault petrol 16V belt driven 1.6L and 2.0L engines. The 829054 kit of four tools enables the correct engine timing to be performed on Renault K4J, K4M & F4P, F4R engines, when changing the timing belt. The set includes 2 crankshaft timing pins and camshaft setting bar with the bracket specifically for the K4M 813 engine from 2003 onwards.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 3 | 4880109 | MOT 1496 | Camshaft setting bar - Renault |
| 4 | 4880111 | MOT 1750 | Mounting bracket (MOT 1759) |






## 829055 - ENGINE TIMING KIT RENAULT/OPEL/NISSAN DIESEL (BELT DRIVE) - 1.5, 1.9, 2.2, 2.3, 2.5

**RENAULT - DACIA**


BELT | DIESEL

The 829055 offers the essential engine timing tools required for the Renault belt driven DCI range of diesel engines. It includes the tools required for 1.5, 1.9, 2.2, 2.3 and 2.5 DCi diesel engines found in the Dacia, Nissan, Renault, Suzuki and Opel/Vauxhall ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880047 | - | Washer M8 zinc plated |
| 3 | 4880073 | - | Ht setscrew M6 x 45 Zc.PL. |
| 4 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 5 | 4880096 | MOT 1430 | Locking pin (8mm dia. 70 long) |
| 6 | 4880116 | MOT 1543 | Tensioning tool - Renault 19 DCI |
| 7 | 4880174 | MOT 1538 | High pressure pump pin C/W T/bar |
| 8 | 4880175 | MOT 1536 KM6203 | Crankshaft timing pin (7 x 80) |
| 9 | 4880177 | - | H.T. Setscrew M8x60 zinc plate |
| 10 | 4880178 | MOT 1534 KM6205 | Inlet cam setting tool (chem. black) |
| 11 | 4880176 | MOT 1537 KM6205 | Exhaust cam setting tool |






## 829056 - ENGINE TIMING KIT RENAULT/OPEL/NISSAN DIESEL (CHAIN DRIVE) - 1.6, 2.0, 2.3

RENAULT - DACIA

DIESEL CHAIN

The 829056 has been specifically put together to allow the user to lock the engine components of the 1.6, 2.0 and 2.3 Renault engines used across the Renault, Opel and Nissan ranges. The 829056 kit includes the essential tools required to allow the removal and replacement of the engine timing chain.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880122 | MOT 1766, EN48330 | Crankshaft locking pin |
| 2 | 4880119 | MOT 1769, EN48332, MOT 1969 (1,6L) | Camshaft setting tool (MOT 1769) |
| 3 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 4 | 4880118 | MOT 1770, KM 956-1, EN-48334 | Crankshaft pulley holding tool |
| 5 | 4880120 | MOT 1773, EN48331 | Camshaft gear alignment tool |
| 6 | 4880201 | - | Locking pin |
| 7 | 4880210 | - | 4mm hex key |
| 8 | 4880330 | - | M6 x 40 HT setscrew |
| 9 | 4880293 | MOT 1970 | Crankshaft timing pin Renault OEM MOT1970 |
| 10 | | MOT 1969 | For 1.6l engines (R9M) |
| 11 | | MOT 1769 | For 2.0l/2.3l engines (M9R/M9T) |

## 829057 - ENGINE TIMING KIT RENAULT/DACIA PETROL (K7J/K7M) - 1.4, 1.6


RENAULT - DACIA

BELT PETROL

08

The 829057 has been specifically put together to allow the user to lock the engine components of the 1.4 and 1.6 Renault engines used across the Dacia range. The 829057 kit includes the belt pre-tensioner lever required on engines equipped with a manual tensioner.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880102 | MOT 1145-01 | Tension spanner |
| 3 | 4880295 | MOT 1501 | Assembly - belt tensioning tool for logan, Sandero MOT 1501 |


## 829058 - ENGINE TIMING KIT RENAULT PETROL (BELT DRIVE) - 1.4, 1.6, 1.8, 2.0 16V

RENAULT - DACIA

BELT PETROL

The 829058 has been specifically put together to allow the user to lock the engine components of the 1.4, 1.6, 1.8 and 2.0 16V turbo and non-turbo petrol engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880048 | MOT 1489 | Crankshaft locking pin (chem. black) |
| 2 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 3 | 4880109 | MOT 1496 | Camshaft setting bar - Renault |
| 4 | 4880111 | MOT 1750 | Mounting bracket (MOT 1759) |
| 5 | 4880115 | MOT 1490 | Camshaft pulley alignment tool - Renault |
| 6 | 4880117 | MOT 1801 | Camshaft sprocket locking tool - Renault 2,0 (ENG. F4R) |
| 7 | 4880323 | MOT 1368 | Cambelt tensioning tool (3894) |


## 829059 - ENGINE TIMING KIT RENAULT PETROL - 1.2

RENAULT - DACIA

BELT PETROL

The 829059 has been specifically assembled to provide the essential tools for belt replacement on the Renault 1.2 petrol engines.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880095 | MOT 1054 | Locking pin (zinc PL.) |
| 2 | 4880103 | MOT 1386 | Tensioning tool |
| 3 | 4880307 | MOT 582-01 | Flywheel locking tool - Renault Clio, Twingo, Kangoo, Megan |

# Timing tools

## 829062 - ENGINE TIMING KIT OPEL, RENAULT, SAAB DIESEL DOHC CDTI - 1.9


RENAULT - DACIA

The 829062 provides the essential tools required to replace the camshaft drive belt and remove the camshafts on the Vauxhall/Opel CDTi 1.9/2.0lt twin cam diesel engines listed below.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880137 | EN-46788 | Stud assy |
| 2 | 4880185 | KM-6130, 6349 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 3 | 4880187 | EN-46788/1, 32 025 009 | Crankshaft alignment tool |
| 4 | 4880188 | EN-46789, 32 025 008 | Camshaft alignment tool |
| 5 | 4880189 | EN-46789-100 | Camshaft setting pin assy. |
| 6 | 4880332 | SSM8x20B | M8 x 20 H.T. setscrew |





## 829082 - ENGINE TIMING KIT RENAULT, VOLVO PETROL TWIN CAM 16V/20V - 2.0, 2.4


RENAULT - DACIA

The 829082 kit provides all the essential engine timing tools to set and lock the engine components of the popular Renault/Volvo 2,0lt and 2,5lt petrol engines to allow camshaft belt replacement. Also offers coverage for the 1.6, 1.8, 1.9 and 2.3 derivatives. See attached applications.
• Additional recommended tooling – Sonic recommends the use of Sonic 829089 crankshaft pulley holding tool when tightening or loosening the crankshaft pulley fixing bolt.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880101 | MOT 1340, 999 5451 | Timing pin |
| 2 | 4880105 | MOT 1348 | Tensioning tool (no sleeve) |
| 3 | 4880107 | MOT 1337, 999 5452 | Camshaft setting tool |
| 4 | 4880051 | 303-507, 999 7152 | Mazda screw |
| 5 | 4880050 | 303-376B | Camshaft alignment strap (chem. black) |
| 6 | | - | Hex-head bolt for 3 |





## 829130 - FLYWHEEL/FRONT PULLEY LOCKING TOOL SET - RENAULT/NISSAN


RENAULT - DACIA

The 829130 has been developed to provide a locking solution for the flywheel and front pulley on the Renault engines listed below. The kit also provides the primary tools required for timing chain replacement on the Renault twin cam 1.4,1.6, 2.0, 2.5 and 3.5 litre petrol engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880403 | MOT 919-02 | Flywheel locking tool - assy |
| 2 | 4880402 | MOT.1431 | Flywheel locking tool - assy |
| 3 | 4880414 | MOT 1716 | Cover/sump/joint separator tool |
| 4 | 4880401 | MOT 2019 / MOT 1789 | Crankshaft pulley holding tool |






## 829134 - ENGINE TIMING KIT - RENAULT/NISSAN/MERCEDES/VAUXHALL 1,6D


RENAULT - DACIA

829134 has been developed specifically for the 1.6 R9M diesel engines fitted across the Renault, Nissan, Vauxhall/Opel and Mercedes-Benz ranges as listed. The 829134 contains all the essential tools required to lock the engine in its "timed" position for safe removal and replacement of the camshaft drive chain.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880359 | 626 589 04 40 00, MOT 1969 | Camshaft alignment tool |
| 2 | 4880118 | 626 589 02 40 00,MOT 1770 EN956-1, EN48334 | Crankshaft pulley holding tool |
| 3 | 4880201 | - | Locking pin |
| 4 | 4880121 | KM 6130 | Auxiliary belt tensioner locking pin |
| 5 | 4880293 | 629 589 00 15 00, MOT 1970 | Crankshaft timing pin renault OEM MOT1970 |





## 829037 - ENGINE TIMING KIT JAGUAR LAND ROVER DIESEL TDV6 - 2.7

ROVER - LAND ROVER


BELT DIESEL

The 829037 engine timing kit allows the valve timing to be set and maintained during cam belt replacement on the popular Jaguar/Land Rover TDV6 diesel engine found across the Jaguar & Land Rover ranges. The 829037 also includes the additional PSA locking tools required for the 2.7 HDi engine found in the Citroën and Peugeot ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880127 | 303-1132 | Camshaft sprocket timing pin |
| 2 | 4880079 | 303-1126 | Camshaft sprocket timing pin |
| 3 | 4880129 | 303-1116 | Fly wheel locking tool |
| 4 | 4880128 | 303-1117 | Fly wheel locking tool 2 |
| 5 | 4880077 | 0195-K | Flywheel locking pin Peugeot 0195-K |
| 6 | 4880078 | 0195-C | Coolant pump pulley pin Peugeot 0195-C |





## 829040 - ENGINE TIMING KIT JAGUAR LAND ROVER, FORD, PSA DIESEL DW12 - 2.2

ROVER - LAND ROVER


BELT DIESEL

The 829040 is a compact tool set which includes the camshaft sprocket, flywheel locking tools and flywheel timing pin required when setting the valve timing and/or changing the timing belt on DW12 (2,2lt) diesel engines found in the Land Rover, Ford, Peugeot and Citroën ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880096 | 303-1277, 0188.M | Locking pin (8mm dia. 70 long) |
| 2 | 4880061 | 303-1272, 0188.F | Flywheel locking tool-Ford |
| 3 | 4880068 | 303-1270, 303-1059 | Timing pin |
| 4 | 4880080 | 0188AH | Centraliser spring - 1.4mm dia |
| 5 | 4880106 | 0188F | Flywheel lock (zinc PL.) |







## 829107 - OIL PUMP ALIGNMENT PLATE FORD, JAGUAR, LAND ROVER, ROVER, PSA DURATORQ DIESEL 2.0, 2.2, 2.4, 3.2

ROVER - LAND ROVER


DIESEL CHAIN

The 829107 oil pump alignment tool has been developed to allow the user to correctly align the engine oil pump in the sump after an engine rebuild etc. it is important that the pump be correctly and accurately aligned to ensure the oil pump sprocket is not operating with excessive side loads.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 829107 | 303-705, 303-1093, 0198.H | Oil pump alignment plate Ford/Jaguar Land Rover/PSA diesel |






NOTE : l'utilisation de ce kit nécessite l'acquisition d'outils supplémentaires.

## 829126 - ENGINE TIMING KIT - JLR 2,0 GTDI

ROVER - LAND ROVER


BELT DIESEL

A comprehensive engine timing tool kit for the Jaguar, Land Rover 2.0 Petrol GTDI (Gasoline Turbo Direct Injection) engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880278 | 303-1600, 303-1565 | Ford 2.0 camshaft alignment tool |
| B | 4880390 | 303-1595 | Crankshaft alignment tool plate with guides and pins |
| C | 4880389 | 303-1595 | Threaded bush guide 16 x 56mm |
| D | 4880391 | 303-1595 | Threaded pin 6 x 61 |
| E | 4880281 | 303-1521 | Ford cranksaft sensor alignment tool (CKP) |
| F | 4880392 | 303-1594 | Flywheel locking tool |
| G | 4880049 | 303-748 | Crankshaft locking pin - ford (chem. black) |





# Timing tools

## 829015 - ENGINE TIMING KIT FIAT, OPEL, SAAB JTD DIESEL - 1.6, 1.9, 2.0, 2.4


SAAB

The 829015 engine timing kit has been put together to provide the essential crankshaft and cam shaft timing pins only for the Fiat/Opel JTD diesel engines found across the Fiat, Opel, Saab ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880188 | 1.870.896.900, EN-46789, 32 025 008 | Camshaft alignment tool |
| 2 | 4880136 | 1.860.898.000 | Flywheel locking tool |
| 3 | 4880137 | - | Stud assy |
| 4 | 4880218 | - | M8 x 20mm socket head screw |
| 5 | 4880091 | 1.860.965.000 | Setting pin (chem. black) (6 X 60) |
| 6 | 4880187 | 1.860.905.000, 1.860.905.010, 2.000.003.000, EN-46788, 32 025 009 | Crankshaft alignment tool |





## 829062 - ENGINE TIMING KIT OPEL, RENAULT, SAAB DIESEL DOHC CDTI - 1.9


SAAB

The 829062 provides the essential tools required to replace the camshaft drive belt and remove the camshafts on the Vauxhall/Opel CDTi 1.9/2.0lt twin cam diesel engines listed below.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880137 | EN-46788 | Stud assy |
| 2 | 4880185 | KM-6130, 6349 | Auxilliary drive belt tensioner locking pin (4 x 55) |
| 3 | 4880187 | EN-46788/1, 32 025 009 | Crankshaft alignment tool |
| 4 | 4880188 | EN-46789, 32 025 008 | Camshaft alignment tool |
| 5 | 4880189 | EN-46789-100 | Camshaft setting pin assy. |
| 6 | 4880332 | SSM8x20B | M8 x 20 H.T. setscrew |





## 829064 - ENGINE TIMING KIT OPEL/CHEVROLET/SAAB PETROL (A20/A24) - 2.0, 2.4


SAAB

Developed specifically for the high power output 2.0 litre and 2.4 litre twin cam turbo charged petrol engines found across the GM, Chevrolet and Saab ranges. This kit provides all the components required to set and hold the camshafts, crankshaft and chain tensioner components when performing major engine work or replacing the cam chain and associated components.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880231 | EN-49212, EN-49212-1 | Vauxhall - Opel - camshaft locking tool LHS (OEM ref: EN-492) |
| 2 | 4880232 | EN-49212, EN-49212-2 | Vauxhall - Opel - camshaft locking tool RHS (OEM ref: EN-492) |
| 3 | 4880317 | EN-48953 | Camshaft adjuster holding tool |
| 4 | 4880318 | EN-48585 | Crankshaft bolt hole balancer |
| 5 | 4880320 | J45027-2, EN45027-2, EN-45027, | Tension plunger holder |
| 6 | 4880321 | EN-45027-1, J-45027-1 | Tension plunger remover |
| 7 | 4880319 | EN-43653, J43653 | Flywheel holding tool bottom half |
| 8 | 4880135 | EN-43653, J43653 | Flywheel holding tool |
| 9 | 4880214 | - | M6 x 50 caphead screw |
| 10 | 4880010 | - | Washers M6 form C Zc.Pl. |
| 11 | 4880173 | EN-955-20, KM 955-20 | Tensioner location pin 4mm |
| 12 | 4880172 | EN-955-10, KM955 | Tensioner location pin 2.5mm |
| 13 | 4880215 | - | M6 x 16 cap head screw self-colour to BS4168 |





## 829065 - CAMSHAFT ALIGNEMENT KIT OPEL/SAAB PETROL TURBO (Z20/B20) - 2.0


**SAAB**

PETROL CHAIN

The 829065 kit has been developed to change the camshaft drive chain on the twin cam chain driven 2.0lt turbo petrol engines found in the Vauxhall and Saab ranges from 2002 to 2012.

829065 is an 4 piece kit consisting of the components required to lock the camshaft, hold the crankshaft and set the chain tensioner when replacing the timing chain.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880298 | KM-6362-1 EN-48366-001 | Camblock with inlet marking for vauxhall Z20NET engine (2.0L |
| 2 | 4880299 | KM-6362-2 EN-48366-002 | Camblock with exhaust marking for vauxhall Z20NET engine (2. |
| 3 | 4880180 | KM-6077 83 96 392 | Tension pin 1.0 |
| 4 | 4880230 | KM-J-38122-A 83 96 210 | Holding tool (KM-J-38122-A) |


## 829066 - ENGINE TIMING KIT VAG PETROL TFSI - 1.8, 2.0

**VAG - AUDI - VOLKSWAGEN**

PETROL CHAIN

The 829066 kit has been designed to allow removal and replacement of the timing chain and camshaft sprockets on the 1.8/2.0 TFSi and TSi petrol engines commonly found in the Volkswagen Audi Group of vehicles. Description: 829066 is an 8 piece kit consisting of the components required to find piston TDC, hold the camshaft pulleys in position and lock the chain tensioners in their retracted positions.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880229 | T10352 | Camshaft control valve tool |
| 2 | 4880268 | T40271-1 | Camshaft clamp for VAG 1.8,2.0 4V TFSI timing set - T40271-1 |
| 3 | 4880269 | T40271-2 | Camshaft clamp for VAG 1.8, 2.0 4V TFSI timing set - T40271-2 |
| 4 | 4880275 | T40265 | 1.8 & 2.0 4V TFSI VAG tension pulley locking pin (T40265) |
| 5 | 4880144 | T40011 | Tensioner locking pin 1.4mm BZP & clear passivate |
| 6 | 4880294 | T40267 | Vag 1.8, 2.0 4V TFSI tensioner locking clamp (T40267) |
| 7 | 4880133 | T10170 | 5mm TDC indicator |
| 8 | 4880123 | Vas6079 | DTI -ord. style C/W test cert. |


## 829067 - ENGINE TIMING KIT VAG PETROL 3 CYLINDER - 1.0

**VAG - AUDI - VOLKSWAGEN**

BELT PETROL

The 829067 kit has been designed to offer the essential timing tools required for the 1,0lt 2 cylinder VAG engines from 2011 on. Description: 829067 is a 3 piece kit consisting of the components required to lock the crankshaft, cam pulleys, camshafts and crankshaft in their timed positions to allow the removal and replacement of the camshaft timing belt.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880297 | T10477 | Camshaft locking tool for VAG 3 cyl 4V |
| 2 | 4880199 | T10340 | Locking pin (T10340) |
| 3 | 4880324 | T10476 | Camshaft sprocket locking tool VAG |

# Timing tools


## 829068 - ENGINE TIMING KIT VAG DIESEL CR (2012 ON) - 1.6, 2.0

VAG - AUDI - VOLKSWAGEN

BELT DIESEL

The 829068 kit has been designed to offer the timing tools required for the popular 1.6/2.0 TDi VAG engines to include the latest versions. From 2013 on. The 829068 is a 9 piece kit consisting of the components required to lock the crankshaft, cam pulley and fuel pump pulley in their timed positions to allow the removal and replacement of the camshaft timing belt. 829068 also includes the special VAG sump plug removal tool designed specifically for the plastic sump and timing plugs used on the later 1.6/2.0 TDi CR diesel engines.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880157 | T10060a | Tensioner pin |
| 2 | 4880092 | 3359 | Injection pump timing pin |
| 3 | 4880152 | T10051 | Pulley holding tool G.A VAG |
| 4 | 4880197 | T10264 | 6mm ball end hex key |
| 5 | 4880196 | T10265 | Tensioner pulley locking pin assy Ø2.5. [T10265] |
| 6 | 4880304 | T10490 | Machined plate for crankshaft positioning/holding tool |
| 7 | 4880096 | - | Locking pin (8mm dia. 70 long) |
| 8 | 4880305 | T10549 | VAG 2.0 4cyl sump plug remover tool |
| 9 | 4880308 | T10492 | 6mm locking pin |


## 829069 - ENGINE TIMING KIT VAG PETROL TSI - 1.2, 1.4

VAG - AUDI - VOLKSWAGEN

BELT DIESEL

The 829069 kit has been designed to offer the essential tools required to allow the engine timing to be set on the new generation 1.2/1.4 of TSi VAG petrol engines. The kit includes an specially designed cam-locking bar that is equivalent to the OEM tools.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880309 | T10494 | VAG camshaft locking tool |
| 2 | 4880199 | T10340 | Locking pin (T10340) |


## 829070 - ENGINE TIMING KIT VAG PETROL 3 CYLINDER 6V/12V - 1.2

VAG - AUDI - VOLKSWAGEN

BELT DIESEL

The 829070 kit provides the essential timing tools required when setting the engine timing on the belt driven 3 cylinder 1,2 six valve and twelve valve petrol engines found across the VAG ranges.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880192 | T10123 | Camshaft alignment tool VAG 1.2-12V (OEM T10123) |
| 2 | 4880194 | T10120 | Crank alignment pin (chem. black) |
| 3 | 4880193 | T10121 | Camshaft alignment pin VAG 1.2-12V (OEM T10120) |


## 829071 - ENGINE TIMING KIT VAG PETROL FSI/TFSI - 1.2, 1.4

VAG - AUDI - VOLKSWAGEN

PETROL CHAIN

The 829071 kit provides the essential timing tools required when removing the camshaft drive chains on the 1,2 and 1,4 FSi/TFSi petrol engines found across the VAG ranges from as early as 2003 to 2015. The kit also includes 2 alignment pins used to help align the supercharger on the engines equipped with a supercharger.






**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880262 | T10414 | Camshaft locking tool |
| 2 | 4880123 | VAS 6079 | DTI -ORD. style C/W test cert. |
| 3 | 4880133 | T10170 | 5mm TDC indicator |
| 4 | 4880144 | T40011 | Tensioner locking pin 1.4mm BZP & clear passivate |
| 5 | 4880159 | T10171//T10171A | Camshaft alignment tool |
| 6 | 4880198 | T10341 | Guide (T10341) |
| 7 | 4880199 | T10340 | Locking pin (T10340) |

## 829072 - ENGINE TIMING KIT VAG DIESEL TRANSPORTER, LT - 2.4, 2.5

VAG - AUDI - VOLKSWAGEN

The 829072 kit provides the essential timing tools required for the VW 2.4/2.5 diesel engines listed below.





**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880081 | 2065A | Setting bracket (zinc PL.) |
| 2 | 4880146 | 3355 | 32mm. hex wrench tensioner pulley |
| 3 | 4880145 | T50009 | Mm 23161 15x vw crafter crankshaft alignment pin (T50009) |
| 4 | 4880071 | 2064 | Setting spigot (chem. black) (pin 15.5 X 67) |
| 5 | 4880167 | T10025 | Flywheel sprocket holding tool (zinc PL.) |

## 829073 - ENGINE TIMING KIT VAG PETROL FSI/TFSI - 2.0

VAG - AUDI - VOLKSWAGEN

The 829073 kit provides the essential camshaft timing tools required when removing the camshaft drive chain in the cylinder head of the 2.0 TFSi amd FSi petrol engines found across the VAG ranges. These engines use a Belt to drive one camshaft and a chain in the rear of the head to drive the second camshaft.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880017 | T10020//V.159 | Tensioner |
| 2 | 4880144 | T40011 | Tensioner locking pin 1.4mm BZP & clear passivate |
| 3 | 4880153 | T10252 | Camshaft setting tool-VAG FSI T10252 |
| 4 | 4880154 | 3366 | Chain tensioner retainer |
| 5 | 4880155 | T10092 | Tensioner bolt |
| 6 | 4880157 | T10060/A | Tensioner pin |


## 829074 - ENGINE TIMING KIT VAG PETROL FSI V6/V8 - 2.4/3.2

VAG - AUDI - VOLKSWAGEN

The 829074 kit has the essential timing tools required for the 2.4 and 3.2 V6 FSi engines as well as the 5 cylinder 2.5 FSi petrol engines found in the Audi range.

Equivalent to OEM = T40069, T40070





**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880160 | T40070 | Camshaft alignment tool VAG T40070 |
| 2 | 4880161 | T40069 | TDC alignment pin VAG T40069 |
| 3 | 4880162 | T40071 | Clip |
| 4 | 4880047 | - | Washer M8 zinc plated |
| 5 | 4880212 | - | M8 X 50 LG bolt DIN 931 |

## 829075 - ENGINE TIMING KIT VAG DIESEL V6 TDI - 2.7, 3.0

VAG - AUDI - VOLKSWAGEN

This kit has been specifically designed as a kit to suit the popular 2.7/3.0 TDi and TDi CR (common rail) chain driven diesel engine found in the VAG range





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880056 | 3242 | Locking pin (chem. black) |
| 2 | 4880092 | 3359 | Injection pump timing pin |
| 3 | 4880147 | T40049 | Crankshaft turning tool (T40049) |
| 4 | 4880156 | T40058 | Pulley bolt |
| 5 | 4880148 | T40060 | Camshaft alignment pin assembly (T40060) |
| 6 | 4880149 | T40061 | Camshaft alignment tool - Audi (T40061) |
| 7 | 4880150 | T40062 | Tensioning tool Audi (T40062) |
| 8 | 4880151 | - | Chain tensioner pin |


## 829076 - CAMSHAFT SETTING TOOL VAG PETROL 16V FSI (BELT DRIVE) - 1.4, 1.6

VAG - AUDI - VOLKSWAGEN

BELT PETROL

A small but essential kit for setting the camshafts on the popular 1,4 and 1,6 Fsi petrol engines found across the VAG ranges from 1996 to 2008. These engines use one belt to transfer the drive from the crankshaft to one camshaft then a second belt to transfer the drive across the camshafts. Depending on the engine specification the cam setting pins may be used with or without the cross bar provided.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880094 | T10016/T10074 | Camshaft locking tool - VAG |


## 829077 - ENGINE TIMING KIT VAG DIESEL PD TDI - 1.2, 1.4, 1.9, 2.0

VAG - AUDI - VOLKSWAGEN

BELT DIESEL

VAG diesel engine timing tool master kit offered specifically for the applications listed on our website. Designed to allow the replacement of the camshaft drive belts found on the popular VAG diesel engines from 1999 to 2015.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880250 | E10347 04 | Dia. 4.0mm tensioner pin |
| 2 | 4880251 | E10347 07 | Dia. 7.0mm tensioner pin |
| 3 | 4880274 | T10115 | Locking pin |
| 4 | 4880092 | T20102, 3359 | Injection pump timing pin |
| 5 | 4880093 | T10008 | Tensioning tool (zinc PL. Y) |
| 6 | 4880140 | T10050 | Crankshaft locking tool |
| 7 | 4880141 | T10100 | Crankshaft alignment tool |
| 8 | 4880157 | T10060 | Tensioner pin |
| 9 | 4880195 | T40098 | Tensioner pulley locking pin assembly [T40098] |
| 10 | 4880196 | T10265 | Tensioner pulley locking pin assy Ø2.5. [T10265] |
| 11 | 4880197 | T10264 | 6mm ball end hex key |
| 12 | 4880252 | E10347 08 | Dia. 8.0mm tensioner pin |
| 13 | 4880017 | T10020 / V.159 | Tensioner |
| 14 | 4880016 | T10020 / 2287 | Tension wrench |


## 829078 - ENGINE TIMING KIT VAG PETROL, DIESEL - 1.7, 1.9 (DIESEL), 1.6, 2.0 (PETROL)

VAG - AUDI - VOLKSWAGEN

DIESEL CHAIN BELT PETROL

VAG combination kit





**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880017 | T10020 | Tensioner |
| 2 | 4880015 | 2587, MatraV159 | Tension wrench |
| 3 | 4880081 | 2065A | Setting bracket (zinc PL.) |
| 4 | 4880142 | - | M5 x 60 HT setscrew S/Col |
| 5 | 4880158 | T10098 | Camshaft setting bracket |
| 6 | 4880092 | T20102, 3359 | Injection pump timing pin |
| 7 | 4880071 | 2064 | Setting spigot (chem. black) (pin 15.5 x 67) |
| 8 | 4880144 | T40011 | Tensioner locking pin 1.4mm bzp & clear passivate |
| 9 | 4880143 | - | Stud and nut assembly |
| 10 | 4880155 | T10092 | Tensioner bolt |
| 11 | 4880154 | T20018, 3366, T20044 | Chain tensioner retainer |

## 829090 - CAMBELT TENSIONER WRENCH VAG 30MM PETROL - 1.0, 1.2, 1.4

A 12 point (double Hex) 30 mm cam belt tensioner wrench intended for use on VAG vehicles as listed on our website. The 829090 VAG tension wrench is designed to allow the user to adjust the camshaft drive belt tensioner in the manor described by the manufacturer. The 829090 is specifically designed for use on the latest range of 1.0lt, 1.2lt and 1.4lt belt driven petrol turbo charged petrol engines.

Equivalent to OEM T10499






**COMPONENTS**


| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829090 | T10499 | Cam belt tensioner wrench VAG 30mm petrol - 1,0/1,2/1,4 |

## 829092 - AUXILLIARY DRIVE BELT WRENCH PETROL TFSI 16MM VAG - 1.4

A 16.0 mm across flats spanner with PVC handle intended for use on VAG vehicles (predominantly Volkswagen) utilising the 1.4 TSI engines. The cranked spanner is required for releasing tension on the auxiliary drive belt, which is achieved by rotating the engines' spring loaded belt tensioner away from the belt.

Equivalent to OEM T10447







**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829092 | T10447 | Auxiliary Drive Belt Wrench Petrol TFSi 16mm VAG - 1,4 |

## 829093 - TIMING CHAIN TENSIONER LEVER VAG PETROL TFSI - 1.8/2.0

The 829093 is a specially designed tensioner lever for later generation III 1.8 & 2.0 4v TFSI engines. This one piece lever allows the user to push back the timing chain tensioner without removing the front engine cover. The 829093 is the Sonic equivalent to the VAG original equipment number T40243.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829093 | T40243 | Timing Chain Tensioner Lever VAG Petrol TFSi - 1,8/2,0 |

## 829099 - CAM BELT TENSIONER WRENCH VAG, VOLVO 32MM DISELS TDI - 2.5

The 829099 is a 32mm multi hex wrench designed to fit the tensioner used on the VAG 2.5 TDi/SDi diesel engines. Equivalent to OEM number 3355.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880146 | 3355, 999 5649 , 999-5649 | 32mm. hex wrench tensioner pulley |

## 829100 - CAM BELT TENSIONER WRENCH VAG ADJUSTABLE HEAD

The 829100 is an adjustable cam-belt tensioner tool. Equivalent to EOM T10020 and Matra V159.







**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829100 | T10020//Matra V159 | Cam belt tensioner wrench VAG adjustable head |

## 829103 - FRONT PANEL GUIDE SET VW T5 VAN

829103 allows the user to space the front of the T5 van off away from the front of the vehicle without disconnecting all the front panel pipe work saving significant time and ensuring the panel does not fall so preventing damage. Screw in place of main front panel mounting pins. Supplied as a set of 4.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880306 | T10288 | VW (2004 - onwards) T5 front body panel guide pin assy |

## 829108 - CAM BELT TENSIONER TOOL SET VAG TDI - 1.9, 2.0

VAG - AUDI - VOLKSWAGEN

BELT DIESEL

The 829108 used during timing belt replacement on Volkswagen 1.9/2.0 TDi PD SOHC, 4 cylinder diesel engines where there is restricted access to the tensioner pulley rollers due to the modified sub-frame mountings.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880197 | T10264 | 6 mm ball end hex key |
| 2 | 4880196 | T10265 | Tensioner pulley locking pin assy Ø2.5. [T10265] |
| 3 | 4880195 | T40098 | Tensioner pulley locking pin assembly [T40098] |






## 829109 - WATER PUMP PULLER KIT VAG DIESEL - 2.5

VAG - AUDI - VOLKSWAGEN


DIESEL

The 829109 Water pump puller tool set is equivalent to the OEM tools required to remove the water pump and water pump pulley on the VAG 2.5 diesel engines found in the VW T5 van and Touareg vehicles.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880164 | T10225 | Special wrench VAG |
| 2 | 4880163 | T10221A | Puller VAG T10221 |
| 3 | 4880166 | T10222A | Water pump tool |






08

## 829115 - ENGINE TIMING TOOL SET - VAG 1,4/1,6/2,0I TDI CR

VAG - AUDI - VOLKSWAGEN


BELT DIESEL

The 829115 is a comprehensive kit for removal and fitting of the camshaft drive belt on the popular 1.4, 1.6 and 2.0 VAG TDi CR diesel engines found across the VAG ranges from 2012. The engines covered utilise a belt with transfer gears in the head. Included in the kit are the pins required for timing the camshafts in the head, updated for 2018.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880196 | T10265 | Tensioner pulley locking pin assy Ø2.5. [T10265] |
| 2 | 4880197 | T10264 | 6mm ball end hex key |
| 3 | 4880413 | T10409 | 8mm hex key |
| 4 | 4880308 | T10492 | 6mm locking pin |
| 5 | 4880157 | T100600A | Tensioner pin |
| 6 | 4880096 | T10490 | Locking pin (8mm dia. 70 long) |
| 7 | 4880304 | T10490 | Machined plate for crankshaft positioning/holding tool |
| 8 | 4880152 | T10051 | Pulley holding tool g.A vag |






## 829117 - ENGINE TIMING KIT VAG/PORSCHE

VAG - AUDI - VOLKSWAGEN


PETROL CHAIN

The 829117 timing tool kit provides the essential camshaft, crankshaft and petrol fuel pump alignment tools to allow replacement of the camshaft drive chain on the 2001 to 2015 6 and 8 cylinder FSi petrol engines found in the VAG and Porsche ranges.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880360 | T10068-A | Camshaft alignment plate x 2 |
| 2 | 4880361 | T10069 | Crankshaft pulley holding tool |
| 3 | 4880407 | T40237 | Crankshaft TDC locking screw |
| 4 | 4880362 | T10363 | Fuel pump sprocket locking tool (with mechanical vacuum pump) |
| 5 | 4880363 | T10332 | Fuel pump sprocket locking tool (no mechanical vacuum pump) |






## 829118 - FUEL PUMP DRIVE BELT KIT - VAG TDI 2,7/3,0

VAG - AUDI - VOLKSWAGEN

BELT DIESEL

829118 has been developed specifically for the VAG 2.7L and 3.0L TDI diesel engines from 2007 that are equipped with a belt driven high pressure diesel pump. The kit contains all the components to allow the removal and replacement of the pump belt while maintaining the pump and engine timing.
Component equivalent to OEM tools – T40135, 3242, T10320, T40058.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880364 | T40135 | High pressure pump locking tool |
| 2 | 4880407 | 3242/T40237 | Crankshaft tdc locking screw |
| 3 | 4880365 | T10320 | Camshaft sprocket puller |
| 4 | 4880156 | T40058 | Pulley bolt |


## 829122 - VIBRATION DAMPER HOLDING TOOL - 1,8/2,0 TFSI/TSI

VAG - AUDI - VOLKSWAGEN

PETROL CHAIN

A comprehensive kit used for dismantling and assembling the vibration damper on the applications listed. The vibration damper fitted to the VAG 1.8 | 2.0 TFSi | TSi engines is held in place by a single central bolt. The pulley clamps the crankshaft timing chain sprocket against the end of the crankshaft, there is no traditional key way and the sprocket is not supported by the crankshaft. If the pulley bolt is removed without using the 829122 the crankshaft chain sprocket can easily separate from the crankshaft causing the timing position to be lost. The 829122 is an essential kit required to maintain the engine timing when removing the front vibration damper and should be used whenever the vibration damper is removed for instance when replacing the front crankshaft oil seal. N.B. for replacement of the camshaft drive chain additional tooling will be required – see Sonic Equipment 829066 Engine Timing Kit.
The 829122 can also be used on earlier engines as the VW tool T10531 replaces the older tool T10368.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880382 | T10531/1 | Vibration damper holding tool |
| 2 | 4880383 | T10531/3 | Crankshaft sprocket holding tool adapter |
| 3 | 4880384 | T10531/4 & T10531/2 | Crankshaft sprocket holding tool nut |




## 829123 - CRANKSHAFT HOLDING TOOLS WRENCH - VAG

VAG - AUDI - VOLKSWAGEN

BELT PETROL

The 829123 has been designed to hold the crankshaft pulley while loosening or tightening the crankshaft centre bolt. The tool has a short handle for easy storage with a 1/2"D square to allow use with a power bar to extend the effective handle length. Double sided tool for tightening and loosening the fixing bolts.





**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829123 | 3415 & 3415/1 | Crankshaft Holding Tools Wrench - VAG |


## 829125 - CAMSHAFT ALIGNMENT KIT VAG 1,4TFSI

VAG - AUDI - VOLKSWAGEN

BELT PETROL

The 829125 timing tool kit provides the essential camshaft and crankshaft setting tools to allow replacement of the camshaft drive belt on the new (2012 onwards) VAG 1.4 TFSi petrol engines.






**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880386 | T10504 | Camshaft positioning tool - EU registered design |
| 2 | 4880388 | T10504/1 | Camshaft timing pin |
| 3 | 4880199 | T10320 | Locking pin (T10340) |
| 4 | 4880387 | T10504/2 | Camshaft timing check pin |

# Timing tools

## 829129 - ENGINE TIMING TOOL KIT - AUDI RS3, Q3, TT 2,5


**VAG - AUDI - VOLKSWAGEN**

The 829129 timing tool kit provides the essential camshaft, crankshaft setting tools and camshaft adjuster holding tool to allow replacement of the camshaft drive chains on the 2.5 TFSi 5 cylinder petrol engines found in the Audi TT and RS3 models.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880160 | T40070 | Camshaft alignment tool VAG T40070 |
| 2 | 4880212 | Bolts M8 X 50mm Din 931 | M8 x 50 LG bolt DIN 931 |
| 3 | 4880274 | T03006 | Locking pin |
| 4 | 4880400 | T03003 | Crankshaft pulley bolt adapter |
| 5 | 4880161 | T40069 | TDC alignment pin vag T40069 |
| 6 | 4880399 | T40079 | Camshaft adjuster holding tool |






## 829044 - ENGINE TIMING KIT FORD/VOLVO PETROL - 1.25, 1.4, 1.6, 1.8, 2.0


**VOLVO**

The 829044 kit has been developed specifically for late Ford 1.25lt, 1.4lt, 1.6lt, petrol engines. Coverage also includes some 1.8lt, 2.0lt & 2.3lt engines

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880049 | 21-163, 303-574 | Crankshaft locking pin - Ford (chem. black) |
| 2 | 4880051 | 21-210, 303-507 | Mazda screw |
| 3 | 4880052 | 21-259, 303-748 | Setting pin (chem. black) |
| 4 | 4880274 | 303-1054 | Locking pin |
| 5 | 4880050 | 303-376B | Camshaft alignment strap (chem. black) |






## 829048 - ENGINE TIMING KIT FORD, VOLVO SCTI ECOBOOST PETROL - 1.6


**VOLVO**

The 829048 kit has been developed specifically for the 1.6 direct injection petrol engines fitted with variable valve timing and found in both the Ford and Volvo ranges. 829048 is a 4 piece kit consisting of the components required to lock the crankshaft and cam pulleys in their timed position to allow the removal and replacement of the camshaft timing belt. The 829048 also includes the crankshaft front pulley alignment tool.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880249 | 303-1054 | Dia. 3.0mm tensioner pin |
| 2 | 4880270 | 303-1550, 999-7431 | Ford 1.6 ecoboost crankshaft pulley alignment Tool assembly |
| 3 | 4880049 | 303-748, 999-7406 | Crankshaft locking pin - Ford (chem. black) |
| 4 | 4880069 | 303-1097, 999-7429 | Camshaft sprocket locking tool 303-1097 |






## 829079 - ENGINE TIMING KIT VOLVO DIESEL 5 CYLINDER - 2.0, 2.4


**VOLVO**

The 829079 kit provides all the essential engine timing tools to set and lock the engine components of the popular Volvo 2,0lt and 2,4lt 5 cylinder diesel engines to allow camshaft belt replacement.
- Additional recommended tooling – Sonic recommends the use of Sonic 829089 crankshaft pulley holding tool when tightening or loosening the crankshaft pulley fixing bolt.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880272 | 999-7005 | Volvo crankshaft timing pin (999-7005) |
| 2 | 4880271 | 999-7007 | Volvo camshaft timing pin (999-7007) |
| 3 | 4880096 | 999-7122 | Locking pin (8mm dia. 70 long) |
| 4 | 4880097 | 999-7169 | Locking pin (8mm dia x 60) |
| 5 | 4880068 | 999-7121 | Timing pin |
| 6 | 4880106 | 999-7120 | Flywheel lock (zinc PL.) |
| 7 | 4880061 | 999-7119 | Flywheel locking tool-Ford |
| 8 | - | 999-7119 | Tooth block for reference 7 |
| 9 | 4880332 | - | M8 x 20 H.T. setscrew |
| 10 | 4880047 | - | Washer M8 zinc plated |
| 11 | 4880197 | - | 6mm ball end hex key |
| 12 | 4880090 | 999-7233 | Setting pin 5.0mm (5 x 50) |





## 829080 - ENGINE TIMING KIT VOLVO PETROL GTDI - 2.0

VOLVO


PETROL CHAIN

The 829080 is a 6 piece engine timing kit designed for the Volvo 2.0 direct injection petrol engines found in Volvo vehicles from 2010. Developed to allow the timing chain to be replaced whilst locking the crankshaft and camshafts in their correct timed positions. The 829080 also includes the special Volvo type crankshaft position sensor alignment tool.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880245 | 999 7405, 303-1504 | Ford GTDI M14 camshaft alignment tool assy |
| 2 | 4880290 | 999 7416 | Volvo 2.0 GTDI CKP sensor alignment tool |
| 3 | 4880049 | 999 7406, 303-748 | Crankshaft locking pin - Ford (chem. black) |
| 4 | 4880249 | - | Dia. 3.0mm tensioner pin |
| 5 | 4880289 | 999 7415 | Volvo 2.0 GTDI position setting tool |





## 829081 - ENGINE TIMING KIT VAG PETROL 3 CYLINDER - 1.0

VOLVO


BELT DIESEL

The 829081 kit has been developed specifically for the 1.6 D Volvo drive/D2 engines. 829081 is a 3 piece kit consisting of the components required to lock the crankshaft, crank pulley and the cam pulley in their timed position to allow the removal and replacement of the camshaft timing belt. Whilst the 829081 has been specifically put together to cover the latest generation 1.6 diesel engines from Volvo, the kit includes components that are also relevant to earlier Ford engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880064 | 303-734, 999-7169 | Flywheel locking pin (12 x 55) |
| 2 | 4880096 | 303-735, 999-7122 | Locking pin (8mm dia. 70 long) |
| 3 | 4880090 | 303-732, 999-7121 | Setting pin 5.0mm (5 x 50) |







## 829082 - ENGINE TIMING KIT RENAULT, VOLVO PETROL TWIN CAM 16V/20V - 2.0, 2.4

VOLVO


BELT PETROL

The 829082 kit provides all the essential engine timing tools to set and lock the engine components of the popular Renault/Volvo 2,0lt and 2,5lt petrol engines to allow camshaft belt replacement. Also offers coverage for the 1.6, 1.8, 1.9 and 2.3 derivatives. See attached applications.
• Additional recommended tooling – Sonic recommends the use of Sonic 829089 crankshaft pulley holding tool when tightening or loosening the crankshaft pulley fixing bolt.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880101 | MOT 1340, 999 5451 | Timing pin |
| 2 | 4880105 | MOT 1348 | Tensioning tool (no sleeve) |
| 3 | 4880107 | MOT 1337, 999 5452 | Camshaft setting tool |
| 4 | 4880051 | 303-507, 999 7152 | Mazda screw |
| 5 | 4880050 | 303-376B | Camshaft alignment strap (chem. black) |
| 6 | | - | Hex-head bolt for 3 |





## 829089 - CAMSHAFT SETTING TOOL VOLVO/FORD

VOLVO

PETROL

The 829089 is designed to hold the front crankshaft pulley while tightening or loosening the pulley fixings across the Volvo range of engines and the Ford 2.5 petrol engine found in the ST Focus etc.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829089 | 999 5433, 303-1179 | Crankshaft holding tool Volvo/Ford |





## 829099 - CAM BELT TENSIONER WRENCH VAG, VOLVO 32MM DISELS TDI - 2.5

VOLVO

BELT DIESEL

The 829099 is a 32mm multi hex wrench designed to fit the tensioner used on the VAG 2.5 TDi/SDi diesel engines. Equivalent to OEM number 3355.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| A | 4880146 | 3355, 999 5649 , 999-5649 | 32mm. hex wrench tensioner pulley |





## 829133 - ENGINE SERVICE LIT VOLVO/FORD 2,5 PETROL

VOLVO


BELT PETROL

Developed specifically for the 2.5 DOHC petrol engines used by Ford and Volvo.
• The kit contains all of the components to allow the camshafts to be held in the correct position whilst setting the tappets and for replacement of the front crankshaft oil seal.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880411 | 303-1183,999 5765 | Camshaft holding bracket - base |
| 2 | 4880410 | 303-1183 | Camshaft holding bracket - clamp |
| 3 | 4880412 | 303-1183 | Camshaft holding bracket - connecting piece |
| 4 | 4880349 | 303-1183 | M10 x 15lg caphead screw to ISO 4762 |
| 5 | 4880351 | - | M6 x 40 screws |
| 6 | 4880214 | - | M6 x 50 caphead screw |
| 7 | 4880408 | 303-1180 | Crankshaft seal fitting drift |
| 8 | 4880409 | 303-1180 | Crankshaft seal fitting guide |






## 829096 - DIESEL INJECTION PUMP TIMING KIT BOSCH/NIKI/NIPPON DENSO/LUCAS CAV

UNIVERSAL


DIESEL

The 829096 tool kit is required when setting up Bosch EP/VE Rotary, Nikki, Nippon Denso, CAV roto-diesel injection pumps (top entry port) and the PSA XUD range of engines.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 4880083 | | Adaptor assy zinc |
| 2 | 4880084 | | DTI extension item 3 |
| 3 | 4880085 | | Connector (chem. black) |
| 4 | 4880086 | | M14 adaptor assembly |
| 5 | 4880087 | | Plunger |
| 6 | 4880088 | 999 5382 | Probe assembly |
| 7 | 4880089 | 999 5382 | DTI/CAV mounting bracket |
| 8 | 4880124 | | Adaptor M8 short assy. |
| 9 | 4880125 | | Dti extension item 2 |
| 10 | 4880126 | | Adaptor M10 short |
| 11 | 4880123 | KM 571A, 3313 | DTI -ORD. style c/w test cert. |






## 829098 - SPROCKET HOLDING TOOL UNIVERSAL

UNIVERSAL


DIESEL PETROL


The 829098 is a sprocket holding wrench used to tighten and loosen camshaft sprockets against to prevent damage to timing pins and camshafts.

**COMPONENTS**

| REF | ART. NO. | OEM | DESCRIPTION |
|---|---|---|---|
| 1 | 829098 | 6016T, 1 860 831 000, 1 860 885 000, 1 842 128 000, 15-030A, MOT 799, MP1-216, 3036, 5199, 1 822 146 000, 1 822 155 000, 205-072, U20002, 999 5645, 999-5199, 999-5705, 15-30-A, 15-030-A, MP 1-216, 999 5199, 999-5645, 999 5705, 9880, MB990767, UN205 072, 0132-AA | Sprocket holding tool - universal |







# ALWAYS A SOLUTION

# Efficiency all the way through



**Improve your store** or showroom and increase your turnover rate **with our Sonic displays.**



All products are tagged and those suitable labelled

Displays are linkable





# Displays

**709405 - DISPLAY 1 MTR. WITH 94 ITEMS**

| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 100904 | 1 | Bit socket set 1/4", hex on rail, 9-pcs |
| | 101001 | 1 | Socket set 1/4", on rail, 10-pcs |
| | 101002 | 1 | Socket set 1/4", TX on rail, 10-pcs |
| | 101004 | 1 | Bit socket set 1/4", TX on rail, 10-pcs |
| | 104602 | 1 | Combination set 1/4", 46-pcs BMCS |
| | 1310...2 | 3 | Screwdriver PH, PH.0, PH.1, PH.2 |
| | 13303...65 | 3 | Screwdriver slotted, 3, 4, 6,5mm |
| | 201001 | 1 | Socket set 3/8", on rail, 10-pcs |
| | 201002 | 1 | Socket set 3/8", TX on rail, 10-pcs |
| | 201003 | 1 | Bit socket set 3/8", hex on rail, 10-pcs |
| | 201005 | 1 | Bit socket set 3/8", TX on rail, 10-pcs |
| | 203703 | 1 | Socket set & wrench set 3/8", 37-pcs BMCS |
| | 206102 | 1 | Socket & bit socket set 3/8", 61-pcs BMCS |
| | 300902 | 1 | Socket set 1/2", TX-E on rail, 9-pcs |
| | 301003 | 1 | Bit socket set 1/2", hex on rail, 10-pcs |
| | 301005 | 1 | Bit socket set 1/2", TX on rail, 10-pcs |
| | 301201 | 1 | Socket on rail, 1/2", 12 pt.cs |
| | 309402 | 1 | Socket set 1/4" & 1/2", 94-pcs BMCS |
| | 3310115...22 | 5 | Wheel socket 1/2", 6 pt. 15, 17, 19, 21, 22mm |
| | 3358513...22 | 9 | Deep impact socket 1/2", 6 pt.<br>13, 17, 19, 21, 22, 24, 27, 30, 32mm |
| | 3397824 | 1 | Deep impact socket 1/2", 12 pt. 24mm |
| | 41506...24 | 16 | Combination wrench<br>6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm |
| | 4170208...19 | 5 | Reversible ratcheting wrench 12 pt.<br>8, 10, 13, 17, 19mm |
| | 42301250 | 1 | Adjustable wrench 10" |
| | 4311175 | 1 | Combination pliers 7" |
| | 4321200 | 1 | Long nose pliers 8" |
| | 4331200 | 1 | Bent long nose pliers 8" |
| | 4341175 | 1 | Diagonal pliers 7" |
| | 4351250 | 1 | Waterpump pliers 10" |
| | 4380250 | 1 | Locking pliers 10" |
| | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
| | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
| | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
| | 46806 | 1 | Utility knife (incl. 10 blades) |
| | 47013 | 1 | Measuring tape 5 meter |
| | 47022 | 1 | Volt circuit tester 6-24V |
| | 47537 | 1 | Flexible hex nut driver, 7mm |
| | 47903 | 1 | Scraper |
| | 600618 | 1 | Screwdriver set in colored box, 6-pcs |
| | 600619 | 1 | Screwdriver set TX in colored box, 6-pcs |
| | 600620 | 1 | Screwdriver set TX-H in colored box, 6-pcs |
| | 600902 | 1 | TX key set extra long, 9-pcs |
| | 601008 | 1 | Hex ball key set extra long, 10-pcs |
| | 601702 | 1 | Combination wrench set in pouch, 17-pcs |
| | multi 602006 | 1 | Screwdriver set, 20-pcs |




| | | | |
|---|---|---|---|
| | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
| | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
| | 7120901 | 1 | Ratchet 1/4", 45 teeth |
| | 7120902 | 1 | Ratchet 3/8", 45 teeth |
| | 7120903 | 1 | Ratchet 1/2", 45 teeth |
| | 7133250 | 1 | Sliding T-handle 1/2" |
| | 7141050...150 | 2 | Extension 1/4", 50mml, 150mml |
| | 7142075...150 | 2 | Extension 3/8", 75mml, 150mml |
| | 7143125...250 | 2 | Extension 1/2", 125mml, 250mml |
| | 71511 | 1 | Universal joint 1/4" |
| | 71521 | 1 | Universal joint 3/8" |
| | 71531 | 1 | Universal joint 1/2" |
| | 7172216...21 | 3 | Spark plug 3/8" clip socket 16, 18, 21mm |
| | 7232200 | 1 | Swivel handle 3/8", 200mml |

**For a complete INVENTORY ORDER LIST see our website**

# Displays

**709704 - DISPLAY 1 METER WITH 97 ITEMS (TOOLS ONLY)**

| TOOLS | | ART. NO. | | CONTENTS | Q'TY |
|---|---|---|---|---|---|
| | - | 103502 | 1 | Socket & bit set 1/4", 35-pcs BMCS | 1 |
| | - | 104602 | 1 | Combination set 1/4", 46-pcs BMCS | 1 |
| | | 1310...2 | 3 | Screwdriver PH, PH.0, PH.1, PH.2 | 2 |
| | | 13303...65 | 3 | Screwdriver slotted, 3, 4, 6.5mm | 2 |
| | - | 203703 | 1 | Socket and wrench set 3/8", 37-pcs BMCS | 1 |
| | - | 204003 | 1 | Combination set 3/8", 40-pcs BMCS | 1 |
| | - | 206102 | 1 | Socket & bit socket set 3/8", 61-pcs BMCS | 1 |
| | - | 300817 | 1 | Bit socket TX set 1/2", 8-pcs BMCS | 1 |
| | - | 300818 | 1 | Bit socket TX long set 1/2", 8-pcs BMCS | 1 |
| | - | 300819 | 1 | Bit socket spline set 1/2", 8-pcs BMCS | 1 |
| | - | 300820 | 1 | Bit socket spline long set 1/2", 8-pcs BMCS | 1 |
| | | 301201 | 1 | Socket on rail, 1/2", 12-pcs | 2 |
| | - | 301904 | 1 | Socket set 1/2", 19-pcs BMCS | 1 |
| | - | 304501 | 1 | Socket and wrench set 1/2", 45-pcs BMCS | 1 |
| | - | 309402 | 1 | Socket set 1/4" & 1/2", 94-pcs BMCS | 1 |
| | - | 309901 | 1 | Socket set 1/4", 3/8" & 1/2", 99-pcs BMCS | 1 |
| | | 3310117...21 | 3 | Wheel socket 1/2", 6 pt. 17, 19, 21mm | 2 |
| | | 3358513...22 | 4 | Deep impact socket 1/2", 6 pt. ,13, 15, 21, 22mm | 2 |
| | - | 41506...24 | 16 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm | 2 |
| | - | 4170208...19 | 5 | Reversible ratcheting wrench 12 pt. 8, 10, 13, 17, 19mm | 2 |
| | - | 42301250 | 1 | Adjustable wrench 10" | 2 |
| | - | 4311175 | 1 | Combination pliers 7" | 2 |
| | - | 4321200 | 1 | Long nose pliers 8" | 2 |
| | - | 4331200 | 1 | Bent long nose pliers 8" | 2 |
| | - | 4341175 | 1 | Diagonal pliers 7" | 2 |
| | - | 4351250 | 1 | Waterpump pliers 10" | 2 |
| | - | 4380250 | 1 | Locking pliers 10" | 2 |
| | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr | 2 |
| | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr | 2 |
| | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr | 2 |
| | - | 46807 | 1 | Utility knife (incl. 3 blades) | 2 |
| | - | 46905 | 1 | Triangular file for brakes 8" | 1 |
| | - | 47013 | 1 | Measuring tape 5 meter | 2 |
| | - | 47017 | 1 | Multimeter AC/DC | 2 |
| | - | 47022 | 1 | Volt circuit tester 6-24V | 2 |
| | - | 47023 | 1 | Digital brake fluid tester | 2 |
| | - | 47537 | 1 | Flexible hex nut driver, 7mm | 2 |
| | - | 47901 | 1 | Door upholstery panel remover small 100mml | 2 |
| | - | 47902 | 1 | Door upholstery panel remover 110mml | 2 |
| | - | 47904 | 1 | Cotter pin puller | 2 |
| | - | 47903 | 1 | Scraper | 2 |
| | - | 4820515 | 1 | MAG work light | 1 |
| | - | 4820516 | 1 | Pocket-sized, ultra-slim work light | 1 |
| | - | 4820517 | 1 | Work lamp with top flash light | 1 |
| | - | 4820518 | 1 | Headlamp | 1 |
| | - | 4821102 | 1 | MAG LED work light and torch in one | 1 |
| | - | 600439 | 1 | Mini hook set, 4-pcs | 2 |
| | | 600902 | 1 | TX key set extra long, 9-pcs | 2 |
| | | 601008 | 1 | Hex ball key set extra long, 10-pcs | 2 |
| | - | 601702 | 1 | Combination wrench set in pouch, 17-pcs | 1 |
| | multi | 602006 | 1 | Screwdriver set, 20-pcs | 1 |




| TOOLS | | ART. NO. | | CONTENTS | Q'TY |
|---|---|---|---|---|---|
| | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth | 2 |
| | - | 7120901 | 1 | Ratchet 1/4", 45 teeth | 2 |
| | - | 7141050...150 | 2 | Extension 1/4", 50, 150mml | 2 |
| | - | 71511 | 1 | Universal joint 1/4" | 2 |
| | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth | 2 |
| | - | 7120902 | 1 | Ratchet 3/8", 45 teeth | 2 |
| | - | 71521 | 1 | Universal joint 3/8" | 2 |
| | - | 7142075...150 | 2 | Extension 3/8", 75, 150mml | 2 |
| | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm | 2 |
| | - | 7120903 | 1 | Ratchet 1/2", 45 teeth | 2 |
| | - | 7133250 | 1 | Sliding T-handle 1/2" | 2 |
| | - | 71531 | 1 | Universal joint 1/2" | 2 |
| | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml | 2 |

**For a complete INVENTORY ORDER LIST see our website**





**724705 - DISPLAY 2 MTR. WITH 247 ITEMS**

| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| | 100904 | 1 | Bit socket set 1/4", hex on rail, 9-pcs |
| | 101001 | 1 | Socket set 1/4", on rail, 10-pcs |
| | 101002 | 1 | Socket set 1/4", TX on rail, 10-pcs |
| | 101004 | 1 | Bit socket set 1/4", TX on rail, 10-pcs |
| - | 104602 | 1 | Combination set 1/4", 46-pcs BMCS |
| - | 12425008...10 | 2 | Hex nut driver 8, 10mm |
| | 1310...3 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | 13610...40 | 7 | Screwdriver TX, T10, T15, T20, T25, T27, T30, T40 |
| | 14423008...10 | 2 | Hex nut driver T-handle 8, 10mm |
| | 201001 | 1 | Socket set 3/8", on rail, 10-pcs |
| | 201002 | 1 | Socket set 3/8", TX on rail, 10-pcs |
| | 201003 | 1 | Bit socket set 3/8", hex on rail, 10-pcs |
| | 201005 | 1 | Bit socket set 3/8", TX on rail, 10-pcs |

| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
| - | 203703 | 1 | Socket & wrench set 3/8", 37-pcs BMCS |
| - | 206102 | 1 | Socket & bit socket set 3/8", 61-pcs BMCS |
| | 21504...13 | 10 | Flank socket 1/4", 6 pt.<br>4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 2155004...13 | 11 | Flank deep socket 1/4", 6 pt.<br>4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm |
| | 21555 | 1 | Flank socket 1/4", 6 pt. 5.5mm |
| | 21608...10 | 2 | Socket 1/4", TX E8, E10 |
| | 2165008...10 | 2 | Deep socket 1/4", TX E8, E10 |
| | 22507...22 | 14 | Flank socket 3/8", 6 pt.<br>7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm |
| | 2256307...19 | 12 | Flank deep socket 3/8", 6 pt.<br>7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 23510...27 | 16 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm |
| | 2357710...30 | 13 | Flank deep socket 1/2", 6 pt.<br>10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 30mm |
| - | 300817 | 1 | Bit socket set 1/2", TX 8-pcs BMCS |
| - | 300818 | 1 | Bit socket set 1/2", TX 8-pcs BMCS |
| | 300902 | 1 | Socket set 1/2", TX on rail, 9-pcs |

# Displays

| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
|  | | 301003 | 1 | Bit socket set 1/2", hex on rail, 10-pcs |
|  | | 301005 | 1 | Bit socket set 1/2", TX on rail, 10-pcs |
|  | | 301201 | 1 | Socket set 1/2" 12 pt. on rail, 12pcs |
|  | - | 304201 | 1 | Bit set 10mml 42-pcs |
|  | - | 309402 | 1 | Socket set in suitcase 94-pcs BMCS |
|  | - | 309901 | 1 | Socket set in suitcase 99-pcs BMCS |
|  | | 3310115...19 | 3 | Wheel socket 1/2", 15, 17, 19mm |
|  | | 3358513...32 | 10 | Deep impact socket 1/2", 6 pt.<br>13, 15, 17, 19, 21, 22, 24, 27, 30, 32mm |
|  | | 3397824...27 | 2 | Deep impact socket 1/2", 12 pt. 24, 27mm |
|  | | 3398534...36 | 3 | Deep impact socket 1/2" 12 pt. 34, 35, 36mm |
|  | - | 41506...32 | 21 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm |
|  | - | 4170208...19 | 11 | Reversible ratcheting wrench 12 pt.<br>8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
|  | - | 4311175 | 1 | Combination pliers 7" |
|  | - | 4321200 | 1 | Long nose pliers 8" |
|  | - | 4331200 | 1 | Bent long nose pliers 8" |
|  | - | 4341175 | 1 | Diagonal pliers 7" |
|  | - | 4351250 | 1 | Waterpump pliers 10" |
|  | - | 4380250 | 1 | Locking pliers 10" |
|  | - | 4450300 | 1 | Oil filter pliers 12" |
|  | - | 4471250 | 1 | Wire stripper 10" |
|  | - | 45110141 | 1 | Grip chisel 140mml 10 |
|  | - | 45112160 | 1 | Grip chisel 160mml 12 |
|  | - | 45118190 | 1 | Grip chisel 190mml 18 |
|  | - | 45124220 | 1 | Grip chisel 220mml 24 |
|  | - | 4527190 | 1 | Grip cape chisel 190mml 7" |
|  | - | 4533150 | 1 | Grip pin punch 150mml 3" |
|  | - | 4534180 | 1 | Grip pin punch 180mml 4" |
|  | - | 4535200 | 1 | Grip pin punch 200mml 5" |
|  | - | 4536210 | 1 | Grip pin punch 210mml 6" |
|  | - | 4564185 | 1 | Grip center punch 185mml 4" |
|  | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
|  | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
|  | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
|  | - | 46807 | 1 | Utility knife (incl. 3 blades) |
|  | - | 47002 | 1 | Feeler gauge 26-pcs |
|  | - | 47013 | 1 | Measuring tape 5 meter |
|  | - | 47022 | 1 | Volt circuit tester 6-24V |
|  | - | 47537 | 1 | Flexible hex nut driver, 7mm |
|  | - | 47902 | 1 | Door upholstery panel remover 110mml |
|  | - | 47903 | 1 | Scraper |
|  | - | 4820110 | 1 | Telescopic magnet |
|  | - | 4820514 | 1 | Rechargeable COB work light 2W |
|  | - | 4820515 | 1 | MAG work light |
|  | - | 4820517 | 1 | Work lamp with top flash light |
|  | - | 4831101 | 1 | Flat chisel 240mml 26" |
|  | | 600618 | 1 | Screwdriver set in colored box, 6-pcs |
|  | | 600619 | 1 | Screwdriver set TX in colored box, 6-pcs |
|  | | 600620 | 1 | Screwdriver set TX-H in colored box, 6-pcs |
|  | | 600813 | 1 | Foldable TX key set, 8-pcs |
|  | | 600902 | 1 | TX key set extra long, 9-pcs |
|  | - | 601001 | 1 | 16 in 1 ratchet screwdriver |
|  | | 601006 | 1 | Hex ball long key set 10-pcs |

| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
|  | | 601008 | 1 | Hex ball key set extra long, 10-pcs |
|  | - | 601219 | 1 | Reversible ratcheting wrench 12 pt. in pouch, 12-pcs |
|  | - | 601401 | 1 | Combination wrench set in pouch, 14-pcs |
|  | - | 601702 | 1 | Combination wrench set in pouch, 17-pcs |
|  | multi | 602006 | 1 | Screwdriver set, 20-pcs |
|  | - | 7110101 | 1 | Flexible ratchet 1/4", 45 teeth |
|  | - | 7110202 | 1 | Rotor ratchet 3/8", 72 teeth |
|  | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
|  | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
|  | - | 7120701 | 1 | Ratchet 1/4", 72 teeth |
|  | - | 7120901 | 1 | Ratchet 1/4", 45 teeth |
|  | - | 7120902 | 1 | Ratchet 3/8", 45 teeth |
|  | - | 7120903 | 1 | Ratchet 1/2", 45 teeth |
|  | - | 7133250 | 1 | Sliding T-handle 1/2" |
|  | - | 7141050...150 | 2 | Extension 1/4", 50mml, 150mml |
|  | - | 7142075...150 | 2 | Extension 3/8", 75mml, 150mml |
|  | - | 7143125...250 | 2 | Extension 1/2", 125mml, 250mml |
|  | - | 71511 | 1 | Universal joint 1/4" |
|  | - | 71521 | 1 | Universal joint 3/8" |
|  | - | 71531 | 1 | Universal joint 1/2" |
|  | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
|  | | 7174214 | 1 | Spark plug socket 12 pt. 3/8", 14mm (90mml) |
|  | | 7175214 | 1 | Spark plug socket 12 pt. 3/8", 14mm (250mml) |
|  | - | 7232200 | 1 | Swivel handle 3/8", 200mml |
|  | - | 73220550 | 1 | Torques wrench 3/8", 5-50Nm |
|  | - | 732320200 | 1 | Torques wrench 1/2", 20-200Nm |
|  | - | 801018 | 1 | Brake caliper service set, 18-pcs |
|  | - | 813003 | 1 | Wire stripper 0.2-6.0mm 200L |

**For a complete INVENTORY ORDER LIST see our website**

09




**737405 - DISPLAY 3 MTR. WITH 374 ITEMS**




| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 101002 | 1 | Socket set 1/4", TX on rail, 10-pcs |
| | 101004 | 1 | Bit socket set 1/4", TX on rail, 10-pcs |
| - | 104602 | 1 | Combination set 1/4", 46-pcs BMCS |
| | 1310...13 | 4 | Screwdriver PH, PH.0, PH.1, PH.2, PH.3 |
| | 13303...08 | 6 | Screwdriver slotted, 3, 3.5, 4, 5.5, 6.5, 8mm |
| | 13610...30 | 6 | Screwdriver TX, T10, T15, T20, T25, T27, T30 |
| | 14423008...10 | 2 | Hex nut driver T-handle 8, 10mm |
| | 1950203...04 | 2 | Hex ball point grip key 3, 4mm |
| | 201001 | 1 | Socket set 3/8", on rail, 10-pcs |
| | 201002 | 1 | Socket set 3/8", TX on rail, 10-pcs |
| | 201003 | 1 | Bit socket set 3/8", hex on rail, 10-pcs |
| | 201005 | 1 | Bit socket set 3/8", TX on rail, 10-pcs |
| | 201006 | 1 | Bit socket set 3/8", TX-H on rail, 10-pcs |
| | 201201 | 1 | Bit socket set 3/8", ribe & spline on rail, 12 pt. 12-pcs |
| - | 203703 | 1 | Socket and wrench set 3/8", 37-pcs BMCS |
| - | 206102 | 1 | Socket & bit socket set 3/8", 61-pcs BMCS |
| | 21555...13 | 7 | Flank socket 1/4", 6 pt. 5.5, 6, 7, 8, 10, 12, 13mm |
| | 2155006...13 | 5 | Flank deep socket 1/4", 6 pt. 6, 7, 8, 10, 13mm |
| | 22507...19 | 12 | Flank socket 3/8", 6 pt. 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 2256308...19 | 11 | Flank deep socket 3/8", 6 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm |
| | 22608...18 | 7 | Socket 3/8", TX E8, E10, E11, E12, E14, E16, E18 |
| | 23510...32 | 18 | Flank socket 1/2", 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 28, 30, 32mm |

| TOOLS | ART. NO. | | CONTENTS |
|---|---|---|---|
| | 2357710...30 | 13 | Flank deep socket 1/2", 6 pt. 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24,30mm |
| - | 300603 | 1 | Adaptor set 6-pcs |
| - | 300817 | 1 | Bit socket TX set 1/2", 8-pcs BMCS |
| - | 300818 | 1 | Bit socket TX long set 1/2", 8-pcs BMCS |
| | 300902 | 1 | Socket 1/2", TX-E set on rail, 9-pcs |
| | 301007 | 1 | Socket set on rail, 1/2", 10-pcs |
| - | 304201 | 1 | Bit set 10mml 42-pcs |
| - | 309402 | 1 | Socket set 1/4" & 1/2" 94-pcs BMCS |
| - | 309901 | 1 | Socket set 1/4", 3/8" & 1/2" 99-pcs BMCS |
| | 3310115...22 | 5 | Wheel socket 1/2", 15, 17, 19, 21, 22mm |
| | 3358513...32 | 9 | Deep impact socket 1/2", 6 pt. 13, 17, 19, 21, 22, 24, 27, 30, 32mm |
| | 3397824...34 | 3 | Deep impact socket 1/2", 12 pt. 24, 27, 34mm |
| | 3398536 | 1 | Deep impact socket 1/2", 12 pt. 36mm |
| - | 4110810...14 | 3 | Flare nut wrench 8x10, 11x13, 12x14 |
| - | 4120607...1617 | 6 | Hinged socket wrench 6X7, 8X9, 10X11, 12X13, 14X15, 16X17mm |
| - | 41506...32 | 21 | Combination wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 |
| - | 4170208...19 | 10 | Reversible ratcheting wrench 12 pt. 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm |
| - | 42301250...2300 | 2 | Adjustable wrench 10", 12" |
| - | 4311175 | 1 | Combination pliers 7" |
| - | 4321200 | 1 | Long nose pliers 8" |
| - | 4331200 | 1 | Bent long nose pliers 8" |
| - | 4341175 | 1 | Diagonal pliers 7" |


# Displays

| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
|  | - | 4342200 | 1 | Leverage diagonal pliers 8" |
|  | - | 4351180 | 1 | Waterpump pliers 7" |
|  | - | 4351250 | 1 | Waterpump pliers 10" |
|  | - | 43611 | 1 | Snap ring pliers (straight-open) |
|  | - | 43612 | 1 | Snap ring pliers (straight-close) |
|  | - | 43613 | 1 | Snap ring pliers (bent-open) |
|  | - | 43614 | 1 | Snap ring pliers (bent-close) |
|  | - | 4380250 | 1 | Locking pliers 10" |
|  | - | 4450250 | 1 | Oil filter pliers 10" |
|  | - | 4450300 | 1 | Oil filter pliers 12" |
|  | - | 4471250 | 1 | Wire stripper 10" |
|  | - | 45118190 | 1 | Grip chisel 190mml 18 |
|  | - | 45124220 | 1 | Grip chisel 220mml 24 |
|  | - | 4533150 | 1 | Grip pin punch 150mml 3" |
|  | - | 4534180 | 1 | Grip pin punch 180mml 4" |
|  | - | 4536210 | 1 | Grip pin punch 210mml 6" |
|  | - | 4611400 | 1 | Machinist hammer with ash handle, 512gr |
|  | - | 4620400 | 1 | Install hammer soft/hard, with ash handle, 608gr |
|  | - | 4631000 | 1 | Stoning hammer with ash handle, 1106gr |
|  | - | 46601 | 1 | Super heavy duty hacksaw |
|  | - | 46806 | 1 | Utility knife (incl. 10 blades) |
|  | - | 46807 | 1 | Utility knife (incl. 3 blades) |
|  | - | 46911 | 1 | Flat file 8" |
|  | - | 46912 | 1 | Half round file 8" |
|  | - | 46913 | 1 | Round file 8" |
|  | - | 46914 | 1 | Triangular file 8" |
|  | - | 47002 | 1 | Feeler gauge 26-pcs |
|  | - | 47013 | 1 | Measuring tape 5 meter |
|  | - | 47017 | 1 | Multimeter AC/DC |
|  | - | 47022 | 1 | Volt circuit tester 6-24V |
|  | - | 47023 | 1 | Digital brake fluid tester |
|  | - | 47537 | 1 | Flexible hex nut driver, 7mm |
|  | - | 47901 | 1 | Door upholstery panel remover small 100mml |
|  | | 47902 | 1 | Door upholstery panel remover 110mml |
|  | - | 47903 | 1 | Scraper |
|  | - | 47904 | 1 | Cotter pin puller |
|  | - | 48023 | 1 | Jack stands, 3 ton |
|  | - | 48025 | 1 | Scissor jack 1 ton |
|  | - | 4820513 | 1 | Inspections work light 8W |
|  | - | 4820514 | 1 | Rechargeable COB work light 2W |
|  | - | 4820515 | 1 | MAG work light |
|  | - | 4820516 | 1 | Pocket-sized, ultra-slim work light |
|  | - | 4820517 | 1 | Work lamp with top flash light |
|  | - | 4820518 | 1 | Headlamp |
|  | - | 4821102 | 1 | MAG LED work light and torch in one |
|  | - | 4821105 | 1 | Flash pen |
|  | - | 48212380 | 1 | Pry bar 380 mm |
|  | - | 600439 | 1 | Mini hook set 4-pcs |
|  | - | 600507 | 1 | Flexible flare nut wrench set, 5-pcs |
|  | | 600618 | 1 | Screwdriver set in colored box, 6-pcs |
|  | | 600619 | 1 | Screwdriver set TX in colored box, 6-pcs |
|  | | 600620 | 1 | Screwdriver set TX-H in colored box, 6-pcs |

| TOOLS | | ART. NO. | CONTENTS | |
|---|---|---|---|---|
|  | | 600813 | 1 | Foldable TX key set, 8-pcs |
|  | | 600902 | 1 | TX key set extra long, 9-pcs |
|  | | 600912 | 1 | Hex ball stubby key set, 9-pcs |
|  | - | 601001 | 1 | 16 in 1 Ratchet screwdriver |
|  | | 601006 | 1 | Hex ball key set, long, 10-pcs |
|  | | 601007 | 1 | Hex key wrench set, extra long, 10-pcs |
|  | | 601008 | 1 | Hex ball key set extra long, 10-pcs |
|  | - | 601219 | 1 | Reversible ratcheting wrench 12 pt. in pouch, 12-pcs |
|  | - | 601401 | 1 | Combination wrench set in pouch, 14-pcs |
|  | - | 601702 | 1 | Combination wrench set in pouch, 17-pcs |
|  | multi | 602006 | 1 | Screwdriver set, 20-pcs |
|  | - | 7110101 | 1 | Flexible ratchet 1/4", 45 teeth |
|  | - | 7110102 | 1 | Flexible ratchet 3/8", 45 teeth |
|  | - | 7110202 | 1 | Rotor ratchet 3/8", 72 teeth |
|  | - | 7110301 | 1 | Disc ratchet 1/4", 72 teeth |
|  | - | 7110302 | 1 | Disc ratchet 3/8", 72 teeth |
|  | - | 7120701 | 1 | Ratchet 1/4", 72 teeth |
|  | - | 7120901 | 1 | Ratchet 1/4", 45 teeth |
|  | - | 7120902 | 1 | Ratchet 3/8", 45 teeth |
|  | - | 7120903 | 1 | Ratchet 1/2", 45 teeth |
|  | - | 7133250 | 1 | Sliding T-handle 1/2" |
|  | - | 7141050...1150 | 3 | Extension 1/4", 50, 100, 150mml |
|  | - | 7142044...2250 | 4 | Extension 3/8", 44, 75, 150, 250mml |
|  | - | 7143125...250 | 2 | Extension 1/2", 125, 250mml |
|  | - | 71511 | 1 | Universal joint 1/4" |
|  | - | 71521 | 1 | Universal joint 3/8" |
|  | - | 71531 | 1 | Universal joint 1/2" |
|  | - | 71632 | 1 | Adaptor for extension 1/2"(F) x 3/8"(M) |
|  | | 7172216...21 | 3 | Spark plug clip socket 3/8", 16, 18, 21mm |
|  | | 7174214 | 1 | Spark plug socket 12 pt. 3/8", 14mm (90mml) |
|  | | 7175214 | 1 | Spark plug socket 12 pt. 3/8", 14mm (250mml) |
|  | - | 7233600 | 1 | Swivel handle 1/2", 600mml |
|  | - | 7273380 | 1 | Swivel grip handle 1/2", 370mml |
|  | - | 73220550 | 1 | Torques wrench 3/8", 10-50Nm |
|  | - | 732320200 | 1 | Torques wrench 1/2", 40-200Nm |
|  | - | 732360300 | 1 | Torques wrench 1/2", 60-300Nm |
|  | - | 73531 | 1 | Impact universal joint 1/2" |
|  | - | 801016 | 1 | Brake caliper service set, pneumatic 16-pcs |
|  | - | 801018 | 1 | Brake caliper service set 18-pcs |
|  | - | 802214 | 1 | Drain plug key set 3/8", 14-pcs |
|  | - | 803005 | 1 | Pry remover set 5-pcs |
|  | - | 805001 | 1 | Glow plug socket set 3/8", 3-pcs |
|  | - | 806001 | 1 | Alternator tools 13-pcs |
|  | | 807001 | 1 | Hub nut impact socket set 1/2", 12-pt. 3-pcs |
|  | | 8113701...03 | 3 | Bit socket PH 1/4", PH.1, PH.2, PH.3 |
|  | - | 813001 | 1 | Crimping plier set with exchangeable heads 7-pcs |
|  | - | 813003 | 1 | Wire stripper 0.2-6.0mm |
|  | | 8143703...10 | 6 | Bit socket hex 1/4", 3, 4, 5, 6, 7, 10mm |
|  | | 8163710...40 | 7 | Bit socket TX 1/4", T10, T15, T20, T25, T27, T30, T40 |
|  | | 8173720...30 | 4 | Bit socket TX tamperproof 1/4", T20H, T25H, T27H, T30H |
|  | - | 821001 | 1 | Pry removal master kit 27-pcs |
|  | | 8244804...12 | 9 | Bit socket hex 3/8", 4, 5, 5.5, 6, 7, 8, 9, 10, 12mm |

| TOOLS | ART. NO. | CONTENTS | |
|---|---|---|---|
|  | 8264815...55 | 9 | Bit socket TX 3/8",<br>T15, T20, T25, T27, T30, T40, T45, T50, T55 |
|  | 8274820...50 | 7 | Bit socket TX tamperproof 3/8",<br>T20H, T25H, T27H, T30H, T40H, T45H, T50H |
|  | 8284806...12 | 5 | Bit socket spline 3/8", M6, M8, M9, M10, M12 |
|  | 83406205...12 | 6 | Bit socket hex 1/2", 5, 6, 7, 8, 10, 12mm |
|  | 83410006...08 | 3 | Bit socket hex 1/2", 100mml 6, 7, 8mm |
|  | 83606227...60 | 7 | Bit socket TX 1/2", T27, T30, T40, T45, T50, T55, T60 |
|  | 83610040...55 | 4 | Bit socket TX 1/2", 100mml T40, T45, T50, T55 |
|  | 83706227...55 | 6 | Bit socket tamperproof 1/2",<br>TX T27H, T30H, T40H, T45H, T50H, T55H |
|  | 83710040 | 1 | Bit socket tamperproof 1/2", TX 100mml T40H |
|  | 83806206...16 | 6 | Bit socket spline 1/2", M6, M8, M10, M12, M14, M16 |
|  | 83810006...14 | 5 | Bit socket spline 1/2", 100mml M6, M8, M10, M12, M14 |
|  | 86807818 | 1 | Impact bit socket XZN 1/2", 78L M18 |

For a complete INVENTORY ORDER LIST see our website




09

**WALLDISPLAY EMPTY**

| ART. NO. | DESCRIPTION |
|---|---|
| 47653 | Display 1 meter including hooks and lightbox |
| 47654 | Display 2 meter including hooks and lightbox |
| 47655 | Display 3 meter including hooks and lightbox |
| 47534 | Light box Sonic |
| 47535 | Single hook L10 Ø4mm |




SONIC



> Screwdrivers, PH
PAGE 317



> Screwdrivers, PZ
PAGE 317



> Screwdrivers, slotted
PAGE 317



> Screwdrivers, TX
PAGE 318



> Screwdrivers, TX tamperproof
PAGE 318



> Hex nut drivers
PAGE 318



> Flexible hex nut drivers
PAGE 319



> Hex nut drivers T-handle
PAGE 319



> Hex ball point grip key
PAGE 319



> TX grip key
PAGE 319



> Hammer screwdrivers
PAGE 317



> VDE screwdrivers
PAGE 317, 318

# Unique ergonomic grip for maximum torque

5 shaped handles for perfect grip



Our Sonic screwdrivers have an **excellent sturdy construction** and a **unique ergonomic grip.**



- Magnetic black tip
- Light weight chrome vanadium steel
- Chemical and fluid resistant

DIN TESTED



Strongest tip








## SCREWDRIVER, PH


DIN NO. ISO 8764-1 + 8764-2

| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1310 | PH.0 | 60 | 152 | 20 | 10 |
| 1311 | PH.1 | 80 | 183 | 62 | 10 |
| 1312 | PH.2 | 100 | 215 | 94 | 10 |
| 1313 | PH.3 | 150 | 274 | 156 | 10 |

## SCREWDRIVER, STUBBY PH


DIN NO. ISO 8764-1 + 8764-2

| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1311S | PH.1 | 38 | 104 | 44 | 10 |
| 1312S | PH.2 | 38 | 104 | 48 | 10 |

## HAMMER GO-THROUGH SCREWDRIVER, PH

DIN NO. ISO 8764-1 + 8764-2





| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 15101 | PH.1 | 75 | 179 | 84 | 5 |
| 15102 | PH.2 | 100 | 215 | 138 | 5 |

## SCREWDRIVER LONG

DIN NO. ISO 2380-1 + 2380-2






| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1312502 | PH.2 | 250 | 365 | 130 | 10 |
| 1314502 | PH.2 | 450 | 565 | 218 | 5 |

## VDE SCREWDRIVER, PH

DIN NO. ISO 8764 + EN 60900






| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1610 | PH.0 | 60 | 133 | 20 | 5 |
| 1611 | PH.1 | 80 | 184 | 62 | 5 |
| 1612 | PH.2 | 100 | 215 | 94 | 5 |

## SCREWDRIVER, PZ


DIN NO. ISO 8764-1 + 8764-2

| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1320 | PZ.0 | 60 | 152 | 22 | 10 |
| 1321 | PZ.1 | 80 | 183 | 64 | 10 |
| 1322 | PZ.2 | 100 | 215 | 96 | 10 |
| 1323 | PZ.3 | 150 | 274 | 158 | 5 |

## SCREWDRIVER, STUBBY PZ


DIN NO. ISO 8764-1 + 8764-2

| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1321S | PZ.1 | 38 | 104 | 42 | 10 |
| 1322S | PZ.2 | 38 | 104 | 48 | 10 |

## SCREWDRIVER, SLOTTED


DIN NO. ISO 2380-1 + 2380-2

| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 13303 | 3 | 75 | 167 | 20 | 10 |
| 13335 | 3.5 | 100 | 192 | 24 | 10 |
| 13304 | 4 | 100 | 192 | 28 | 10 |
| 13355 | 5.5 | 125 | 228 | 72 | 10 |
| 13365 | 6.5 | 150 | 265 | 104 | 10 |
| 13308 | 8 | 175 | 299 | 164 | 10 |
| 13310 | 10 | 200 | 324 | 228 | 10 |
| 13312 | 12 | 200 | 324 | 238 | 10 |

## SCREWDRIVER, STUBBY SLOTTED


DIN NO. ISO 2380-1 + 2380-2

| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 133055S | 5.5 | 38 | 104 | 44 | 10 |
| 133065S | 6.5 | 38 | 104 | 48 | 10 |

## HAMMER GO-THROUGH SCREWDRIVER, SLOTTED

DIN NO. ISO 2380-1 + 2380-2





| ART.NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1530155 | 5.5 | 100 | 204 | 88 | 5 |
| 1530165 | 6.5 | 125 | 240 | 144 | 5 |
| 1530108 | 8 | 150 | 275 | 208 | 5 |

## SCREWDRIVER LONG

DIN NO. ISO 2380-1 + 2380-2





| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 13325004 | 4 | 250 | 342 | 52 | 10 |
| 13325055 | 5.5 | 250 | 353 | 92 | 10 |
| 13325065 | 6.5 | 250 | 365 | 132 | 10 |
| 13345065 | 6.5 | 450 | 565 | 218 | 5 |
| 13360008 | 8 | 600 | 724 | 370 | 5 |

# Screwdrivers

## VDE SCREWDRIVER, SLOTTED

DIN NO. ISO 2380 + EN 60900



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 16325 | 2.5 | 75 | 148 | 20 | 5 |
| 16304 | 4 | 100 | 204 | 62 | 5 |
| 16355 | 5.5 | 125 | 229 | 78 | 5 |
| 16365 | 6.5 | 150 | 265 | 116 | 5 |

## ELECTRONIC SCREWDRIVER



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 17320002 | 2 | 100 | 192 | 20 | 10 |

## MULTIFUNCTIONAL AC/DC VOLTAGE TESTER

DIN NO. ISO 8764-1 + 8764-2



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47016 | 133 | 20 | 5 |

## SCREWDRIVER, TX



| ART. NO. | SIZE | L1 (MM) | L (MM) | N.W. (G) | PCS/BAG |
|---|---|---|---|---|---|
| 13605 | T5 | 75 | 167 | 24 | 10 |
| 13606 | T6 | 75 | 167 | 24 | 10 |
| 13607 | T7 | 75 | 167 | 24 | 10 |
| 13608 | T8 | 75 | 167 | 24 | 10 |
| 13609 | T9 | 75 | 167 | 26 | 10 |
| 13610 | T10 | 100 | 203 | 64 | 10 |
| 13615 | T15 | 100 | 203 | 66 | 10 |
| 13620 | T20 | 100 | 203 | 68 | 10 |
| 13625 | T25 | 100 | 215 | 94 | 10 |
| 13627 | T27 | 100 | 215 | 94 | 10 |
| 13630 | T30 | 100 | 215 | 94 | 10 |
| 13640 | T40 | 100 | 215 | 102 | 10 |
| 13645 | T45 | 100 | 224 | 136 | 10 |

## SCREWDRIVER LONG



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1342503 | 3 | 250 | 342 | 46 | 10 |
| 1342504 | 4 | 250 | 353 | 94 | 10 |
| 1342505 | 5 | 250 | 365 | 132 | 10 |
| 1342506 | 6 | 250 | 365 | 156 | 10 |

## SCREWDRIVER, TX



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 13625015 | T15 | 250 | 353 | 94 | 10 |
| 13625020 | T20 | 250 | 353 | 94 | 10 |
| 13625025 | T25 | 250 | 365 | 132 | 10 |
| 13625027 | T27 | 250 | 365 | 132 | 10 |
| 13625030 | T30 | 250 | 365 | 132 | 10 |
| 13625040 | T40 | 250 | 365 | 132 | 10 |
| 13625045 | T45 | 250 | 365 | 184 | 10 |

## SCREWDRIVER, TX TAMPERPROOF



| ART. NO. | SIZE | L1 (MM) | L (MM) | N.W. (G) | PCS/BAG |
|---|---|---|---|---|---|
| 13708 | T8H | 75 | 167 | 24 | 10 |
| 13710 | T10H | 100 | 203 | 64 | 10 |
| 13715 | T15H | 100 | 203 | 66 | 10 |
| 13720 | T20H | 100 | 203 | 68 | 10 |
| 13725 | T25H | 100 | 215 | 94 | 10 |
| 13727 | T27H | 100 | 215 | 94 | 10 |
| 13730 | T30H | 100 | 215 | 94 | 10 |
| 13740 | T40H | 100 | 215 | 102 | 10 |

## HEX NUT DRIVER



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 12425004 | 4 | 125 | 240 | 115 | 10 |
| 12425005 | 5 | 125 | 240 | 119 | 10 |
| 124250055 | 5.5 | 125 | 240 | 121 | 10 |
| 12425006 | 6 | 125 | 240 | 123 | 10 |
| 12425008 | 8 | 125 | 240 | 131 | 10 |
| 12425009 | 9 | 125 | 240 | 131 | 10 |
| 12425010 | 10 | 125 | 240 | 135 | 10 |
| 12425011 | 11 | 125 | 249 | 167 | 10 |
| 12425012 | 12 | 125 | 249 | 171 | 10 |
| 12425013 | 13 | 125 | 249 | 173 | 10 |

## FLEXIBLE HEX NUT DRIVER



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47536 | 6 | 150 | 274 | 151 | 10 |
| 47537 | 7 | 150 | 274 | 151 | 10 |
| 47538 | 8 | 150 | 274 | 151 | 10 |

## FLEXIBLE SOCKET SCREWDRIVER



| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 4753701 | 7 | 545 | 260 | 10 |

## HEX NUT DRIVER T-HANDLE

DIN NO. ISO 3125



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 14423005 | 5 | 230 | 287 | 112 | 5 |
| 14423006 | 6 | 230 | 287 | 136 | 5 |
| 14423007 | 7 | 230 | 287 | 146 | 5 |
| 14423008 | 8 | 230 | 287 | 148 | 5 |
| 14423009 | 9 | 230 | 287 | 150 | 5 |
| 14423010 | 10 | 230 | 287 | 156 | 5 |
| 14423011 | 11 | 230 | 287 | 188 | 5 |
| 14423012 | 12 | 230 | 287 | 192 | 5 |
| 14423013 | 13 | 230 | 287 | 196 | 5 |

## HEX BALL POINT GRIP KEY

DIN NR. ISO 2936



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1950202 | 2 | 103 | 142 | 18 | 10 |
| 19502025 | 2.5 | 103 | 142 | 20 | 10 |
| 1950203 | 3 | 103 | 142 | 24 | 10 |
| 1950204 | 4 | 103 | 142 | 36 | 10 |
| 1950205 | 5 | 153 | 206 | 80 | 10 |
| 1950206 | 6 | 153 | 206 | 100 | 10 |
| 1950207 | 7 | 153 | 206 | 120 | 10 |
| 1950208 | 8 | 193 | 246 | 178 | 10 |
| 1950210 | 10 | 200 | 270 | 336 | 10 |
| 1950212 | 12 | 200 | 270 | 434 | 10 |

## TX GRIP KEY



| ART. NO. | SIZE | L1(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1960208 | T8 | 103 | 142 | 26 | 10 |
| 1960210 | T10 | 103 | 142 | 28 | 10 |
| 1960215 | T15 | 103 | 142 | 28 | 10 |
| 1960220 | T20 | 103 | 142 | 28 | 10 |
| 1960225 | T25 | 153 | 206 | 80 | 10 |
| 1960227 | T27 | 153 | 206 | 80 | 10 |
| 1960230 | T30 | 153 | 206 | 80 | 10 |
| 1960240 | T40 | 178 | 231 | 106 | 10 |
| 1960245 | T45 | 200 | 270 | 188 | 10 |
| 1960250 | T50 | 200 | 270 | 236 | 10 |

## 16 IN 1 RATCHET SCREWDRIVER




| ART. NO. | CONTENTS | PCS |
|---|---|---|
| 601001-1 | Ratchet grip | 1 |
| 601001-2 | Bit holder | 1 |
| 601001-3 | Bit PH.1 + PH.2 | 1 |
| 601001-4 | Bit PZ.1 + PZ.2 | 1 |
| 601001-5 | Bit slotted 3.5mm + 5mm | 1 |
| 601001-6 | Bit 1/4" driver | 1 |
| 601001-7 | Bit T10 + T15 | 1 |
| 601001-8 | Bit T20 + T25 | 1 |
| 601001-9 | Bit T27 + T30 | 1 |
| 601001-10 | Bit hex 3mm + 4mm | 1 |

## SCREWDRIVER TRY ME



| ART. NO. | L(MM) | D1(MM) | D2(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 47828 | 335 | 40,5 | 29 | 40,5 | 220 | 1 |


SONIC

# 11 > Sockets



> Sockets 1/4" 6 pt.
PAGE 323


> Sockets 1/4" 12 pt.
PAGE 323


> Sockets 1/4" SAE
PAGE 324


> Sockets 1/4" TX
PAGE 324


> Cardan sockets 1/4"
PAGE 324


> Sockets 3/8" 6 pt.
PAGE 325


> Sockets 3/8" 12 pt.
PAGE 326


> Sockets 3/8" SAE
PAGE 326


> Sockets 3/8" TX
PAGE 327


> Cardan sockets 3/8"
PAGE 327


> Glow plug sockets 3/8"
PAGE 328


> Sockets 1/2" 6 pt.
PAGE 328


> Sockets 1/2" 12 pt.
PAGE 329


> Sockets 1/2" SAE
PAGE 330


> Sockets 1/2" TX
PAGE 331


> Cardan sockets 1/2"
PAGE 331


> Sockets 3/4" 12 pt.
PAGE 331


> Sockets 3/4" SAE
PAGE 332


> Sockets 1" 12 pt.
PAGE 332


> Wheel sockets 1/2" 6 pt.
PAGE 332


> Impact sockets 3/8" 6 pt.
PAGE 333


> Brake caliper socket 1/2"
PAGE 334


> Impact sockets 1/2" 6 pt.
PAGE 334


> Impact sockets 1/2" 12 pt.
PAGE 335


> Impact cardan sockets 1/2" 6 pt.
PAGE 335


> Impact socket 1/2", TX
PAGE 336


> Impact sockets 3/4" 6 pt.
PAGE 336


> Impact sockets 3/4" 12 pt.
PAGE 337


> Impact sockets 3/4" TX
PAGE 337


> Impact sockets 1" 6 pt.
PAGE 338


> Spark plug sockets 3/8"
PAGE 339


> Spark plug sockets 1/2"
PAGE 339

# Outstanding grip on flanks



Slim fit

## Our Sonic sockets **bring strength without causing damage.**

- Industrial finish
- Direct fit
- Knurled to improve anti slip





6.3 1/4" | 10 3/8" | 12.5 1/2" | 20 3/4" | 25 1"





Minimum tolerance



## FLANK SOCKET 1/4", 6 PT

DIN NO. 3120/3124





6.3 1/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 21503 | 3 | 25 | 6 | 10 | 10 |
| 21504 | 4 | 25 | 6,8 | 10 | 10 |
| 21545 | 4.5 | 25 | 7,2 | 10 | 10 |
| 21505 | 5 | 25 | 7,8 | 10 | 10 |
| 21555 | 5.5 | 25 | 8,4 | 10 | 10 |
| 21506 | 6 | 25 | 9,3 | 10 | 10 |
| 21507 | 7 | 25 | 11 | 12 | 10 |
| 21508 | 8 | 25 | 12 | 10 | 10 |
| 21509 | 9 | 25 | 13 | 12 | 10 |
| 21510 | 10 | 25 | 15 | 12 | 10 |
| 21511 | 11 | 25 | 16 | 16 | 10 |
| 21512 | 12 | 25 | 17 | 18 | 10 |
| 21513 | 13 | 25 | 18 | 18 | 10 |
| 21514 | 14 | 25 | 19 | 26 | 10 |

## SOCKET 1/4", 12 PT.

DIN NO. 3120





6.3 1/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 21804 | 4 | 25 | 6,8 | 10 | 10 |
| 21845 | 4.5 | 25 | 7,2 | 10 | 10 |
| 21805 | 5 | 25 | 7,8 | 10 | 10 |
| 21855 | 5.5 | 25 | 8,4 | 10 | 10 |
| 21806 | 6 | 25 | 9,3 | 10 | 10 |
| 21807 | 7 | 25 | 11 | 12 | 10 |
| 21808 | 8 | 25 | 12 | 10 | 10 |
| 21809 | 9 | 25 | 13 | 12 | 10 |
| 21810 | 10 | 25 | 15 | 12 | 10 |
| 21811 | 11 | 25 | 16 | 16 | 10 |
| 21812 | 12 | 25 | 17 | 18 | 10 |
| 21813 | 13 | 25 | 18 | 18 | 10 |

## FLANK DEEP SOCKET 1/4", 6 PT.

DIN NO. 3120/3124





6.3 1/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2155004 | 4 | 50 | 6,8 | 16 | 10 |
| 21550045 | 4.5 | 50 | 7,2 | 16 | 10 |
| 2155005 | 5 | 50 | 7,8 | 16 | 10 |
| 21550055 | 5.5 | 50 | 8,4 | 14 | 10 |
| 2155006 | 6 | 50 | 9,3 | 18 | 10 |
| 2155007 | 7 | 50 | 11 | 22 | 10 |
| 2155008 | 8 | 50 | 12 | 22 | 10 |
| 2155009 | 9 | 50 | 13 | 28 | 10 |
| 2155010 | 10 | 50 | 15 | 32 | 10 |
| 2155011 | 11 | 50 | 16 | 38 | 10 |
| 2155012 | 12 | 50 | 17 | 42 | 10 |
| 2155013 | 13 | 50 | 18 | 46 | 10 |

## DEEP SOCKET 1/4", 12 PT.

DIN NO. 3120



6.3 1/4"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2185004 | 4 | 50 | 6,8 | 16 | 10 |
| 21850045 | 4.5 | 50 | 7,2 | 16 | 10 |
| 2185005 | 5 | 50 | 7,8 | 16 | 10 |
| 21850055 | 5.5 | 50 | 8,4 | 14 | 10 |
| 2185006 | 6 | 50 | 9,3 | 18 | 10 |
| 2185007 | 7 | 50 | 11 | 22 | 10 |
| 2185008 | 8 | 50 | 12 | 22 | 10 |
| 2185009 | 9 | 50 | 13 | 28 | 10 |
| 2185010 | 10 | 50 | 15 | 32 | 10 |
| 2185011 | 11 | 50 | 16 | 38 | 10 |
| 2185012 | 12 | 50 | 17 | 42 | 10 |
| 2185013 | 13 | 50 | 18 | 46 | 10 |

# Sockets

## SOCKET 1/4", 12 PT. SAE

DIN NO. 3120





6.3 1/4" SAE SONIC SAE TOOLS

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 21905 | 3/16" | 25 | 7,8 | 10 | 10 |
| 21955 | 7/32" | 25 | 8,4 | 10 | 10 |
| 21906 | 1/4" | 25 | 9,3 | 10 | 10 |
| 21907 | 9/32" | 25 | 11 | 10 | 10 |
| 21908 | 5/16" | 25 | 12 | 10 | 10 |
| 21909 | 11/32" | 25 | 13 | 10 | 10 |
| 21910 | 3/8" | 25 | 14 | 10 | 10 |
| 21911 | 7/16" | 25 | 16 | 15 | 10 |
| 21913 | 1/2" | 25 | 18 | 20 | 10 |
| 21914 | 9/16" | 25 | 20 | 26 | 10 |

## DEEP SOCKET 1/4", 12 PT. SAE

DIN NO. 3120





6.3 1/4" SAE SONIC SAE TOOLS

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2195005 | 3/16" | 50 | 7,2 | 15 | 10 |
| 21950055 | 7/32" | 50 | 8,4 | 15 | 10 |
| 2195006 | 1/4" | 50 | 9,3 | 20 | 10 |
| 2195007 | 9/32" | 50 | 11 | 20 | 10 |
| 2195008 | 5/16" | 50 | 12 | 20 | 10 |
| 2195009 | 11/32" | 50 | 13 | 25 | 10 |
| 2195010 | 3/8" | 50 | 14 | 30 | 10 |
| 2195011 | 7/16" | 50 | 16 | 35 | 10 |
| 2195012 | 1/2" | 50 | 18 | 45 | 10 |
| 2195014 | 9/16" | 50 | 20 | 48 | 10 |

## SOCKET 1/4", TX

DIN NO. 3120





6.3 1/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 21604 | E4 | 25 | 6 | 10 | 10 |
| 21605 | E5 | 25 | 7 | 10 | 10 |
| 21606 | E6 | 25 | 8 | 10 | 10 |
| 21607 | E7 | 25 | 9 | 10 | 10 |
| 21608 | E8 | 25 | 10 | 10 | 10 |
| 21610 | E10 | 25 | 11,5 | 12 | 10 |

## DEEP SOCKET 1/4", TX

DIN NO. 3120





6.3 1/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2165004 | E4 | 50 | 6 | 14 | 10 |
| 2165005 | E5 | 50 | 7 | 16 | 10 |
| 2165006 | E6 | 50 | 8 | 18 | 10 |
| 2165007 | E7 | 50 | 9 | 18 | 10 |
| 2165008 | E8 | 50 | 10 | 20 | 10 |
| 2165010 | E10 | 50 | 11,5 | 26 | 10 |

## CARDAN SOCKET 1/4", 12 PT.

DIN NO. 3120





6.3 1/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7151806 | 6 | 35 | 9,2 | 22 | 10 |
| 7151807 | 7 | 35 | 10,5 | 22 | 10 |
| 7151808 | 8 | 36,5 | 11,7 | 22 | 10 |
| 7151809 | 9 | 36,5 | 13 | 22 | 10 |
| 7151810 | 10 | 38,5 | 13,8 | 24 | 10 |
| 7151811 | 11 | 39,5 | 15,6 | 26 | 10 |
| 7151812 | 12 | 40 | 16,7 | 26 | 10 |
| 7151813 | 13 | 40 | 18 | 28 | 10 |

## CARDAN SOCKET 1/4", TX




6.3
1/4"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7151604 | E4 | 40 | 6 | 24 | 10 |
| 7151605 | E5 | 40 | 6,8 | 24 | 10 |
| 7151606 | E6 | 40 | 7,8 | 26 | 10 |
| 7151607 | E7 | 40 | 8,8 | 26 | 10 |
| 7151608 | E8 | 40 | 9,8 | 26 | 10 |

## FLANK SOCKET 3/8", 6 PT.

DIN NO. 3120/3124




10
3/8"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 22506 | 6 | 28 | 9,3 | 20 | 10 |
| 22507 | 7 | 28 | 10,6 | 22 | 10 |
| 22508 | 8 | 28 | 11,8 | 22 | 10 |
| 22509 | 9 | 28 | 13,2 | 22 | 10 |
| 22510 | 10 | 28 | 14,5 | 22 | 10 |
| 22511 | 11 | 28 | 15,7 | 24 | 10 |
| 22512 | 12 | 28 | 17 | 22 | 10 |
| 22513 | 13 | 28 | 18 | 24 | 10 |
| 22514 | 14 | 28 | 20 | 28 | 10 |
| 22515 | 15 | 28 | 22 | 34 | 10 |
| 22516 | 16 | 28 | 22 | 32 | 10 |
| 22517 | 17 | 30 | 24 | 40 | 10 |
| 22518 | 18 | 30 | 26 | 42 | 10 |
| 22519 | 19 | 30 | 26 | 46 | 10 |
| 22520 | 20 | 30 | 28 | 60 | 10 |
| 22521 | 21 | 30 | 28 | 50 | 10 |
| 22522 | 22 | 32 | 30 | 60 | 10 |
| 22524 | 24 | 32 | 32 | 62 | 10 |

## DEEP FLANK SOCKET 3/8", 6 PT.

DIN NO. 3120/3124




10
3/8"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2256306 | 6 | 63 | 9,3 | 34 | 10 |
| 2256307 | 7 | 63 | 10,6 | 36 | 10 |
| 2256308 | 8 | 63 | 11,8 | 34 | 10 |
| 2256309 | 9 | 63 | 13,2 | 44 | 10 |
| 2256310 | 10 | 63 | 14,5 | 46 | 10 |
| 2256311 | 11 | 63 | 15,7 | 50 | 10 |
| 2256312 | 12 | 63 | 18 | 62 | 10 |
| 2256313 | 13 | 63 | 19 | 68 | 10 |
| 2256314 | 14 | 63 | 20 | 74 | 10 |
| 2256315 | 15 | 63 | 22 | 96 | 10 |
| 2256316 | 16 | 63 | 22 | 82 | 10 |
| 2256317 | 17 | 63 | 24 | 106 | 10 |
| 2256318 | 18 | 63 | 26 | 130 | 10 |
| 2256319 | 19 | 63 | 26 | 116 | 10 |
| 2256320 | 20 | 63 | 28 | 148 | 10 |
| 2256321 | 21 | 63 | 28 | 126 | 10 |
| 2256322 | 22 | 63 | 30 | 160 | 10 |

# Sockets

## SOCKET 3/8", 12 PT.

DIN NO. 3120





10
3/8"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 22806 | 6 | 28 | 9,3 | 20 | 10 |
| 22807 | 7 | 28 | 10,6 | 22 | 10 |
| 22808 | 8 | 28 | 11,8 | 22 | 10 |
| 22809 | 9 | 28 | 13,2 | 22 | 10 |
| 22810 | 10 | 28 | 14,5 | 22 | 10 |
| 22811 | 11 | 28 | 15,7 | 24 | 10 |
| 22812 | 12 | 28 | 17 | 22 | 10 |
| 22813 | 13 | 28 | 18 | 24 | 10 |
| 22814 | 14 | 28 | 20 | 28 | 10 |
| 22815 | 15 | 28 | 22 | 34 | 10 |
| 22816 | 16 | 28 | 22 | 32 | 10 |
| 22817 | 17 | 30 | 24 | 40 | 10 |
| 22818 | 18 | 30 | 26 | 42 | 10 |
| 22819 | 19 | 30 | 26 | 46 | 10 |
| 22820 | 20 | 30 | 28 | 60 | 10 |
| 22821 | 21 | 30 | 28 | 50 | 10 |
| 22822 | 22 | 32 | 30 | 60 | 10 |
| 22824 | 24 | 32 | 32 | 62 | 10 |

## FLANK DEEP SOCKET 3/8", 12 PT.

DIN NO. 3120





10
3/8"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2286306 | 6 | 63 | 9,3 | 34 | 10 |
| 2286307 | 7 | 63 | 10,6 | 36 | 10 |
| 2286308 | 8 | 63 | 11,8 | 34 | 10 |
| 2286309 | 9 | 63 | 13,2 | 44 | 10 |
| 2286310 | 10 | 63 | 14,5 | 46 | 10 |
| 2286311 | 11 | 63 | 15,7 | 50 | 10 |
| 2286312 | 12 | 63 | 18 | 62 | 10 |
| 2286313 | 13 | 63 | 19 | 68 | 10 |
| 2286314 | 14 | 63 | 20 | 74 | 10 |
| 2286315 | 15 | 63 | 22 | 96 | 10 |
| 2286316 | 16 | 63 | 22 | 82 | 10 |
| 2286317 | 17 | 63 | 24 | 106 | 10 |
| 2286318 | 18 | 63 | 26 | 130 | 10 |
| 2286319 | 19 | 63 | 26 | 116 | 10 |
| 2286320 | 20 | 63 | 28 | 148 | 10 |
| 2286321 | 21 | 63 | 28 | 126 | 10 |
| 2286322 | 22 | 63 | 30 | 160 | 10 |
| 2286324 | 24 | 63 | 32 | 210 | 10 |

## SOCKET 3/8", 12 PT. SAE

DIN NO. 3120



10
3/8"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 22906 | 1/4" | 28 | 9,3 | 20 | 10 |
| 22908 | 5/16" | 28 | 11,8 | 20 | 10 |
| 22910 | 3/8" | 28 | 14,5 | 20 | 10 |
| 22911 | 7/16" | 28 | 15,7 | 20 | 10 |
| 22913 | 1/2" | 28 | 18 | 25 | 10 |
| 22914 | 9/16" | 28 | 20 | 25 | 10 |
| 22916 | 5/8" | 28 | 22 | 30 | 10 |
| 22917 | 11/16" | 30 | 24 | 35 | 10 |
| 22919 | 3/4" | 30 | 26 | 45 | 10 |
| 22921 | 13/16" | 30 | 28 | 50 | 10 |
| 22922 | 7/8" | 30 | 30 | 60 | 10 |



## DEEP SOCKET 3/8", 12 PT. SAE

DIN NO. 3120




10
3/8"

SAE SONIC SAE TOOLS



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2296306 | 1/4" | 63 | 11,4 | 42 | 10 |
| 2296308 | 5/16" | 63 | 12,4 | 44 | 10 |
| 2296310 | 3/8" | 63 | 14,5 | 45 | 10 |
| 2296311 | 7/16" | 63 | 15,7 | 50 | 10 |
| 2296313 | 1/2" | 63 | 18 | 65 | 10 |
| 2296314 | 9/16" | 63 | 20 | 70 | 10 |
| 2296316 | 5/8" | 63 | 22 | 85 | 10 |
| 2296317 | 11/16" | 63 | 24 | 100 | 10 |
| 2296319 | 3/4" | 63 | 26 | 115 | 10 |
| 2296321 | 13/16" | 63 | 28 | 130 | 10 |
| 2296322 | 7/8" | 63 | 30 | 150 | 10 |

## DEEP SOCKET 3/8", TX

DIN NO. 3120




10
3/8"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2266304 | E4 | 63 | 6 | 26 | 10 |
| 2266305 | E5 | 63 | 7 | 28 | 10 |
| 2266306 | E6 | 63 | 8 | 34 | 10 |
| 2266307 | E7 | 63 | 9 | 32 | 10 |
| 2266308 | E8 | 63 | 10 | 38 | 10 |
| 2266310 | E10 | 63 | 12 | 42 | 10 |
| 2266311 | E11 | 63 | 13 | 42 | 10 |
| 2266312 | E12 | 63 | 14 | 50 | 10 |
| 2266314 | E14 | 63 | 16 | 64 | 10 |
| 2266316 | E16 | 63 | 18 | 68 | 10 |
| 2266318 | E18 | 63 | 20 | 129 | 10 |
| 2266320 | E20 | 63 | 24 | 151 | 10 |

## SOCKET 3/8", TX

DIN NO. 3120




10
3/8"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 22604 | E4 | 28 | 6 | 20 | 10 |
| 22605 | E5 | 28 | 7 | 22 | 10 |
| 22606 | E6 | 28 | 8 | 20 | 10 |
| 22607 | E7 | 28 | 9 | 22 | 10 |
| 22608 | E8 | 28 | 10 | 22 | 10 |
| 22610 | E10 | 28 | 12 | 22 | 10 |
| 22611 | E11 | 28 | 13 | 24 | 10 |
| 22612 | E12 | 28 | 14 | 24 | 10 |
| 22614 | E14 | 28 | 16 | 24 | 10 |
| 22616 | E16 | 28 | 18 | 28 | 10 |
| 22618 | E18 | 28 | 20 | 58 | 10 |
| 22620 | E20 | 30 | 22 | 72 | 10 |

## CARDAN SOCKET 3/8"

DIN NO. 3120




10
3/8"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7152810 | 10 | 49,5 | 14,5 | 60 | 10 |
| 7152811 | 11 | 50,5 | 15,8 | 60 | 10 |
| 7152812 | 12 | 51 | 17 | 60 | 10 |
| 7152813 | 13 | 52 | 18,3 | 60 | 10 |
| 7152814 | 14 | 52 | 20 | 60 | 10 |
| 7152815 | 15 | 54,5 | 22 | 65 | 10 |
| 7152816 | 16 | 54,5 | 22 | 65 | 10 |
| 7152817 | 17 | 55,5 | 24 | 70 | 10 |
| 7152818 | 18 | 55,5 | 26 | 70 | 10 |
| 7152819 | 19 | 57,5 | 26 | 75 | 10 |

# Sockets

## CARDAN SOCKET 3/8", TX




10
3/8"






| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7152610 | E10 | 60 | 13,8 | 66 | 10 |
| 7152612 | E12 | 61 | 14,6 | 68 | 10 |
| 7152614 | E14 | 61 | 16,7 | 72 | 10 |
| 7152616 | E16 | 61 | 18,5 | 76 | 10 |

## GLOW PLUG SOCKET 3/8"



10
3/8"






| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7176208 | 8 | 72 | 12 | 64 | 10 |
| 7176209 | 9 | 72 | 13 | 70 | 10 |
| 7176210 | 10 | 72 | 14 | 72 | 10 |
| 7176212 | 12 | 72 | 16 | 72 | 10 |
| 7176214 | 14 | 80 | 18 | 82 | 10 |
| 7176216 | 16 | 80 | 20 | 94 | 10 |

## FLANK SOCKET 1/2", 6 PT. DIN NO. 3120/3124




12.5
1/2"


| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 23508 | 8 | 38 | 12,2 | 46 | 10 |
| 23509 | 9 | 38 | 13,5 | 48 | 10 |
| 23510 | 10 | 38 | 15 | 48 | 10 |
| 23511 | 11 | 38 | 16,3 | 50 | 10 |
| 23512 | 12 | 38 | 17,6 | 50 | 10 |
| 23513 | 13 | 38 | 18,8 | 52 | 10 |
| 23514 | 14 | 38 | 20,4 | 54 | 10 |
| 23515 | 15 | 38 | 21 | 52 | 10 |
| 23516 | 16 | 38 | 22 | 48 | 10 |
| 23517 | 17 | 38 | 24 | 60 | 10 |
| 23518 | 18 | 38 | 26 | 70 | 10 |
| 23519 | 19 | 38 | 26 | 58 | 10 |
| 23520 | 20 | 38 | 28 | 70 | 10 |
| 23521 | 21 | 38 | 28 | 60 | 10 |
| 23522 | 22 | 38 | 30 | 88 | 10 |
| 23523 | 23 | 38 | 32 | 98 | 10 |
| 23524 | 24 | 38 | 32 | 90 | 10 |
| 23525 | 25 | 42 | 34 | 118 | 10 |
| 23526 | 26 | 42 | 36 | 142 | 10 |
| 23527 | 27 | 42 | 36 | 136 | 10 |
| 23528 | 28 | 43 | 38 | 154 | 10 |
| 23529 | 29 | 43 | 38 | 134 | 10 |
| 23530 | 30 | 43 | 40 | 158 | 10 |
| 23532 | 32 | 43 | 42 | 168 | 10 |


## FLANK DEEP SOCKET 1/2", 6 PT.

DIN NO. 3120/3124








12.5
1/2"


| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2357708 | 8 | 77 | 12,2 | 70 | 10 |
| 2357709 | 9 | 77 | 13,5 | 74 | 10 |
| 2357710 | 10 | 77 | 15 | 66 | 10 |
| 2357711 | 11 | 77 | 16,3 | 78 | 10 |
| 2357712 | 12 | 77 | 17,6 | 82 | 10 |
| 2357713 | 13 | 77 | 18,8 | 96 | 10 |
| 2357714 | 14 | 77 | 20,4 | 104 | 10 |
| 2357715 | 15 | 77 | 21 | 98 | 10 |
| 2357716 | 16 | 77 | 22 | 100 | 10 |
| 2357717 | 17 | 77 | 24 | 130 | 10 |
| 2357718 | 18 | 77 | 26 | 154 | 10 |
| 2357719 | 19 | 77 | 26 | 142 | 10 |
| 2357720 | 20 | 77 | 28 | 168 | 10 |
| 2357721 | 21 | 77 | 28 | 152 | 10 |
| 2357722 | 22 | 77 | 30 | 204 | 10 |
| 2357723 | 23 | 77 | 32 | 228 | 10 |
| 2357724 | 24 | 77 | 32 | 218 | 10 |
| 2357725 | 25 | 77 | 34 | 254 | 10 |
| 2357726 | 26 | 77 | 36 | 300 | 10 |
| 2357727 | 27 | 77 | 36 | 286 | 10 |
| 2357728 | 28 | 77 | 38 | 320 | 10 |
| 2357729 | 29 | 77 | 38 | 300 | 10 |
| 2357730 | 30 | 77 | 40 | 346 | 10 |
| 2357732 | 32 | 77 | 42 | 364 | 10 |


## SOCKET 1/2", 12 PT.

DIN NO. 3120








12.5
1/2"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 23808 | 8 | 38 | 12,2 | 46 | 10 |
| 23809 | 9 | 38 | 13,5 | 48 | 10 |
| 23810 | 10 | 38 | 15 | 48 | 10 |
| 23811 | 11 | 38 | 16,3 | 50 | 10 |
| 23812 | 12 | 38 | 17,6 | 50 | 10 |
| 23813 | 13 | 38 | 18,8 | 52 | 10 |
| 23814 | 14 | 38 | 20,4 | 54 | 10 |
| 23815 | 15 | 38 | 21 | 52 | 10 |
| 23816 | 16 | 38 | 22 | 48 | 10 |
| 23817 | 17 | 38 | 24 | 60 | 10 |
| 23818 | 18 | 38 | 26 | 70 | 10 |
| 23819 | 19 | 38 | 26 | 58 | 10 |
| 23820 | 20 | 38 | 28 | 70 | 10 |
| 23821 | 21 | 38 | 28 | 60 | 10 |
| 23822 | 22 | 38 | 30 | 88 | 10 |
| 23823 | 23 | 38 | 32 | 98 | 10 |
| 23824 | 24 | 38 | 32 | 90 | 10 |
| 23825 | 25 | 42 | 34 | 118 | 10 |
| 23826 | 26 | 42 | 36 | 142 | 10 |
| 23827 | 27 | 42 | 36 | 136 | 10 |
| 23828 | 28 | 43 | 38 | 154 | 10 |
| 23829 | 29 | 43 | 38 | 134 | 10 |
| 23830 | 30 | 43 | 40 | 158 | 10 |
| 23832 | 32 | 43 | 42 | 168 | 10 |

# Sockets

## DEEP SOCKET 1/2", 12 PT.

DIN NO. 3120





12.5 1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2387708 | 8 | 77 | 12,2 | 70 | 10 |
| 2387709 | 9 | 77 | 13,5 | 74 | 10 |
| 2387710 | 10 | 77 | 15 | 66 | 10 |
| 2387711 | 11 | 77 | 16,3 | 78 | 10 |
| 2387712 | 12 | 77 | 17,6 | 82 | 10 |
| 2387713 | 13 | 77 | 18,8 | 96 | 10 |
| 2387714 | 14 | 77 | 20,4 | 104 | 10 |
| 2387715 | 15 | 77 | 21 | 98 | 10 |
| 2387716 | 16 | 77 | 22 | 100 | 10 |
| 2387717 | 17 | 77 | 24 | 130 | 10 |
| 2387718 | 18 | 77 | 26 | 154 | 10 |
| 2387719 | 19 | 77 | 26 | 142 | 10 |
| 2387720 | 20 | 77 | 28 | 168 | 10 |
| 2387721 | 21 | 77 | 28 | 152 | 10 |
| 2387722 | 22 | 77 | 30 | 204 | 10 |
| 2387723 | 23 | 77 | 32 | 228 | 10 |
| 2387724 | 24 | 77 | 32 | 218 | 10 |
| 2387725 | 25 | 77 | 34 | 254 | 10 |
| 2387726 | 26 | 77 | 36 | 300 | 10 |
| 2387727 | 27 | 77 | 36 | 286 | 10 |
| 2387728 | 28 | 77 | 38 | 320 | 10 |
| 2387729 | 29 | 77 | 38 | 300 | 10 |
| 2387730 | 30 | 77 | 40 | 346 | 10 |
| 2387732 | 32 | 77 | 42 | 364 | 10 |

## SOCKET 1/2", 12 PT. SAE

DIN NO. 3120





12.5 1/2" SAE SONIC SAE TOOLS

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 23910 | 3/8" | 38 | 15 | 50 | 10 |
| 23911 | 7/16" | 38 | 16,3 | 45 | 10 |
| 23913 | 1/2" | 38 | 18,8 | 50 | 10 |
| 23914 | 9/16" | 38 | 20,4 | 50 | 10 |
| 23916 | 5/8" | 38 | 22 | 50 | 10 |
| 23917 | 11/16" | 38 | 24 | 55 | 10 |
| 23919 | 3/4" | 38 | 26 | 50 | 10 |
| 23921 | 13/16" | 38 | 28 | 60 | 10 |
| 23922 | 7/8" | 38 | 30 | 80 | 10 |
| 23924 | 15/16" | 38 | 32 | 90 | 10 |
| 23925 | 1" | 42 | 34 | 110 | 10 |
| 23927 | 1.1/16" | 42 | 36 | 120 | 10 |
| 23929 | 1.1/8" | 43 | 38 | 135 | 10 |
| 23930 | 1.3/16" | 43 | 40 | 150 | 10 |
| 23932 | 1.1/4" | 43 | 42 | 155 | 10 |

## DEEP SOCKET 1/2", 12 PT. SAE

DIN NO. 3120





12.5 1/2" SAE SONIC SAE TOOLS

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2397710 | 3/8" | 77 | 15 | 65 | 10 |
| 2397711 | 7/16" | 77 | 16,3 | 75 | 10 |
| 2397713 | 1/2" | 77 | 18,8 | 90 | 10 |
| 2397714 | 9/16" | 77 | 20,4 | 105 | 10 |
| 2397716 | 5/8" | 77 | 22 | 95 | 10 |
| 2397717 | 11/16" | 77 | 24 | 120 | 10 |
| 2397719 | 3/4" | 77 | 26 | 135 | 10 |
| 2397721 | 13/16" | 77 | 28 | 155 | 10 |
| 2397722 | 7/8" | 77 | 30 | 190 | 10 |
| 2397724 | 15/16" | 77 | 32 | 205 | 10 |
| 2397725 | 1" | 77 | 34 | 235 | 10 |
| 2397727 | 1.1/16" | 77 | 36 | 270 | 10 |
| 2397729 | 1.1/8" | 77 | 38 | 300 | 10 |
| 2397730 | 1.3/16" | 77 | 40 | 330 | 10 |
| 2397732 | 1.1/4" | 77 | 42 | 355 | 10 |

## SOCKET 1/2", TX

DIN NO. 3120





12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 23610 | E10 | 38 | 13 | 48 | 10 |
| 23611 | E11 | 38 | 14 | 50 | 10 |
| 23612 | E12 | 38 | 15 | 50 | 10 |
| 23614 | E14 | 38 | 16 | 50 | 10 |
| 23616 | E16 | 38 | 19 | 56 | 10 |
| 23618 | E18 | 38 | 20 | 54 | 10 |
| 23620 | E20 | 38 | 24 | 58 | 10 |
| 23622 | E22 | 38 | 26 | 78 | 10 |
| 23624 | E24 | 38 | 28 | 90 | 10 |

## DEEP SOCKET 1/2", TX

DIN NO. 3120








12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 2367710 | E10 | 77 | 13 | 78 | 10 |
| 2367711 | E11 | 77 | 14 | 82 | 10 |
| 2367712 | E12 | 77 | 15 | 68 | 10 |
| 2367714 | E14 | 77 | 16 | 74 | 10 |
| 2367716 | E16 | 77 | 19 | 104 | 10 |
| 2367718 | E18 | 77 | 20 | 110 | 10 |
| 2367720 | E20 | 77 | 24 | 156 | 10 |
| 2367722 | E22 | 77 | 26 | 192 | 10 |
| 2367724 | E24 | 77 | 28 | 208 | 10 |

## CARDAN SOCKET 1/2", TX





12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7153618 | E18 | 69 | 21,5 | 138 | 10 |
| 7153620 | E20 | 69 | 21,5 | 132 | 10 |
| 7153622 | E22 | 69 | 26 | 148 | 10 |
| 7153624 | E24 | 69 | 28 | 154 | 10 |

## SOCKET 3/4", 12 PT.

DIN NO. 3120



20
3/4"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 24917 | 17 | 50 | 27,2 | 140 | 2 |
| 24918 | 18 | 50 | 28,2 | 150 | 2 |
| 24919 | 19 | 50 | 29,2 | 164 | 2 |
| 24920 | 20 | 50 | 30,2 | 170 | 2 |
| 24921 | 21 | 50 | 31,2 | 166 | 2 |
| 24922 | 22 | 50 | 32,2 | 208 | 2 |
| 24923 | 23 | 50 | 33,2 | 208 | 2 |
| 24924 | 24 | 51 | 34,2 | 214 | 2 |
| 24925 | 25 | 52 | 36 | 220 | 2 |
| 24926 | 26 | 52 | 37 | 214 | 2 |
| 24927 | 27 | 52 | 38 | 214 | 2 |
| 24928 | 28 | 52 | 39,5 | 240 | 2 |
| 24929 | 29 | 52 | 40,5 | 232 | 2 |
| 24930 | 30 | 54 | 42 | 274 | 2 |
| 24932 | 32 | 56 | 44 | 286 | 2 |
| 24933 | 33 | 56 | 46 | 320 | 2 |
| 24934 | 34 | 56 | 47 | 340 | 2 |
| 24935 | 35 | 58 | 48 | 376 | 2 |
| 24936 | 36 | 58 | 50 | 400 | 2 |
| 24938 | 38 | 60 | 52 | 464 | 2 |
| 24941 | 41 | 64 | 56 | 526 | 2 |
| 24942 | 42 | 64 | 57 | 560 | 2 |
| 24946 | 46 | 66 | 62 | 632 | 2 |
| 24950 | 50 | 70 | 68 | 760 | 2 |
| 24955 | 55 | 76 | 74 | 900 | 2 |
| 24960 | 60 | 78 | 80 | 1050 | 2 |

# Sockets

## SOCKET 3/4", 12 PT. SAE

DIN NO. 3120





20 3/4" SAE SONIC SAE TOOLS

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 24819 | 3/4" | 50 | 29,2 | 164 | 2 |
| 24822 | 7/8" | 50 | 32,2 | 212 | 2 |
| 24824 | 5/16" | 51 | 34,2 | 218 | 2 |
| 24825 | 1" | 52 | 37 | 220 | 2 |
| 24827 | 1.1/16" | 52 | 38 | 220 | 2 |
| 24829 | 1.1/8" | 52 | 40 | 240 | 2 |
| 24830 | 1.3/16" | 54 | 42 | 266 | 2 |
| 24832 | 1.1/4" | 56 | 44 | 286 | 2 |
| 24833 | 1.5/16" | 56 | 46 | 310 | 2 |
| 24835 | 1.3/8" | 58 | 48 | 368 | 2 |
| 24836 | 1.7/16" | 58 | 50 | 398 | 2 |
| 24838 | 1.1/2" | 60 | 52 | 454 | 2 |
| 24841 | 1.5/8" | 64 | 56 | 530 | 2 |
| 24842 | 1.11/16" | 65 | 58 | 560 | 2 |
| 24844 | 1.3/4" | 66 | 60 | 604 | 2 |
| 24846 | 1.13/16" | 68 | 62 | 632 | 2 |
| 24847 | 1.7/8" | 70 | 64 | 700 | 2 |
| 24850 | 2" | 72 | 68 | 760 | 2 |

## SOCKET 1", 12 PT.

DIN NO. 3120







25 1"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 25835 | 35 | 61 | 50 | 430 | 2 |
| 25836 | 36 | 65 | 52 | 454 | 2 |
| 25838 | 38 | 65 | 54 | 485 | 2 |
| 25841 | 41 | 70 | 57 | 580 | 2 |
| 25846 | 46 | 75 | 65 | 806 | 2 |
| 25850 | 50 | 75 | 70 | 956 | 2 |
| 25854 | 54 | 80 | 74 | 1150 | 2 |
| 25855 | 55 | 80 | 76 | 1190 | 2 |
| 25858 | 58 | 80 | 79 | 1285 | 2 |
| 25860 | 60 | 84 | 82 | 1248 | 2 |
| 25863 | 63 | 87 | 86 | 1500 | 1 |
| 25865 | 65 | 87 | 88 | 1450 | 1 |
| 25867 | 67 | 90 | 90 | 1640 | 1 |
| 25870 | 70 | 93 | 94 | 1946 | 1 |
| 25871 | 71 | 93 | 95 | 2100 | 1 |
| 25875 | 75 | 97 | 100 | 2294 | 1 |
| 25877 | 77 | 103 | 102 | 2500 | 1 |
| 25880 | 80 | 103 | 105 | 2328 | 1 |

## WHEEL SOCKET 1/2"

DIN NO. 3121





12.5 1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310115 | 15 | 85 | 25 | 202 | 5 |
| 3310117 | 17 | 86 | 26,4 | 196 | 5 |
| 3310119 | 19 | 86 | 28,4 | 224 | 5 |
| 3310121 | 21 | 86 | 30,4 | 252 | 5 |
| 3310122 | 22 | 85 | 33 | 284 | 5 |

## WHEEL SOCKET 1/2"






12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310517 | 17 | 150 | 27 | 215 | 5 |
| 3310519 | 19 | 150 | 29 | 265 | 5 |
| 3310521 | 21 | 150 | 31 | 290 | 5 |

## NSI WHEEL SOCKET 1/2"






12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310717 | 17 | 86 | 26.4 | 362 | 5 |
| 3310719 | 19 | 86 | 28.4 | 392 | 5 |
| 3310721 | 21 | 86 | 30.4 | 398 | 5 |

## WHEEL SOCKET 1/2"





12.5
1/2"


| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310817 | 17 | 151 | 27 | 374 | 5 |
| 3310819 | 19 | 151 | 28 | 386 | 5 |
| 3310821 | 21 | 151 | 30 | 406 | 5 |


## IMPACT SOCKET 3/8", 6 PT.

DIN NO. 3121/3129










10
3/8"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 32508 | 8 | 30 | 13,5 | 36 | 10 |
| 32509 | 9 | 30 | 15,2 | 42 | 10 |
| 32510 | 10 | 30 | 16,5 | 36 | 10 |
| 32511 | 11 | 30 | 17,6 | 34 | 10 |
| 32512 | 12 | 30 | 18,2 | 34 | 10 |
| 32513 | 13 | 30 | 20,2 | 52 | 10 |
| 32514 | 14 | 30 | 21,5 | 52 | 10 |
| 32515 | 15 | 30 | 22 | 48 | 10 |
| 32516 | 16 | 30 | 24 | 56 | 10 |
| 32517 | 17 | 30 | 25,2 | 60 | 10 |
| 32518 | 18 | 30 | 26,5 | 90 | 10 |
| 32519 | 19 | 30 | 27,7 | 66 | 10 |
| 32520 | 20 | 30 | 28,5 | 95 | 10 |
| 32521 | 21 | 30 | 30 | 100 | 10 |
| 32522 | 22 | 30 | 32 | 105 | 10 |

## WHEEL SOCKET 1/2"






12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310217 | 17 | 105 | 24 | 222 | 5 |
| 3310219 | 19 | 105 | 26 | 194 | 5 |
| 3310221 | 21 | 105 | 27 | 200 | 5 |

## TORQUE IMPACT SOCKET 1/2"






12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310317 | 17 | 100 | 26 | 362 | 5 |
| 3310319 | 19 | 100 | 29 | 392 | 5 |
| 3310321 | 21 | 100 | 30 | 398 | 5 |
| 3310322 | 22 | 100 | 32 | 422 | 5 |

## DEEP IMPACT SOCKET 3/8", 6 PT.


DIN NO. 3121/3129



10
3/8"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3256308 | 8 | 63 | 13,5 | 96 | 10 |
| 3256309 | 9 | 63 | 15,2 | 100 | 10 |
| 3256310 | 10 | 63 | 16.5 | 92 | 10 |
| 3256311 | 11 | 63 | 17,6 | 86 | 10 |
| 3256312 | 12 | 63 | 18,2 | 86 | 10 |
| 3256313 | 13 | 63 | 20,2 | 116 | 10 |
| 3256314 | 14 | 63 | 21,5 | 114 | 10 |
| 3256315 | 15 | 63 | 22,6 | 130 | 10 |
| 3256316 | 16 | 63 | 24 | 122 | 10 |
| 3256317 | 17 | 63 | 25,2 | 146 | 10 |
| 3256318 | 18 | 63 | 26,5 | 190 | 10 |
| 3256319 | 19 | 63 | 27,7 | 156 | 10 |
| 3256320 | 20 | 63 | 28,5 | 210 | 10 |
| 3256321 | 21 | 63 | 30 | 220 | 10 |
| 3256322 | 22 | 63 | 32 | 240 | 10 |

## WHEEL SOCKET 1/2", 17MM FOR MERCEDES-BENZ




12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3310617 | 17 | 88 | 25 | 96 | 5 |

## BRAKE CALIPER SOCKET, 1/2" 10 PT.

DIN NO. 3121




12.5
1/2"

| ART. NO | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 805019 | 10 | 38 | 16 | 42 | 10 |

## IMPACT SOCKET 1/2", 6 PT.

DIN NO. 3121/3129



12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 33508 | 8 | 38 | 15 | 60 | 5 |
| 33509 | 9 | 38 | 16 | 60 | 5 |
| 33510 | 10 | 38 | 16 | 60 | 5 |
| 33511 | 11 | 38 | 17,2 | 62 | 5 |
| 33512 | 12 | 38 | 19 | 64 | 5 |
| 33513 | 13 | 38 | 20,5 | 68 | 5 |
| 33514 | 14 | 38 | 23 | 80 | 5 |
| 33515 | 15 | 38 | 24 | 76 | 5 |
| 33516 | 16 | 38 | 24 | 72 | 5 |
| 33517 | 17 | 38 | 25,8 | 90 | 5 |
| 33518 | 18 | 38 | 28 | 108 | 5 |
| 33519 | 19 | 38 | 28 | 102 | 5 |
| 33520 | 20 | 38 | 29,8 | 120 | 5 |
| 33521 | 21 | 38 | 29,8 | 114 | 5 |
| 33522 | 22 | 38 | 31,8 | 132 | 5 |
| 33523 | 23 | 38 | 32,2 | 118 | 5 |
| 33524 | 24 | 38 | 33,8 | 126 | 5 |
| 33525 | 25 | 38 | 35,8 | 142 | 5 |
| 33526 | 26 | 38 | 35,8 | 134 | 5 |
| 33527 | 27 | 39 | 37,8 | 156 | 5 |
| 33528 | 28 | 40 | 40 | 164 | 5 |
| 33529 | 29 | 40 | 40 | 162 | 5 |
| 33530 | 30 | 40 | 41,8 | 184 | 5 |
| 33532 | 32 | 40 | 43,5 | 188 | 5 |
| 33533 | 33 | 44 | 46 | 310 | 5 |
| 33534 | 34 | 44 | 46 | 320 | 5 |
| 33535 | 35 | 48 | 48 | 330 | 5 |
| 33536 | 36 | 48 | 49 | 330 | 5 |
| 33538 | 38 | 48 | 52 | 480 | 5 |


## DEEP IMPACT SOCKET 1/2", 6 PT.


DIN NO. 3121/3129





12.5
1/2"






| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3358508 | 8 | 78 | 15 | 125 | 5 |
| 3358509 | 9 | 78 | 16 | 125 | 5 |
| 3358510 | 10 | 78 | 17,5 | 138 | 5 |
| 3358511 | 11 | 78 | 17,5 | 152 | 5 |
| 3358512 | 12 | 78 | 19,8 | 160 | 5 |
| 3358513 | 13 | 78 | 20,8 | 148 | 5 |
| 3358514 | 14 | 78 | 22,2 | 158 | 5 |
| 3358515 | 15 | 78 | 23,8 | 168 | 5 |
| 3358516 | 16 | 78 | 23,8 | 160 | 5 |
| 3358517 | 17 | 78 | 25,2 | 176 | 5 |
| 3358518 | 18 | 78 | 27,8 | 214 | 5 |
| 3358519 | 19 | 78 | 27,8 | 210 | 5 |
| 3358520 | 20 | 78 | 30 | 266 | 5 |
| 3358521 | 21 | 78 | 29,5 | 238 | 5 |
| 3358522 | 22 | 78 | 31,8 | 266 | 5 |
| 3358523 | 23 | 78 | 33,8 | 312 | 5 |
| 3358524 | 24 | 78 | 33,8 | 384 | 5 |
| 3358525 | 25 | 78 | 36 | 338 | 5 |
| 3358526 | 26 | 78 | 38 | 364 | 5 |
| 3358527 | 27 | 78 | 37,8 | 346 | 5 |
| 3358528 | 28 | 78 | 40 | 414 | 5 |
| 3358529 | 29 | 78 | 40 | 400 | 5 |
| 3358530 | 30 | 78 | 42 | 422 | 5 |
| 3358532 | 32 | 78 | 43,8 | 436 | 5 |
| 3358533 | 33 | 78 | 46 | 440 | 5 |
| 3358534 | 34 | 78 | 46 | 480 | 5 |
| 3358535 | 35 | 78 | 48 | 520 | 5 |
| 3358536 | 36 | 78 | 49 | 500 | 5 |
| 3358538 | 38 | 78 | 52 | 600 | 5 |


## DEEP IMPACT SOCKET 1/2", 12 PT.

DIN NR. 3121



12.5
1/2"






| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3397824 | 24 | 78 | 34 | 260 | 5 |
| 3397827 | 27 | 78 | 38 | 300 | 5 |
| 3397834 | 34 | 78 | 46 | 480 | 5 |
| 3397835 | 35 | 78 | 48 | 520 | 5 |


## DEEP IMPACT SOCKET 1/2", 12 PT.

DIN NO. 3121



12.5
1/2"






| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3398530 | 30 | 85 | 42 | 402 | 5 |
| 3398532 | 32 | 85 | 44 | 420 | 5 |
| 3398534 | 34 | 85 | 46 | 452 | 2 |
| 3398535 | 35 | 85 | 48 | 492 | 2 |
| 3398536 | 36 | 85 | 50 | 508 | 2 |

## IMPACT CARDAN SOCKET 1/2"

DIN NO. 3121




12.5
1/2"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7150216 | 16 | 68 | 24,5 | 173 | 10 |
| 7150217 | 17 | 68 | 26 | 176 | 10 |
| 7150218 | 18 | 68 | 27 | 181 | 10 |
| 7150219 | 19 | 68 | 28 | 182 | 10 |

## IMPACT SOCKET 1/2", TX

DIN NO. 3121








12.5
1/2"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3367810 | E10 | 78 | 12,45 | 82 | 5 |
| 3367811 | E11 | 78 | 13,06 | 84 | 5 |
| 3367812 | E12 | 78 | 14,52 | 88 | 5 |
| 3367814 | E14 | 78 | 16 | 94 | 5 |
| 3367816 | E16 | 78 | 19,14 | 118 | 5 |
| 3367818 | E18 | 78 | 22 | 130 | 5 |
| 3367820 | E20 | 78 | 23 | 152 | 5 |
| 3367822 | E22 | 78 | 25 | 174 | 5 |
| 3367824 | E24 | 78 | 27 | 214 | 5 |

## IMPACT SOCKET 3/4", 6 PT.

DIN NO. 3121/3129






20
3/4"


| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 34517 | 17 | 51 | 29 | 328 | 2 |
| 34518 | 18 | 51 | 30 | 320 | 2 |
| 34519 | 19 | 51 | 32 | 325 | 2 |
| 34520 | 20 | 51 | 33 | 330 | 2 |
| 34521 | 21 | 51 | 35 | 340 | 2 |
| 34522 | 22 | 51 | 36 | 345 | 2 |
| 34523 | 23 | 51 | 38 | 350 | 2 |
| 34524 | 24 | 51 | 39 | 350 | 2 |
| 34525 | 25 | 54 | 41 | 360 | 2 |
| 34526 | 26 | 54 | 41 | 360 | 2 |
| 34527 | 27 | 54 | 42 | 370 | 2 |
| 34528 | 28 | 54 | 44 | 386 | 2 |
| 34529 | 29 | 54 | 46 | 410 | 2 |
| 34530 | 30 | 54 | 46 | 410 | 2 |
| 34532 | 32 | 57 | 48 | 450 | 2 |
| 34533 | 33 | 57 | 50 | 480 | 2 |
| 34534 | 34 | 57 | 52 | 490 | 2 |
| 34535 | 35 | 57 | 52 | 490 | 2 |
| 34536 | 36 | 57 | 54 | 536 | 2 |
| 34538 | 38 | 57 | 56 | 540 | 2 |
| 34539 | 39 | 57 | 58 | 540 | 2 |
| 34540 | 40 | 57 | 58 | 560 | 2 |
| 34541 | 41 | 58 | 60 | 610 | 2 |
| 34542 | 42 | 58 | 62 | 630 | 2 |
| 34543 | 43 | 63 | 63 | 670 | 2 |
| 34544 | 44 | 63 | 64 | 670 | 2 |
| 34545 | 45 | 63 | 66 | 710 | 2 |
| 34546 | 46 | 63 | 66 | 710 | 2 |
| 34547 | 47 | 68 | 68 | 800 | 2 |
| 34548 | 48 | 68 | 68 | 800 | 2 |
| 34550 | 50 | 68 | 71 | 850 | 2 |
| 34552 | 52 | 68 | 74 | 900 | 2 |
| 34554 | 54 | 73 | 76 | 950 | 2 |
| 34555 | 55 | 73 | 77 | 1100 | 2 |
| 34557 | 57 | 73 | 80 | 1200 | 2 |
| 34558 | 58 | 73 | 81 | 1300 | 2 |
| 34559 | 59 | 73 | 84 | 1400 | 2 |
| 34560 | 60 | 75 | 84 | 1400 | 2 |
| 34563 | 63 | 75 | 86 | 1600 | 2 |
| 34565 | 65 | 78 | 88 | 1700 | 2 |
| 34570 | 70 | 84 | 96 | 1900 | 2 |


## DEEP IMPACT SOCKET 3/4", 6 PT.

DIN NO. 3121/3129










20
3/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3459017 | 17 | 90 | 29 | 540 | 2 |
| 3459018 | 18 | 90 | 30 | 530 | 2 |
| 3459019 | 19 | 90 | 32 | 550 | 2 |
| 3459020 | 20 | 90 | 33 | 560 | 2 |
| 3459021 | 21 | 90 | 35 | 570 | 2 |
| 3459022 | 22 | 90 | 36 | 590 | 2 |
| 3459023 | 23 | 90 | 38 | 610 | 2 |
| 3459024 | 24 | 90 | 39 | 610 | 2 |
| 3459025 | 25 | 90 | 41 | 620 | 2 |
| 3459026 | 26 | 90 | 41 | 620 | 2 |
| 3459027 | 27 | 90 | 42 | 640 | 2 |
| 3459028 | 28 | 90 | 44 | 644 | 2 |
| 3459029 | 29 | 90 | 46 | 680 | 2 |
| 3459030 | 30 | 90 | 46 | 700 | 2 |
| 3459032 | 32 | 90 | 48 | 730 | 2 |
| 3459033 | 33 | 90 | 50 | 780 | 2 |
| 3459034 | 34 | 90 | 52 | 810 | 2 |
| 3459035 | 35 | 90 | 52 | 810 | 2 |
| 3459036 | 36 | 90 | 54 | 850 | 2 |
| 3459038 | 38 | 90 | 56 | 880 | 2 |
| 3459039 | 39 | 90 | 58 | 920 | 2 |
| 3459040 | 40 | 90 | 58 | 920 | 2 |
| 3459041 | 41 | 90 | 60 | 960 | 2 |
| 3459042 | 42 | 90 | 62 | 1050 | 2 |
| 3459043 | 43 | 90 | 63 | 1150 | 2 |
| 3459044 | 44 | 90 | 64 | 1150 | 2 |
| 3459045 | 45 | 90 | 66 | 1200 | 2 |
| 3459046 | 46 | 90 | 66 | 1200 | 2 |
| 3459047 | 47 | 90 | 68 | 1300 | 2 |
| 3459048 | 48 | 90 | 68 | 1300 | 2 |
| 3459050 | 50 | 90 | 71 | 1400 | 2 |
| 3459052 | 52 | 90 | 74 | 1600 | 2 |
| 3459054 | 54 | 90 | 76 | 1900 | 2 |
| 3459055 | 55 | 90 | 77 | 1940 | 2 |

## IMPACT SOCKET 3/4", 12 PT.

DIN NO. 3121






20
3/4"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3499017 | 17 | 90 | 26 | 450 | 2 |
| 3499019 | 19 | 90 | 28 | 470 | 2 |

## IMPACT SOCKET 3/4", TX

DIN NO. 3121





20
3/4"



| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3469018 | E18 | 90 | 22 | 412 | 2 |
| 3469020 | E20 | 90 | 24 | 426 | 2 |
| 3469024 | E24 | 90 | 28 | 500 | 2 |

# Sockets

## IMPACT SOCKET 1", 6 PT.

DIN NO. 3121/3129





25 1"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 35524 | 24 | 58 | 42 | 574 | 2 |
| 35525 | 25 | 58 | 43 | 570 | 2 |
| 35526 | 26 | 58 | 44 | 570 | 2 |
| 35527 | 27 | 58 | 46 | 580 | 2 |
| 35528 | 28 | 58 | 46 | 580 | 2 |
| 35530 | 30 | 62 | 49 | 610 | 2 |
| 35532 | 32 | 62 | 52 | 660 | 2 |
| 35533 | 33 | 62 | 54 | 682 | 2 |
| 35534 | 34 | 62 | 54 | 710 | 2 |
| 35535 | 35 | 62 | 54 | 710 | 2 |
| 35536 | 36 | 65 | 56 | 720 | 2 |
| 35538 | 38 | 65 | 58 | 740 | 2 |
| 35540 | 40 | 65 | 60 | 750 | 2 |
| 35541 | 41 | 68 | 61 | 792 | 2 |
| 35542 | 42 | 68 | 64 | 850 | 2 |
| 35543 | 43 | 68 | 66 | 890 | 2 |
| 35544 | 44 | 68 | 67 | 930 | 2 |
| 35545 | 45 | 68 | 67 | 930 | 2 |
| 35546 | 46 | 72 | 68 | 1010 | 2 |
| 35548 | 48 | 72 | 70 | 1060 | 2 |
| 35550 | 50 | 75 | 74 | 1164 | 2 |
| 35551 | 51 | 75 | 74 | 1250 | 2 |
| 35552 | 52 | 75 | 75 | 1250 | 2 |
| 35553 | 53 | 80 | 76 | 1300 | 2 |
| 35554 | 54 | 80 | 78 | 1400 | 2 |
| 35555 | 55 | 83 | 80 | 1480 | 2 |
| 35557 | 57 | 83 | 82 | 1540 | 2 |
| 35558 | 58 | 83 | 84 | 1650 | 2 |
| 35559 | 59 | 87 | 85 | 1700 | 2 |
| 35560 | 60 | 87 | 86 | 1750 | 2 |
| 35563 | 63 | 87 | 90 | 1800 | 2 |
| 35565 | 65 | 90 | 92 | 1850 | 2 |
| 35566 | 66 | 90 | 93 | 1950 | 2 |
| 35568 | 68 | 93 | 95 | 2000 | 2 |
| 35570 | 70 | 93 | 97 | 2100 | 2 |
| 35571 | 71 | 95 | 101 | 2500 | 2 |
| 35575 | 75 | 95 | 104 | 2800 | 2 |
| 35580 | 80 | 95 | 112 | 2900 | 2 |
| 35585 | 85 | 100 | 115 | 3200 | 2 |
| 35590 | 90 | 105 | 124 | 3800 | 2 |
| 35595 | 95 | 105 | 130 | 5250 | 2 |

## DEEP IMPACT SOCKET 1", 6 PT.

DIN NO. 3121/3129




25 1"

| ART. NO. | SIZE | L(MM) | D2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 3559024 | 24 | 90.0 | 42.0 | 868 | 2 |
| 3559025 | 25 | 90.0 | 43.0 | 850 | 2 |
| 3559026 | 26 | 90.0 | 44.0 | 870 | 2 |
| 3559027 | 27 | 90.0 | 46.0 | 890 | 2 |
| 3559028 | 28 | 90.0 | 47.0 | 890 | 2 |
| 3559030 | 30 | 90.0 | 49.0 | 930 | 2 |
| 3559032 | 32 | 90.0 | 52.0 | 960 | 2 |
| 3559033 | 33 | 90.0 | 54.0 | 1000 | 2 |
| 3559034 | 34 | 90.0 | 54.0 | 1000 | 2 |
| 3559035 | 35 | 90.0 | 54.0 | 1000 | 2 |
| 3559036 | 36 | 90.0 | 56.0 | 1050 | 2 |
| 3559038 | 38 | 95.0 | 58.0 | 1150 | 2 |
| 3559040 | 40 | 95.0 | 60.0 | 1200 | 2 |
| 3559041 | 41 | 95.0 | 61.0 | 1220 | 2 |
| 3559042 | 42 | 95.0 | 64.0 | 1250 | 2 |
| 3559043 | 43 | 95.0 | 66.0 | 1270 | 2 |
| 3559044 | 44 | 95.0 | 67.0 | 1300 | 2 |
| 3559045 | 45 | 95.0 | 67.0 | 1300 | 2 |
| 3559046 | 46 | 95.0 | 68.0 | 1350 | 2 |
| 3559048 | 48 | 100.0 | 70.0 | 1500 | 2 |
| 3559050 | 50 | 100.0 | 74.0 | 1600 | 2 |
| 3559051 | 51 | 100.0 | 75.0 | 1650 | 2 |
| 3559052 | 52 | 100.0 | 75.0 | 1650 | 2 |
| 3559053 | 53 | 100.0 | 76.0 | 1700 | 2 |
| 3559054 | 54 | 100.0 | 78.0 | 1750 | 2 |
| 3559055 | 55 | 105.0 | 80.0 | 1900 | 2 |
| 3559057 | 57 | 105.0 | 82.0 | 1950 | 2 |
| 3559058 | 58 | 105.0 | 84.0 | 2000 | 2 |
| 3559059 | 59 | 110.0 | 85.0 | 2050 | 2 |
| 3559060 | 60 | 110.0 | 87.0 | 2100 | 2 |
| 3559063 | 63 | 110.0 | 90.0 | 2200 | 2 |
| 3559065 | 65 | 115.0 | 92.0 | 2350 | 2 |
| 3559066 | 66 | 115.0 | 93.0 | 2450 | 2 |
| 3559068 | 68 | 120.0 | 95.0 | 2550 | 2 |
| 3559070 | 70 | 120.0 | 97.0 | 2650 | 2 |
| 3559071 | 71 | 135.0 | 101.0 | 3000 | 2 |
| 3559075 | 75 | 135.0 | 104.0 | 4000 | 2 |
| 3559076 | 76 | 135.0 | 106.0 | 4000 | 2 |
| 3559080 | 80 | 135.0 | 112.0 | 4500 | 2 |
| 3559085 | 85 | 140.0 | 115.0 | 5250 | 2 |
| 3559090 | 90 | 140.0 | 124.0 | 5750 | 2 |
| 3559095 | 95 | 140.0 | 130.0 | 6300 | 2 |

## SPARK PLUG SOCKET 3/8" 6 PT.

DIN NO. 3120






10
3/8"

| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7171216 | 16 | 65 | 22 | 94 | 10 |
| 7171218 | 18 | 65 | 26 | 130 | 10 |
| 7171221 | 21 | 65 | 28 | 136 | 10 |

## SPARK PLUG SOCKET 1/2" 6 PT.

DIN NO. 3120






12.5
1/2"

| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7171316 | 16 | 65 | 22 | 90 | 10 |
| 7171318 | 18 | 65 | 26 | 140 | 10 |
| 7171321 | 21 | 65 | 28 | 145 | 10 |

## SPARK PLUG CLIP SOCKET 3/8"

DIN NO. 3120





10
3/8"

| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7172214 | 14 | 63 | 18 | 58 | 10 |
| 7172216 | 16 | 64 | 22 | 100 | 10 |
| 7172218 | 18 | 64 | 26 | 158 | 10 |
| 7172221 | 21 | 64 | 28 | 158 | 10 |

## SPARK PLUG CLIP SOCKET 1/2" 6 PT.

DIN NO. 3120







12.5
1/2"

| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7172316 | 16 | 68 | 22 | 95 | 10 |
| 7172318 | 18 | 68 | 26 | 155 | 10 |
| 7172321 | 21 | 68 | 28 | 160 | 10 |

## SPARK PLUG SOCKET 3/8" 12 PT.

DIN NO. 3120





10
3/8"

| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7174214 | 14 | 90 | 19 | 104 | 10 |
| 7175214 | 14 | 250 | 19 | 262 | 10 |



# 12 > Wrenches



> Flare nut wrench
PAGE 344


> Flare nut wrench SAE
PAGE 344


> Flexible flare nut wrench
PAGE 344


> Hinged socket wrench
PAGE 344


> Double open wrench
PAGE 345


> Double open wrench SAE
PAGE 345


> Combination wrench
PAGE 346


> Combination wrench SAE
PAGE 346


> Reversible ratcheting wrench 12pt.
PAGE 347


> Flexible ratcheting wrench 12pt.
PAGE 347


> Flat ratcheting wrench 12pt.
PAGE 347


> TX ratcheting wrench
PAGE 348


> 45° ring wrench
PAGE 348


> 75° ring wrench
PAGE 348


> 45° ring wrench SAE
PAGE 348


> Injection pump wrench
PAGE 349


> Double ring wrench
PAGE 349


> TX wrench
PAGE 349


> Half-moon wrench
PAGE 349


> Angle wrench
PAGE 349


> Adjustable wrench
PAGE 349

# Strongest open end wrench



Awesome manoeuvrability

DIN 3113

Average 237% above standard DIN

HRC 47.4

Our Sonic wrenches have the ability to bring **minimum tolerance, maximum result.**

- Streamlined double polished heads
- Ergonomic shape, perfect grip
- Excellent user comfort
- Extremely durable






Compact design



Reach/rotate even in confined spaces, 30° increments



The possibility to damage the edges of bolts is no longer an issue.



# **Torque** test

**Sonic wrenches meet up to more than 2.5 times the DIN standard. Sonic wrenches are made of chrome vanadium steel and manufactured under high standard industrial requirements.**



**SONIC TORQUE TEST**


| ART. NO. | DESCRIPTION | SONIC WRENCH (NM) | DIN (NM) STANDARD | ABOVE STANDARD DIN (%) |
|---|---|---|---|---|
| 41508 | Combination wrench 8 | 73 | 34.5 | 211.6% |
| 41509 | Combination wrench 9 | 95 | 45.4 | 209.3% |
| 41510 | Combination wrench 10 | 95 | 58.1 | 163.5% |
| 41511 | Combination wrench 11 | 151 | 72.7 | 207.7% |
| 41512 | Combination wrench 12 | 204 | 89.1 | 229.0% |
| 41513 | Combination wrench 13 | 218 | 107.0 | 203.7% |
| 41514 | Combination wrench 14 | 255 | 128.0 | 199.2% |
| 41515 | Combination wrench 15 | 370 | 150.0 | 246.7% |
| 41516 | Combination wrench 16 | 363 | 175.0 | 207.4% |
| 41517 | Combination wrench 17 | 484 | 201.0 | 240.8% |
| 41518 | Combination wrench 18 | 553 | 230.0 | 240.4% |
| 41519 | Combination wrench 19 | 588 | 261.0 | 225.3% |
| 41520 | Combination wrench 20 | 714 | 294.0 | 242.9% |
| 41521 | Combination wrench 21 | 1023 | 330.0 | 310.0% |
| 41522 | Combination wrench 22 | 899 | 368.0 | 244.3% |
| 41523 | Combination wrench 23 | 1082 | 408.0 | 265.2% |
| 41524 | Combination wrench 24 | 1032 | 451.0 | 228.8% |
| 41525 | Combination wrench 25 | 1316 | 496.0 | 265.3% |
| 41526 | Combination wrench 26 | 1443 | 544.0 | 265.3% |
| 41527 | Combination wrench 27 | 1629 | 594.0 | 274.2% |
| 41528 | Combination wrench 28 | 1623 | 647.0 | 250.9% |
| 41529 | Combination wrench 29 | 1650 | - | - |
| 41530 | Combination wrench 30 | 1953 | 760.0 | 257.0% |
| 41532 | Combination wrench 32 | 2318 | 884.0 | 262.2% |

# Wrenches

## FLARE NUT WRENCH

DIN NO. 3118






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4110810 | 8x10 | 145 | 18,4 | 20,8 | 52 | 10 |
| 4111113 | 11x13 | 165 | 22,6 | 25 | 90 | 10 |
| 4111214 | 12x14 | 178 | 25 | 27,4 | 130 | 10 |
| 4111618 | 16x18 | 196 | 30 | 27,4 | 136 | 10 |
| 4111719 | 17x19 | 210 | 30 | 32,5 | 188 | 10 |
| 4111922 | 19x22 | 233 | 32,5 | 38 | 240 | 10 |
| 4112427 | 24x27 | 265 | 41 | 45 | 346 | 5 |
| 4113032 | 30x32 | 285 | 48,5 | 51 | 482 | 5 |

## FLARE NUT WRENCH SAE

DIN NO. 3118






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4250608 | 1/4"x5/16" | 135 | 16,2 | 17,9 | 38 | 10 |
| 4251011 | 3/8"x7/16" | 152 | 20,8 | 22,6 | 68 | 10 |
| 4251314 | 1/2"x9/16" | 178 | 25 | 27,4 | 124 | 10 |
| 4251617 | 5/8"x11/16" | 196 | 27,4 | 30 | 136 | 10 |

## FLEXIBLE FLARE NUT WRENCH

DIN NO. 3118






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 40808 | 8 | 128 | 18 | 18 | 50 | 10 |
| 40809 | 9 | 128 | 18 | 18 | 48 | 10 |
| 40810 | 10 | 128 | 18 | 18 | 48 | 10 |
| 40811 | 11 | 148 | 22 | 22 | 82 | 10 |
| 40812 | 12 | 148 | 22 | 22 | 78 | 10 |

## FLEXIBLE FLARE NUT WRENCH

DIN NO. 3118






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4080809 | 8x9 | 150 | 19 | 19 | 66 | 10 |
| 4081011 | 10x11 | 158 | 19 | 22,7 | 76 | 10 |
| 4081213 | 12x13 | 180 | 23 | 26,8 | 120 | 10 |

## HINGED SOCKET WRENCH

DIN NO. 3118






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4120607 | 6x7 | 184 | 9,5 | 10,9 | 72 | 10 |
| 4120809 | 8x9 | 180 | 13 | 14 | 78 | 10 |
| 4121011 | 10x11 | 200 | 15 | 16 | 106 | 10 |
| 4121213 | 12x13 | 220 | 18 | 19 | 160 | 10 |
| 4121415 | 14x15 | 242 | 20 | 22 | 240 | 10 |
| 4121617 | 16x17 | 260 | 24 | 24 | 326 | 10 |
| 4121819 | 18x19 | 275 | 26 | 26 | 394 | 10 |
| 4122022 | 20x22 | 305 | 28 | 30,5 | 572 | 10 |
| 4122123 | 21x23 | 305 | 29,8 | 33 | 616 | 10 |
| 4122427 | 24x27 | 335 | 33 | 37 | 774 | 10 |

## HINGED TX E WRENCH






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 41210608 | E6xE8 | 183 | 8,3 | 9,9 | 76 | 10 |
| 41211012 | E10xE12 | 201 | 12 | 15 | 108 | 10 |
| 41211418 | E14xE18 | 220 | 16,3 | 19 | 202 | 10 |
| 41212024 | E20xE24 | 250 | 22 | 26 | 334 | 10 |

## HINGED DRIVER 1/4" - 1/4" INHEX






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 41201 | 01-apr | 188 | 13,9 | 12,9 | 80 | 10 |

## HINGED DRIVER 1/4" X 3/8"






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 41202 | 1/4" x 3/8" | 208 | 18 | 14 | 122 | 10 |

## DOUBLE OPEN WRENCH

DIN NO. 3110






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4140607 | 6x7 | 123 | 15,5 | 18 | 22 | 10 |
| 4140809 | 8x9 | 140 | 20,4 | 22,7 | 32 | 10 |
| 4141011 | 10x11 | 156 | 23,6 | 25,7 | 58 | 10 |
| 4141213 | 12x13 | 172 | 28,2 | 30,3 | 80 | 10 |
| 4141415 | 14x15 | 190 | 33,3 | 35,3 | 98 | 10 |
| 4141617 | 16x17 | 204 | 36,1 | 37,9 | 134 | 10 |
| 4141819 | 18x19 | 221 | 39,2 | 41,5 | 158 | 10 |
| 4142022 | 20x22 | 237 | 45,4 | 49,5 | 212 | 10 |
| 4142123 | 21x23 | 247 | 45,2 | 48,5 | 232 | 10 |
| 4142224 | 22x24 | 247 | 46,8 | 50,8 | 225 | 10 |
| 4142427 | 24x27 | 263 | 51,9 | 58,1 | 314 | 5 |
| 4142528 | 25x28 | 279 | 53,8 | 60,3 | 386 | 5 |
| 4143032 | 30x32 | 298 | 64,4 | 68,8 | 486 | 5 |
| 4143436 | 34x36 | 350 | 69,8 | 76.0 | 600 | 5 |

## DOUBLE OPEN WRENCH SAE

DIN NO. 3110






| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4220608 | 1/4"x5/16" | 123 | 14,5 | 17,3 | 24 | 5 |
| 4221011 | 3/8"X7/16" | 156 | 23,8 | 26 | 60 | 5 |
| 4221314 | 1/2"X9/16" | 180 | 30,3 | 32,3 | 88 | 5 |
| 4221617 | 5/8"x11/16" | 204 | 35,5 | 37,6 | 132 | 5 |
| 4221719 | 11/16"x3/4" | 221 | 39,6 | 41,3 | 162 | 5 |
| 4222122 | 13/16"x7/8" | 237 | 43,7 | 47,7 | 208 | 5 |
| 4222425 | 15/16"x1" | 255 | 49,1 | 55,2 | 288 | 5 |
| 4222932 | 1.1/8"x1.1/4" | 298 | 64 | 68,4 | 508 | 5 |

# Wrenches


## COMBINATION WRENCH

DIN NO. 3113



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 41506 | 6 | 105 | 15,5 | 10,1 | 14 | 10 |
| 41507 | 7 | 115 | 17 | 11,5 | 20 | 10 |
| 41508 | 8 | 125 | 19,2 | 12,8 | 30 | 10 |
| 41509 | 9 | 135 | 21,2 | 14,2 | 32 | 10 |
| 41510 | 10 | 145 | 23,2 | 15,6 | 38 | 10 |
| 41511 | 11 | 155 | 25,3 | 16,9 | 50 | 10 |
| 41512 | 12 | 165 | 27,2 | 18,3 | 66 | 10 |
| 41513 | 13 | 175 | 29,4 | 19,7 | 70 | 10 |
| 41514 | 14 | 185 | 31,5 | 21,2 | 84 | 10 |
| 41515 | 15 | 195 | 33,2 | 22,5 | 94 | 10 |
| 41516 | 16 | 205 | 34,7 | 24 | 108 | 10 |
| 41517 | 17 | 215 | 36,5 | 25,3 | 128 | 10 |
| 41518 | 18 | 225 | 38,7 | 26,8 | 148 | 10 |
| 41519 | 19 | 235 | 40,7 | 28,1 | 160 | 10 |
| 41520 | 20 | 245 | 43,1 | 29,7 | 178 | 10 |
| 41521 | 21 | 255 | 44,8 | 31,3 | 210 | 10 |
| 41522 | 22 | 265 | 46,9 | 32,6 | 250 | 10 |
| 41523 | 23 | 275 | 48,3 | 34,2 | 254 | 10 |
| 41524 | 24 | 285 | 50,4 | 35,5 | 328 | 5 |
| 41525 | 25 | 295 | 52 | 36,9 | 314 | 5 |
| 41526 | 26 | 305 | 53,6 | 38,2 | 348 | 5 |
| 41527 | 27 | 315 | 55,7 | 39,6 | 380 | 5 |
| 41528 | 28 | 325 | 57,6 | 40,9 | 430 | 5 |
| 41529 | 29 | 335 | 58,3 | 42,3 | 436 | 5 |
| 41530 | 30 | 345 | 61,8 | 43,7 | 530 | 5 |
| 41532 | 32 | 365 | 65,8 | 46,4 | 570 | 5 |
| 41533 | 33 | 380 | 69,2 | 48,8 | 630 | 2 |
| 41534 | 34 | 380 | 69,2 | 44,8 | 630 | 2 |
| 41535 | 35 | 410 | 74 | 53 | 800 | 2 |
| 41536 | 36 | 410 | 74 | 53 | 800 | 2 |
| 41538 | 38 | 430 | 77 | 56 | 1000 | 2 |
| 41541 | 41 | 460 | 84 | 61 | 1160 | 2 |
| 41543 | 43 | 460 | 84 | 61 | 1160 | 2 |
| 41546 | 46 | 500 | 92 | 66 | 1700 | 2 |
| 41548 | 48 | 540 | 102 | 73 | 2000 | 2 |
| 41550 | 50 | 540 | 102 | 73 | 2000 | 2 |
| 41555 | 55 | 560 | 118 | 86 | 2800 | 2 |
| 41558 | 58 | 600 | 126 | 94 | 3900 | 2 |
| 41560 | 60 | 600 | 126 | 94 | 3900 | 2 |
| 41565 | 65 | 680 | 148 | 108 | 5800 | 2 |
| 41570 | 70 | 680 | 148 | 108 | 5800 | 2 |
| 41575 | 75 | 730 | 155 | 115 | 6650 | 2 |
| 41580 | 80 | 730 | 155 | 115 | 6510 | 2 |
| 41585 | 85 | 790 | 179 | 131 | 10000 | 2 |


## COMBINATION WRENCH EXTRA LONG




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4150310 | 10 | 189 | 23,4 | 16,4 | 54 | 10 |
| 4150311 | 11 | 207 | 25,2 | 17,9 | 75 | 10 |
| 4150312 | 12 | 225 | 27,8 | 19,4 | 88 | 10 |
| 4150313 | 13 | 243 | 29,2 | 21 | 104 | 10 |
| 4150314 | 14 | 261 | 32 | 22,4 | 149 | 10 |
| 4150315 | 15 | 279 | 34,1 | 24 | 167 | 10 |
| 4150316 | 16 | 297 | 35,9 | 25,4 | 203 | 10 |
| 4150317 | 17 | 314 | 38,2 | 26,8 | 231 | 10 |
| 4150318 | 18 | 333 | 40 | 28,1 | 272 | 10 |
| 4150319 | 19 | 349 | 42,1 | 29,3 | 298 | 10 |


## COMBINATION WRENCH SAE

DIN NO. 3113




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4150206 | 1/4" | 105 | 15,5 | 10,1 | 16 | 10 |
| 4150208 | 5/16" | 125 | 19,2 | 12,8 | 26 | 10 |
| 4150210 | 3/8" | 145 | 23,2 | 15,6 | 40 | 10 |
| 4150211 | 7/16" | 155 | 25,3 | 16,9 | 52 | 10 |
| 4150213 | 1/2" | 175 | 29,4 | 19,7 | 70 | 10 |
| 4150214 | 9/16" | 185 | 31,5 | 21,2 | 88 | 10 |
| 4150216 | 5/8" | 205 | 34,7 | 24 | 114 | 10 |
| 4150217 | 11/16" | 215 | 36,5 | 25,3 | 126 | 10 |
| 4150219 | 3/4" | 235 | 40,7 | 28,1 | 170 | 10 |
| 4150221 | 13/16" | 255 | 44,8 | 31,3 | 196 | 10 |
| 4150222 | 7/8" | 265 | 46,9 | 32,6 | 218 | 10 |
| 4150224 | 15/16" | 285 | 50,4 | 35,5 | 308 | 10 |
| 4150225 | 1" | 300 | 52 | 37,5 | 325 | 10 |
| 4150227 | 1-1/16" | 315 | 55,8 | 39 | 410 | 10 |
| 4150228 | 1-1/8" | 335 | 58,5 | 42,2 | 460 | 10 |
| 4150232 | 1-1/4" | 365 | 65 | 46,5 | 600 | 10 |
| 4150233 | 1-5/16" | 380 | 67,2 | 49 | 640 | 5 |
| 4150235 | 1-3/8" | 410 | 73,4 | 53,8 | 820 | 5 |
| 4150238 | 1-1/2" | 430 | 76,6 | 57,8 | 1000 | 5 |
| 4150241 | 1-5/8" | 460 | 83,5 | 61,8 | 1200 | 5 |

## STUBBY COMBINATION WRENCH




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 42608 | 8 | 91 | 17,1 | 12,8 | 20 | 10 |
| 42609 | 9 | 97 | 21,4 | 15 | 30 | 10 |
| 42610 | 10 | 97 | 21,4 | 15 | 34 | 10 |
| 42611 | 11 | 100 | 23,7 | 17,3 | 44 | 10 |
| 42612 | 12 | 105 | 25,9 | 18,4 | 46 | 10 |
| 42613 | 13 | 108 | 26,8 | 19,7 | 50 | 10 |
| 42614 | 14 | 115 | 29,8 | 21,7 | 68 | 10 |
| 42615 | 15 | 118 | 31,6 | 22,8 | 80 | 10 |
| 42616 | 16 | 122 | 33,8 | 24,2 | 84 | 10 |
| 42617 | 17 | 130 | 36,2 | 25,4 | 102 | 10 |

## REVERSIBLE RATCHETING WRENCH 12PT.




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4170208 | 8 | 136 | 16,7 | 17,6 | 36 | 10 |
| 4170209 | 9 | 143 | 19,4 | 19,1 | 44 | 10 |
| 4170210 | 10 | 159 | 21,5 | 20,7 | 58 | 10 |
| 4170211 | 11 | 168 | 23,9 | 22,7 | 70 | 10 |
| 4170212 | 12 | 174 | 26 | 24 | 84 | 10 |
| 4170213 | 13 | 180 | 27,3 | 26,1 | 100 | 10 |
| 4170214 | 14 | 189 | 31,2 | 27,8 | 116 | 10 |
| 4170215 | 15 | 200 | 32,5 | 29,2 | 140 | 10 |
| 4170216 | 16 | 216 | 34,1 | 31,6 | 158 | 10 |
| 4170217 | 17 | 232 | 37,5 | 33,5 | 200 | 10 |
| 4170218 | 18 | 239 | 39 | 33,7 | 202 | 10 |
| 4170219 | 19 | 247 | 40,7 | 35,1 | 250 | 10 |

## FLEXIBLE RATCHETING WRENCH 12PT.



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4170308 | 8 | 136 | 17,1 | 17,5 | 38 | 10 |
| 4170309 | 9 | 143 | 19,2 | 19,3 | 44 | 10 |
| 4170310 | 10 | 160 | 21,3 | 21 | 66 | 10 |
| 4170311 | 11 | 168 | 23,7 | 22,7 | 76 | 10 |
| 4170312 | 12 | 174 | 25,8 | 24 | 92 | 10 |
| 4170313 | 13 | 180 | 26,8 | 26 | 106 | 10 |
| 4170314 | 14 | 193 | 30,4 | 27,7 | 128 | 10 |
| 4170315 | 15 | 200 | 32,1 | 29,1 | 148 | 10 |
| 4170316 | 16 | 216 | 33,8 | 30,7 | 186 | 10 |
| 4170317 | 17 | 233 | 37 | 32,6 | 218 | 10 |
| 4170318 | 18 | 239 | 38,7 | 33,7 | 226 | 10 |
| 4170319 | 19 | 250 | 40,2 | 34,8 | 268 | 10 |


## FLAT RATCHETING WRENCH 12PT.



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4170108 | 8 | 129 | 18,8 | 18 | 32 | 10 |
| 4170109 | 9 | 139 | 20,8 | 19,5 | 40 | 10 |
| 4170110 | 10 | 149 | 22,8 | 21 | 50 | 10 |
| 4170111 | 11 | 159 | 24,9 | 23 | 60 | 10 |
| 4170112 | 12 | 169 | 26,8 | 24,5 | 70 | 10 |
| 4170113 | 13 | 179 | 29 | 26,5 | 88 | 10 |
| 4170114 | 14 | 189 | 31,1 | 28 | 110 | 10 |
| 4170115 | 15 | 199 | 32,8 | 29,5 | 118 | 10 |
| 4170116 | 16 | 209 | 34,3 | 31,5 | 134 | 10 |
| 4170117 | 17 | 219 | 36,1 | 33 | 168 | 10 |
| 4170118 | 18 | 229 | 38,3 | 34 | 176 | 10 |
| 4170119 | 19 | 239 | 40,3 | 35 | 204 | 10 |


# Wrenches

## 4-IN-1 RING RATCHET WRENCH



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4170401 | 8-10, 12-13 | 160 | 21,5 | 26,5 | 98 | 5 |
| 4170402 | 16-17, 18-19 | 230 | 34,5 | 35,6 | 264 | 5 |


## TX RATCHETING WRENCH



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 41760608 | E6xE8 | 130,4 | 17,4 | 20,9 | 56 | 10 |
| 41761012 | E10xE12 | 144,4 | 20,9 | 22,9 | 80 | 10 |
| 41761418 | E14xE18 | 181,4 | 27,4 | 30,4 | 154 | 10 |
| 41762024 | E20xE24 | 224,4 | 31,9 | 34,4 | 218 | 10 |

## 45° OFFSET RING WRENCH


DIN NO. 838



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4180607 | 6x7 | 165 | 10,6 | 13 | 34 | 10 |
| 4180809 | 8x9 | 170 | 14,5 | 16,5 | 50 | 10 |
| 4181011 | 10x11 | 180 | 15 | 17,5 | 68 | 10 |
| 4181213 | 12x13 | 206 | 20 | 22 | 108 | 10 |
| 4181415 | 14x15 | 232 | 22 | 24 | 134 | 10 |
| 4181617 | 16x17 | 237 | 24 | 26 | 160 | 10 |
| 4181819 | 18x19 | 270 | 28 | 29,5 | 268 | 10 |
| 4182123 | 21x23 | 327 | 32,5 | 34,5 | 368 | 10 |


## 75° OFFSET RING WRENCH

DIN NO. 838




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4190607 | 6x7 | 168 | 10,7 | 12,2 | 52 | 10 |
| 4190809 | 8x9 | 183 | 13,6 | 15,1 | 56 | 10 |
| 4191011 | 10x11 | 198 | 16,6 | 18 | 94 | 10 |
| 4191213 | 12x13 | 217 | 19,5 | 20,9 | 122 | 10 |
| 4191415 | 14x15 | 239 | 22,4 | 23,7 | 164 | 10 |
| 4191617 | 16x17 | 260 | 25,3 | 26,7 | 196 | 10 |
| 4191819 | 18x19 | 292 | 26,9 | 28,7 | 260 | 10 |
| 4192022 | 20x22 | 318 | 34 | 31,1 | 320 | 10 |
| 4192122 | 21x22 | 318 | 31,1 | 35,9 | 382 | 10 |
| 4192123 | 21x23 | 330 | 34 | 35,9 | 344 | 10 |
| 4192326 | 23x26 | 345 | 36,9 | 41,4 | 490 | 5 |
| 4192427 | 24x27 | 345 | 36,9 | 41,4 | 498 | 5 |
| 4192528 | 25x28 | 355 | 40,4 | 43,8 | 546 | 5 |
| 4193032 | 30x32 | 370 | 45,5 | 48,5 | 632 | 5 |
| 4193436 | 34x36 | 415 | 48,5 | 54,5 | 1000 | 5 |

## 45° OFFSET RING WRENCH SAE



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4270608 | 1/4"x5/16" | 165 | 10,6 | 13 | 36 | 5 |
| 4271011 | 3/8"x7/16" | 180 | 15 | 17,5 | 68 | 5 |
| 4271314 | 1/2"x9/16" | 206 | 20 | 22 | 100 | 5 |
| 4271416 | 9/16"x5/8" | 232 | 22 | 25,3 | 150 | 5 |
| 4271719 | 11/16"x3/4" | 270 | 28 | 29,5 | 256 | 5 |
| 4272122 | 13/16"x7/8" | 327 | 32,5 | 34,5 | 368 | 5 |
| 4272425 | 15/16"x1" | 362 | 34,5 | 38,5 | 478 | 5 |


## INJECTION PUMP WRENCH



| ART. NO. | SIZE | L(MM) | B(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 4200113 | 13 | 160 | 20,6 | 76 | 5 |


## FLAT DOUBLE RING WRENCH

DIN NO. 837




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4200607 | 6x7 | 119 | 9,8 | 11 | 16 | 5 |
| 4200809 | 8x9 | 135 | 12,9 | 16,5 | 26 | 5 |
| 4201011 | 10x11 | 153 | 16,5 | 19,8 | 44 | 5 |
| 4201213 | 12x13 | 162 | 19,8 | 22 | 62 | 5 |
| 4201415 | 14x15 | 180 | 22 | 25 | 86 | 5 |
| 4201617 | 16x17 | 210 | 25 | 26,5 | 118 | 5 |
| 4201819 | 18x19 | 225 | 27,6 | 28,6 | 140 | 5 |

## TX WRENCH




| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4160608 | E6xE8 | 113 | 9,2 | 11,2 | 22 | 10 |
| 4160711 | E7xE11 | 127 | 10,6 | 15,6 | 24 | 10 |
| 4161012 | E10xE12 | 142 | 14,4 | 16,7 | 42 | 10 |
| 4161418 | E14xE18 | 182 | 17,2 | 21,2 | 82 | 10 |
| 4161622 | E16xE22 | 202 | 18,9 | 25,9 | 116 | 10 |
| 4162024 | E20xE24 | 224 | 24,8 | 28,7 | 200 | 10 |

## HALF-MOON WRENCH



| ART. NO. | SIZE | L(MM) | B1(MM) | B2(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4211012 | 10x12 | 141 | 15,6 | 18,2 | 54 | 5 |
| 4211113 | 11x13 | 166 | 18,2 | 21 | 96 | 5 |
| 4211417 | 14x17 | 190 | 22 | 25 | 128 | 5 |

## ANGLE WRENCH 6 PT.




| ART. NO. | SIZE | L(MM) | I(MM) | B(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 41308 | 8 | 127 | 29 | 11,9 | 68 | 10 |
| 41310 | 10 | 140 | 36 | 14,8 | 114 | 10 |
| 41311 | 11 | 141 | 37 | 15,9 | 116 | 10 |
| 41312 | 12 | 150 | 42 | 16,9 | 152 | 10 |
| 41313 | 13 | 153 | 42 | 20 | 180 | 10 |
| 41314 | 14 | 170 | 47 | 20,9 | 212 | 10 |
| 41315 | 15 | 175 | 48 | 21,9 | 226 | 10 |
| 41316 | 16 | 195 | 53 | 23,9 | 330 | 10 |
| 41317 | 17 | 198 | 54 | 25,4 | 348 | 10 |
| 41318 | 18 | 210 | 57 | 26,4 | 400 | 10 |
| 41319 | 19 | 213 | 58 | 28,4 | 432 | 10 |

## ADJUSTABLE WRENCH



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 42301150 | 155 | 147 | 6 |
| 42301200 | 205 | 275 | 6 |
| 42301250 | 255 | 410 | 6 |
| 42301300 | 305 | 765 | 6 |
| 42301375 | 385 | 1330 | 6 |


sonic

# 13 > Hex and TX keys



> Foldable hex key sets
PAGE 353



> Foldable TX key sets
PAGE 354



> Foldable hex key sets SAE
PAGE 353



> TX key sets
PAGE 355



> Hex key sets
PAGE 353



> TX ball key sets
PAGE 355



> Hex ball key sets
PAGE 354



> Hex key wrench
PAGE 356




> Hex ball key sets SAE
PAGE 354



> TX key wrench
PAGE 357

# Great rotation and maximum torque



Mininum tolerance

**Sonic has a wide range of hex and tx keys.** There are 3 models; metal holder, plastic holder and the classic l-type.



Magnetic



Color coded



Extra long



Stubby



Folding holder



## 600713 - FOLDABLE HEX KEY SET, 7-PCS



| PCS | DESCRIPTION |
|---|---|
| 7 | 2.5, 3, 4, 5, 6, 8, 10mm |

## 601007 - HEX KEY SET EXTRA LONG, 10-PCS



| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 184030127...10 | 10 | Hex extra long key 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 600712 - FOLDABLE HEX KEY SET, 7-PCS (AVAILABLE IN 16-PCS DISPLAY)



| PCS | DESCRIPTION |
|---|---|
| 7 | 2, 2.5, 3, 4, 5, 6, 8mm |

## 600925 - COLORED HEX KEY SET EXTRA LONG, 9-PCS



| PCS | DESCRIPTION |
|---|---|
| 9 | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 600716 - FOLDABLE HEX KEY SET, 7-PCS (AVAILABLE IN 16-PCS DISPLAY)



| PCS | DESCRIPTION |
|---|---|
| 7 | 2.5, 3, 4, 5, 6, 8, 10mm |

## 600927 - FOLDABLE HEX KEY SET SAE, 9-PCS (AVAILABLE IN 16-PCS DISPLAY)



| PCS | DESCRIPTION |
|---|---|
| 9 | 1/16", 5/64", 3/32", 7/64", 1/8", 5/32", 3/16", 7/32", 1/4" |

## 600621 - HEX KEY SET 600MML, 6-PCS




| PCS | DESCRIPTION |
|---|---|
| 6 | 4, 5, 6, 7, 8, 10mm |

## 600828 - HEX KEY SET 600MML, 8-PCS




| PCS | DESCRIPTION |
|---|---|
| 8 | 6, 7, 8, 10, 12, 14, 17, 19mm |

# Hex and TX keys

## 600912 - HEX BALL STUBBY KEY SET, 9-PCS



| PCS | DESCRIPTION |
|---|---|
| 9 | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 601006 - HEX BALL KEY SET, 10-PCS




| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 185020127...10 | 10 | Hex ball long key 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 601008 - HEX BALL KEY SET EXTRA LONG 10-PCS




| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 185030127...10 | 10 | Hex extra long key 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 601003 - HEX KEY SET EXTRA LONG (SAE), 10-PCS




| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 1850601...10 | 10 | 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" |

## 601305 - BALL ENDED HEX KEY SET WITH MAGNET, 13-PCS




| PCS | DESCRIPTION |
|---|---|
| 9 | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 601306 - BALL ENDED HEX KEY SET SAE WITH MAGNET, 13-PCS




| PCS | DESCRIPTION |
|---|---|
| 13 | 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4" |

## 600923 - COLORED STUBBY BALL HEX KEY SET, 9-PCS



| PCS | DESCRIPTION |
|---|---|
| 9 | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm |

## 600830 - FOLDABLE TX KEY SET, 8-PCS (AVAILABLE IN 16-PCS DISPLAY)



| PCS | DESCRIPTION |
|---|---|
| 8 | T8, T10, T15, T20, T25, T27, T30, T40 |

## 600813 - FOLDABLE TX KEY SET, 8-PCS



| PCS | DESCRIPTION |
|---|---|
| 8 | T8, T10, T15, T20, T25, T27, T30, T40 |

## 600924 - COLORED STUBBY TX-H KEY SET, 9-PCS



| PCS | DESCRIPTION |
|---|---|
| 9 | T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H |

## 600902 - TX KEY SET EXTRA LONG, 9-PCS




| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 1860310...50 | 9 | T10, T15, T20, T25, T27, T30, T40, T45, T50 |

## 600926 - COLORED TX KEY SET EXTRA LONG, 9-PCS



| PCS | DESCRIPTION |
|---|---|
| 9 | T10, T15, T20, T25, T27, T30, T40, T45, T50 |

## 601307 - TX KEY SET WITH MAGNET, 13-PCS



- MAGNETIC
- EXTREME BIG SIZES

| PCS | DESCRIPTION |
|---|---|
| 13 | T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, T70, T80 |

## 600909 - TX BALL EXTRA LONG KEY SET, 9-PCS



| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 1861310...350 | 9 | T10, T15, T20, T25, T27, T30, T40, T45, T50 |

## 600622 - TX KEY SET 600MML, 6-PCS




EXTRA LONG, 600MML

| PCS | DESCRIPTION |
|---|---|
| 6 | T20, T25, T30, T40, T45, T50 |


# Hex and TX keys

## BALL ENDED HEX KEY WRENCH




| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 185020127 | 1,27 | 63 | 13 | 2 | 10 |
| 18502015 | 1,5 | 63 | 16 | 2 | 10 |
| 1850202 | 2 | 75 | 18 | 2 | 10 |
| 18502025 | 2,5 | 88 | 21 | 4 | 10 |
| 1850203 | 3 | 92 | 22 | 6 | 10 |
| 1850204 | 4 | 103 | 29 | 14 | 10 |
| 1850205 | 5 | 118 | 32 | 24 | 10 |
| 1850206 | 6 | 140 | 38 | 40 | 10 |
| 1850208 | 8 | 158 | 44 | 82 | 10 |
| 1850210 | 10 | 180 | 50 | 142 | 10 |

## BALL ENDED HEX KEY WRENCH, EXTRA LONG




| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 185030127 | 1,27 | 81 | 13 | 2 | 10 |
| 18503015 | 1,5 | 92 | 16 | 2 | 10 |
| 1850302 | 2 | 102 | 18 | 4 | 10 |
| 18503025 | 2,5 | 115 | 21 | 6 | 10 |
| 1850303 | 3 | 129 | 22 | 8 | 10 |
| 1850304 | 4 | 144 | 29 | 18 | 10 |
| 1850305 | 5 | 165 | 32 | 30 | 10 |
| 1850306 | 6 | 185 | 38 | 50 | 10 |
| 1850308 | 8 | 208 | 44 | 98 | 10 |
| 1850310 | 10 | 232 | 50 | 176 | 10 |

## HEX KEY WRENCH, EXTRA LONG




| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 184030127 | 1,27 | 81 | 13 | 2 | 10 |
| 18403015 | 1,5 | 92 | 16 | 2 | 10 |
| 1840302 | 2 | 102 | 18 | 2 | 10 |
| 18403025 | 2,5 | 115 | 21 | 6 | 10 |
| 1840303 | 3 | 129 | 22 | 8 | 10 |
| 1840304 | 4 | 144 | 29 | 18 | 10 |
| 1840305 | 5 | 165 | 32 | 32 | 10 |
| 1840306 | 6 | 185 | 38 | 50 | 10 |
| 1840308 | 8 | 208 | 44 | 102 | 10 |
| 1840310 | 10 | 232 | 50 | 176 | 10 |

## BALL ENDED HEX KEY WRENCH, EXTRA LONG (SAE)




| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1850601 | 1/16" | 81 | 13 | 2 | 10 |
| 1850602 | 5/64" | 92 | 16 | 2 | 10 |
| 1850603 | 3/32" | 102 | 18 | 4 | 10 |
| 1850604 | 1/8" | 115 | 21 | 6 | 10 |
| 1850605 | 5/32" | 129 | 22 | 8 | 10 |
| 1850606 | 3/16" | 144 | 29 | 18 | 10 |
| 1850607 | 7/32" | 165 | 32 | 30 | 10 |
| 1850608 | 1/4" | 185 | 38 | 50 | 10 |
| 1850609 | 5/16" | 208 | 44 | 98 | 10 |
| 1850610 | 3/8" | 232 | 50 | 176 | 10 |

## TX KEY WRENCH, EXTRA LONG KEY





| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1860310 | T10 | 92 | 16 | 6 | 10 |
| 1860315 | T15 | 102 | 18 | 8 | 10 |
| 1860320 | T20 | 115 | 21 | 12 | 10 |
| 1860325 | T25 | 129 | 22 | 18 | 10 |
| 1860327 | T27 | 144 | 29 | 26 | 10 |
| 1860330 | T30 | 165 | 32 | 40 | 10 |
| 1860340 | T40 | 186 | 38 | 62 | 10 |
| 1860345 | T45 | 208 | 44 | 90 | 10 |
| 1860350 | T50 | 232 | 50 | 128 | 10 |

## TX KEY WRENCH, EXTRA LONG




| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1860106 | T6 | 45 | 20 | 2 | 10 |
| 1860107 | T7 | 50 | 20 | 4 | 10 |
| 1860108 | T8 | 51 | 20 | 4 | 10 |
| 1860109 | T9 | 53 | 18 | 4 | 10 |

## BALL ENDED TX KEY WRENCH TX, EXTRA LONG




| ART. NO. | SIZE | L(MM) | l(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 1861310 | T10 | 92 | 16 | 4 | 10 |
| 1861315 | T15 | 102 | 18 | 8 | 10 |
| 1861320 | T20 | 115 | 21 | 12 | 10 |
| 1861325 | T25 | 129 | 22 | 18 | 10 |
| 1861327 | T27 | 144 | 29 | 24 | 10 |
| 1861330 | T30 | 165 | 32 | 38 | 10 |
| 1861340 | T40 | 185 | 38 | 60 | 10 |
| 1861345 | T45 | 208 | 44 | 88 | 10 |
| 1861350 | T50 | 232 | 50 | 124 | 10 |


SONIC


> Combination pliers
PAGE 361


> Long nose pliers
PAGE 361


> Bent long nose pliers
PAGE 361


> Diagonal pliers
PAGE 361


> VDE pliers
PAGE 361, 362


> Stripping pliers
PAGE 362


> Waterpump pliers
PAGE 362


> Tower pincers
PAGE 362


> Snap ring pliers
PAGE 363


> Pliers extra long
PAGE 363


> Spark plug pliers
PAGE 363, 364


> Grip pliers
PAGE 364


> Hose clamp pliers
PAGE 365


> Wheel pliers
PAGE 365


> Riveting pliers
PAGE 365


> Oil filter pliers
PAGE 365


> Pin punch set
PAGE 365


> Chisels
PAGE 366


> Pin punches
PAGE 366


> Center punches
PAGE 366


> Hammers
PAGE 367


> Saws
PAGE 369


> Shears
PAGE 369


> Knives
PAGE 370


> Files
PAGE 370


> Triangular scrapers
PAGE 370


> Wire brushes
PAGE 371


> Feeler gauge
PAGE 371


> Rulers
PAGE 371


> Calipers
PAGE 371


> Measuring tape
PAGE 371


> Panel removers
PAGE 372


> Scrapers
PAGE 372


> Hooks
PAGE 373


> Magnet pickups
PAGE 373



> Mirror
PAGE 374


> Pry bars
PAGE 374

# Ultimate strength and durability

Our Sonic pliers **increase leverage and strength** without sacrificing comfort.

Diagonal side cutting pliers | Combination pliers | Long nose pliers | Bent long nose Pliers | Snap ring pliers straight-open | Snap ring pliers straight-close | Snap ring pliers bent-open | Snap ring pliers bent-close



Precision hardened head





Ergonomic two-component handle





Made in Germany

## COMBINATION PLIERS 6"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4311165 | 165 | 180 | 6 |

## COMBINATION PLIERS 7"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4311175 | 190 | 248 | 10 |

## ERGONOMIC POWER-COMBINATION PLIERS 8"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4312200 | 180 | 268 | 10 |

## VDE COMBINATION PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4312180 | 185 | 260 | 10 |

## FLAT LONG NOSE PLIERS 6"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4321160 | 170 | 152 | 6 |

## FLAT LONG NOSE PLIERS 6"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4322160 | 170 | 160 | 6 |

## LONG NOSE PLIERS 6"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4321170 | 170 | 150 | 6 |

## LONG NOSE PLIERS 8"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4321200 | 200 | 198 | 10 |

## VDE LONG NOSE PLIERS 8"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4322200 | 205 | 220 | 10 |

## BENT LONG NOSE PLIERS 8"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4331200 | 195 | 198 | 10 |

## DIAGONAL PLIERS 5"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4341145 | 155 | 158 | 6 |

## DIAGONAL PLIERS 7"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4341175 | 170 | 200 | 10 |

## DIAGONAL PLIERS 7"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4341180 | 190 | 236 | 6 |

## UNIVERSAL DIAGONAL PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4341190 | 195 | 250 | 6 |

## LEVERAGE DIAGONAL PLIERS 8"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4342200 | 210 | 308 | 10 |

## LEVERAGE DIAGONAL PLIERS 9"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4342240 | 250 | 410 | 10 |

## HEAVY DUTY DIAGONAL PLIERS 8"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4343200 | 210 | 290 | 6 |

## VDE DIAGONAL PLIERS 6"


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4342160 | 165 | 210 | 10 |

## VDE STRIPPING PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4472160 | 160 | 185 | 10 |

## WIRE STRIPPER 8"

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4471250 | 215 | 186 | 10 |

## AUTOMATIC WIRE STRIPPER 0.5 - 4MM

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4471180 | 180 | 130 | 10 |


## WIRE STRIPPER 0.2-6.0MM



- Stripping and cutting of cables and wires with Ø0,05-6mm², adjustable by setting wheel
- Crimping of 0,2-6mm² isolated cable shoes
- Crimping of 0,2-6mm² uninsulated cable shoes
- Crimping of 7-8mm² ignition cable contacts
- With one operation each position of the cable can be stripped


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 813003 | 280 | 316 | 1 |

## WATERPUMP PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4351180 | 180 | 145 | 10 |
| 4351250 | 250 | 322 | 10 |
| 4351300 | 300 | 580 | 10 |
| 4351400 | 400 | 1305 | 10 |

## WATERPUMP PLIERS MX

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4352180 | 280 | 200 | 10 |
| 4352250 | 250 | 340 | 10 |
| 4352400 | 400 | 1065 | 10 |


## TOWER PINCERS

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 44601280 | 280 | 436 | 1 |

## SNAP RING PLIERS (STRAIGHT OPEN)






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 43611 | 178 | 150 | 10 |

## SNAP RING PLIERS (STRAIGHT CLOSE)






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 43612 | 178 | 150 | 10 |

## SNAP RING PLIERS (BENT OPEN)






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 43613 | 167 | 150 | 10 |

## SNAP RING PLIERS (BENT CLOSE)





| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 43614 | 167 | 150 | 10 |


## LOCK RING PLIERS



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 830001 | 220 | 190 | 1 |

## LONG NOSE PLIERS STRAIGHT 11"






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4323275 | 284 | 295 | 5 |

## LONG NOSE PLIERS 10" 90° BENT






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4333270 | 257 | 290 | 5 |

## LONG NOSE PLIERS 11" 45° BENT






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4333275 | 275 | 287 | 5 |

## CIRCLE NOSE PLIERS 11"






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4393001 | 291 | 313 | 5 |
| 4393002 | 291 | 321 | 5 |
| 4393003 | 295 | 317 | 5 |

## SCISSOR JOINTED PLIERS, EXTA LONG






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4476006 | 340 | 396 | 10 |

## SCISSOR JOINTED PLIERS, EXTRA LONG 45° BENT






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4476007 | 336 | 396 | 10 |


## GLOW PLUG PLIERS BENT






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4476004 | 240 | 240 | 10 |

## SPARK PLUG PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4476005 | 290 | 302 | 10 |

## SPARK PLUG CONNECTOR PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4476002 | 290 | 267 | 10 |

## SPARK PLUG CONNECTOR PLIERS (RING)


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4476001 | 290 | 240 | 10 |

## LOCKING PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4380250 | 230 | 570 | 10 |

## LONG NOSE LOCKING PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4381150 | 170 | 190 | 5 |
| 4381225 | 220 | 376 | 5 |

## CURVED JAW LOCKING PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4382125 | 145 | 178 | 5 |
| 4382175 | 190 | 345 | 5 |
| 4382250 | 225 | 552 | 5 |

## STRAIGHT JAW LOCKING PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4383175 | 190 | 376 | 5 |
| 4383250 | 230 | 578 | 5 |

## V CURVED JAW LOCKING PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4384250 | 230 | 572 | 10 |

## PAD LOCKING C CLAMP PLIERS


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4385150 | 175 | 274 | 5 |
| 4385275 | 285 | 798 | 5 |

## DOT LOCKING C CLAMP


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4386150 | 170 | 232 | 5 |
| 4386275 | 275 | 802 | 5 |

## LOCKING PLIERS

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4387250 | 245 | 708 | 5 |


## WELDER'S GRIP PLIERS

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4388275 | 270 | 864 | 5 |

## LOCKING PLIERS FOR BRAKE AND AIR PLUG






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4391175 | 200 | 366 | 5 |

## HOSE CLAMP PLIERS






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4473001 | 215 | 208 | 1 |

## FLAT BAND HOSE CLAMP PLIERS






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4473002 | 215 | 208 | 1 |

## ANGLED FLAT BAND HOSE CLAMP PLIERS






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4473004 | 215 | 186 | 1 |

## HOSE CLIP PLIER






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4473003 | 175 | 228 | 1 |

## HOSE CLAMP PLIER (ANGLE TYPE)






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4473005 | 180 | 244 | 1 |

## WHEEL WEIGHT BALANCE PLIERS





| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4474001 | 240 | 394 | 1 |

## WHEEL WEIGHT BALANCE PLIERS






To remove adhesive weights for alloy wheels. Through its unique design in the basin, the removal of all kinds of adhesive weight can be done very easily and without damage to alloy rims.

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4474002 | 230 | 536 | 1 |

## RIVETING PLIERS






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4410265 | 260 | 480 | 24 |

## OIL FILTER PLIERS





| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4450250 | 260 | 396 | 5 |
| 4450300 | 305 | 466 | 5 |


## 600624 - PIN PUNCH SET 6-PCS



| ART. NR. | PCS | DESCRIPTION |
|---|---|---|
| 4532115...8180 | 6 | Pin punch 115mml 2, 125mml 3, 150mml 4, 165mml 5, 180mml 6, 180mml 8 |

# Maximum comfort and safety

Our Sonic punches and chisels are produced from **special alloy steel** with different heat treatment processes for **enhanced durability.**









## GRIP CHISEL






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 45110141 | 140 | 60 | 10 |
| 45112160 | 160 | 96 | 10 |
| 45116170 | 170 | 116 | 10 |
| 45118190 | 190 | 196 | 10 |
| 45124220 | 220 | 350 | 10 |

## GRIP CAPE CHISEL






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4527190 | 190 | 186 | 10 |

## FLAT CHISEL






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4831101 | 240 | 370 | 1 |

## GRIP PIN PUNCH






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4532140 | 140 | 50 | 10 |
| 4533150 | 150 | 54 | 10 |
| 4534180 | 180 | 88 | 10 |
| 4535200 | 200 | 102 | 10 |
| 4536210 | 210 | 182 | 10 |
| 4538220 | 220 | 176 | 10 |

## GRIP TAPER PUNCH






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4552185 | 185 | 98 | 10 |
| 4553185 | 185 | 100 | 10 |
| 4554185 | 185 | 102 | 10 |

## GRIP CENTER PUNCH






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4564185 | 185 | 102 | 10 |

## AUTO CENTER PUNCH





| ART. NO. | L(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 45602 | 155 | 37 | 134 | 10 |

# Enhanced safety maximum force




Our Sonic hammers are created to **endure heavy duty wear and tear.**














Made in Italy

## MACHINIST HAMMER WITH ASH HANDLE







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4611200 | 287 | 262 | 5 |
| 4611400 | 311 | 512 | 5 |
| 4640500 | 347 | 630 | 5 |
| 4640600 | 360 | 760 | 5 |
| 4640800 | 383 | 994 | 5 |
| 4621000 | 366 | 1166 | 5 |
| 4641500 | 422 | 1672 | 5 |
| 4642000 | 447 | 2170 | 5 |

## STONING HAMMER WITH ASH HANDLE







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4631000 | 278 | 1106 | 5 |

## INSTALL HAMMER SOFT/HARD, WITH ASH HANDLE







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4822102 | 97 | 366 | 5 |
| 4620400 | 290 | 608 | 5 |

## ANTI REBOUND HAMMER, WITH ASH HANDLE







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4652035 | 330 | 610 | 5 |
| 4652060 | 355 | 1340 | 5 |

## HACKSAW






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46601 | 415 | 962 | 5 |


## SPARE BLADES 3-PCS FOR MINI HACKSAW 46602



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46603 | 153 | 8 | 3 |

## MINI HACKSAW







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46602 | 270 | 218 | 10 |

## SHEARS







| ART. NO. | TYPE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 46702 | left | 185 | 210 | 5 |
| 46703 | right | 185 | 210 | 5 |

## SHEARS







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46701 | 262 | 484 | 5 |

# Pliers, hammers, chisels, files, measuring and cutting tools

## UTILITY KNIFE (INCL. 10 BLADES)


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46806 | 262 | 484 | 5 |

## 10-PCS SPARE BLADES IN HOLDER FOR UTILITY KNIFE 46806




| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46806-1 | 119 | 76 | 100 |

## UTILITY KNIFE (INCL. 13 BLADES)


| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46807 | 164 | 184 | 10 |

## 10-PCS SPARE BLADES IN HOLDER FOR UTILITY KNIFE 46807

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46807-1 | 68 | 48 | 100 |

## UNIVERSAL KNIFE





Also available in display with 8-pcs




| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 46804 | 155 | 144 | 8 |

## FLAT FILE 8"


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 46911 | 205 | 115 | 320 | 190 | 10 |

## HALF ROUND FILE 8"


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 46912 | 205 | 115 | 320 | 206 | 10 |

## ROUND FILE 8"


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 46913 | 205 | 115 | 320 | 138 | 10 |

## TRIANGULAR FILE 8"


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 46914 | 205 | 115 | 320 | 188 | 10 |

## TRIANGULAR FILE FOR BRAKES 8"


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 46905 | 155 | 115 | 270 | 170 | 10 |

## TRIANGULAR HOLLOW SHAPE SCRAPER

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47824 | 275 | 122 | 10 |

## STEEL BRUSH


- Maximum width steel brush 8,5mm
- Maximum width plastic holder 12,5mm
- Length brush 90mm
- Also available in display with 12-pcs



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4811254 | 225 | 65 | 10 |

## BRASS BRUSH






Applicable on all aluminium brake callipers to remove brake dust
Also suitable for cleaning work on all metallic surfaces

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4811260 | 235 | 58 | 10 |

## STAINLESS STEEL VERNIER CALIPER






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47003 | 230 | 150 | 6 |

## FEELER GAUGE 26-PCS





| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47002 | 92 | 86 | 10 |


## STAINLESS STEEL VERNIER CALIPER FOR DISC BRAKES



| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47024 | 175 | 50 | 54 | 226 | 1 |

## FEELER GAUGE 20-PCS






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47006 | 108 | 92 | 10 |

## TYRE PROFILE GAUGE






| ART. NO. | L(MM) | W(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 47028 | 90 | 55 | 38 | 10 |

## STAINLESS STEEL STRAIGHT RULER (30CM)






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47004 | 330 | 50 | 10 |

## MEASURING TAPE 5M







Special designed stop button, offers more comfort and anti-fatigue

| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47013 | 81 | 112 | 12 |

## STAINLESS STEEL PROTRACTOR






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47005 | 200 | 64 | 10 |

## DIGITAL VERNIER CALIPER






| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47010 | 235 | 158 | 10 |

## DOOR UPHOLSTERY PANEL REMOVER





| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47901 | 100 | 115 | 215 | 106 | 10 |

## SEAL SCRAPER







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47819 | 280 | 75 | 30 | 156 | 10 |

## DOOR UPHOLSTERY PANEL REMOVER





| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47902 | 110 | 124 | 234 | 169 | 10 |

## ANGLE SCRAPER







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47820 | 265 | 30 | 30 | 158 | 10 |

## SCRAPER





| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47903 | 125 | 124 | 249 | 155 | 10 |

## COTTER PIN PULLER





| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47904 | 125 | 115 | 240 | 116 | 10 |

## PLASTIC SCRAPER







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47817 | 260 | 37 | 37 | 82 | 1 |

## RADIATOR HOSE REMOVER








| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47905 | 80 | 115 | 195 | 106 | 10 |

14

## TRIM REMOVAL







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47825 | 190 | 30 | 12.5 | 28 | 1 |

## TRIM PAD TOOL





| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47906 | 115 | 115 | 230 | 110 | 10 |

## STICKER SCRAPER







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47818 | 280 | 30 | 30 | 152 | 10 |


## TRIM PAD TOOL





| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47907 | 115 | 124 | 239 | 134 | 10 |

## DOOR UPHOLSTERY PANEL REMOVER


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47908 | 132 | 124 | 256 | 183 | 10 |

## MINI STRAIGHT PICK HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47829 | 70 | 92 | 162 | 30 | 10 |

## STRAIGHT PICK HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47909 | 135 | 115 | 250 | 108 | 10 |

## MINI DEGREE HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47830 | 70 | 92 | 162 | 30 | 10 |

## DEGREE HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47910 | 135 | 115 | 250 | 112 | 10 |

## MINI FULL HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47831 | 70 | 92 | 162 | 30 | 10 |

## FULL HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47911 | 135 | 115 | 250 | 112 | 10 |

## MINI SMALL ANGLE HOOK


| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47832 | 70 | 92 | 162 | 30 | 10 |

## FULL HOOK

| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 47912 | 135 | 115 | 250 | 110 | 10 |

## MAGNET PICKUP

| ART. NO. | L1(MM) | L3(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4820201 | 90 | 465 | 70 | 160-535 | 35 | 10 |


## HOOK FOR EXHAUST RUBBER RINGS



| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 47814 | 235 | 100 | 48 |

## MAGNET PICKUP (4,5KG)







| ART. NO. | L1(MM) | L3(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4820110 | 75 | 650 | 120 | 195-770 | 58 | 5 |

## EXTENDABLE MAGNET PICKUP (2,8 KG)







Also available in display with 16 pcs



| ART. NO. | L1(MM) | L3(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 4820106 | 30 | 490 | 130 | 160-620 | 60 | 16 |

## FLEXIBLE MAGNET PICKUP 500GR







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 4820207 | 300 | 115 | 415 | 120 | 5 |

## TELESCOPIC MIRROR 30-74CM







| ART. NO. | L(MM) | G | PCS/BAG |
|---|---|---|---|
| 4820111 | 318-618 | 76 | 10 |

## PRY BAR







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 4821308 | 90 | 115 | 205 | 108 | 5 |
| 4821312 | 180 | 125 | 305 | 254 | 5 |
| 4821318 | 330 | 125 | 455 | 456 | 5 |
| 4821324 | 435 | 125 | 560 | 596 | 5 |

## BENT PRY BAR 8"







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 48203210 | 88 | 121 | 209 | 146 | 10 |

## BENT FORKED PRY BAR 12"







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 48203300 | 192 | 121 | 313 | 284 | 10 |

## ELBOW BENT PRY BAR 18"







| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 48203460 | 325 | 144 | 469 | 538 | 5 |

## EXTENDED PRY BAR 24"






| ART. NO. | L1(MM) | L2(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 48203610 | 466 | 144 | 610 | 682 | 5 |


BLACK FALCON


GRAN TURISMO
sonic
BLACK FALCON
sportsmail
premio
FOSROC
1


SONIC
sonic

# 15 > Ratchets



> Ratchets 1/4"
PAGE 379-381


> Ratchets 3/8"
PAGE 379-381


> Ratchets 1/2"
PAGE 379-381


> Ratchets 3/4"
PAGE 381


> Ratchet 1"
PAGE 381


> Repair sets ratchets
PAGE 379-382


> Swivle handle
PAGE 382


> Spinner
PAGE 382


> T-handles
PAGE 383


> Extensions
PAGE 383


> Extensions impact
PAGE 384


> Universal joints
PAGE 384


> Universal impact joints
PAGE 385


> Adaptors
PAGE 385


> Impact adaptors
PAGE 385


> Bit holders
PAGE 385


> Impact bit holders
PAGE 386


> Insert holder for bits
PAGE 386



> Magnet socket
PAGE 386

# Designed to optimize comfort and torque




Our Sonic ratchets' **quality standards** guarantee a loading capacity far **beyond standard requirements.**

Ergonomic grip, chrome vanadium steel, durable ratchet and awesome switching mechanisms.







Ratchets for tight spaces






## RATCHET - 52 TEETH




| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7121101 | 1/4" | 165 | 33.71 | 33.71 | 182 | 10 |
| 7121102 | 3/8" | 232 | 38.77 | 38.77 | 430 | 10 |
| 7121103 | 1/2" | 277 | 44.8 | 44.8 | 678 | 10 |

## RATCHET - 60 TEETH



| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7121501 | 1/4" | 147 | 20 | 21 | 90 | 10 |
| 7121502 | 3/8" | 195 | 28 | 28 | 214 | 10 |
| 7121503 | 1/2" | 260 | 35 | 37 | 492 | 5 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7121501P | Repair set 7121501 | 1 |
| 7121502P | Repair set 7121502 | 1 |
| 7121503P | Repair set 7121503 | 1 |

## RATCHET - 45 TEETH



| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7120901 | 1/4" | 140 | 23 | 26 | 122 | 10 |
| 7120902 | 3/8" | 195 | 30 | 33 | 298 | 10 |
| 7120903 | 1/2" | 255 | 37 | 43 | 590 | 5 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7120901P | Repair set ratchet 7120101 & 7120901 | 1 |
| 7120902P | Repair set ratchet 7120102 & 7120902 | 1 |
| 7120903P | Repair set ratchet 7120903 | 1 |

## RATCHET - 72 TEETH




| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7120701 | 1/4" | 145 | 24 | 26 | 112 | 10 |
| 7120702 | 3/8" | 195 | 30 | 30 | 212 | 10 |
| 7120703 | 1/2" | 248 | 38 | 38 | 456 | 5 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7120701P | Repair set ratchet 7120701 | 1 |
| 7120702P | Repair set ratchet 7120702 | 1 |
| 7120703P | Repair set ratchet 7120703 | 1 |

## STUBBY RATCHET - 45 TEETH



| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7120101 | 1/4" | 110 | 23 | 26 | 106 | 10 |
| 7120102 | 3/8" | 118 | 30 | 33 | 192 | 10 |

## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7120901P | Repair set ratchet 7120101 & 7120901 | 1 |
| 7120902P | Repair set ratchet 7120102 & 7120902 | 1 |

# Ratchets

## FLEXIBLE RATCHET - 45 TEETH






| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7110101 | 1/4" | 133 | 23 | 26 | 142 | 10 |
| 7110102 | 3/8" | 265 | 30 | 33 | 418 | 10 |
| 711013300 | 1/2" | 300 | 37 | 43 | 724 | 5 |
| 711013440 | 1/2" | 440 | 37 | 43 | 932 | 5 |

## ROTOR HEAD STUBBY RATCHET - 72 TEETH





| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7110402 | 3/8" | 155 | 34 | 44 | 278 | 10 |
| 7110403 | 1/2" | 182 | 40 | 49 | 472 | 10 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7110101P | Repair set ratchet 7110101 | 1 |
| 7110102P | Repair set ratchet 7110102 | 1 |
| 711013P | Repair set ratchet 711013300 & 711013440 | 1 |


## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7110202P | Repair set ratchet 7110202 & 7110402 | 1 |
| 7110203P | Repair set ratchet 7110203 & 7110403 | 1 |

## ROTOR HEAD RATCHET - 72 TEETH





| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7110201 | 1/4" | 150 | 24 | 32 | 130 | 10 |
| 7110202 | 3/8" | 235 | 34 | 44 | 385 | 10 |
| 7110203 | 1/2" | 305 | 40 | 49 | 652 | 10 |


## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7110201P | Repair set ratchet 7110201 | 1 |
| 7110202P | Repair set ratchet 7110202 & 7110402 | 1 |
| 7110203P | Repair set ratchet 7110203 & 7110403 | 1 |

## EXTENDABLE RATCHET - 72 TEETH





| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7120301 | 1/4" | 150-200 | 23 | 25 | 172 | 5 |
| 7120302 | 3/8" | 215-315 | 33 | 32 | 436 | 5 |
| 7120303 | 1/2" | 305-445 | 40 | 40 | 918 | 5 |

## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7120301P | Repair set ratchet 7120301 | 1 |
| 7120302P | Repair set ratchet 7120302 | 1 |
| 7120303P | Repair set ratchet 7120303 | 1 |

## DISC RATCHET - 72 TEETH




| ART. NO. | SIZE | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7110301 | 1/4" | 25 | 49 | 50 | 10 |
| 7110302 | 3/8" | 28 | 49 | 58 | 10 |
| 7110303 | 1/2" | 32 | 49 | 64 | 10 |

## 300313 - DISC RATCHET - 72 TEETH





## REPAIR SET





| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7110301P | Repair set ratchet 7110301 | 1 |
| 7110302P | Repair set ratchet 7110302 | 1 |

## RATCHET - 60 TEETH










| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7120704 | 3/4" | 505 | 64 | 68 | 1934 | 1 |

## EXTENDABLE RATCHET - 36 TEETH





| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7121403 | 1/2" | 355-510 | 46 | 42 | 1060 | 5 |

## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7120704P | Repair set ratchet 7120704 | 1 |

## RATCHET - 24 TEETH









| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7121204 | 3/4" | 500 | 55 | 64 | 2608 | 2 |
| 7121305 | 1" | 660 | 67 | 72 | 4390 | 1 |

## RATCHET - 24 TEETH





| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7121205 | 1" | 500 | 64 | 55 | 2618 | 2 |


# Ratchets

## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7121204P | Repair set ratchet 7121204 | 1 |
| 7121205P | Repair set ratchet 7121205 | 1 |

## SWIVEL HANDLE



| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7232200 | 3/8" | 200 | 280 | 10 |
| 7232250 | 3/8" | 250 | 342 | 5 |
| 7233250 | 1/2" | 250 | 490 | 5 |
| 7233380 | 1/2" | 380 | 782 | 2 |
| 7234500 | 3/4" | 500 | 1804 | 1 |
| 7234600 | 3/4" | 630 | 2178 | 1 |

## SWIVEL GRIP HANDLE




| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7271150 | 1/4" | 155 | 98 | 10 |
| 7272200 | 3/8" | 220 | 262 | 10 |
| 7272250 | 3/8" | 250 | 294 | 5 |
| 7273250 | 1/2" | 270 | 490 | 5 |
| 7273380 | 1/2" | 370 | 650 | 2 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7271P | Repair set Swivel handle 7271150 | 1 |
| 7232P | 7232200, 7232250, 7272200 & 7272250 | 1 |
| 7233P | 7233250, 7233380, 7273250 & 7273380 | 1 |

## SWIVEL HANDLE 24"



| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7233600 | 1/2" | 635 | 1386 | 1 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7233601 | Repair set Swivel handle 7233600 | 1 |

## SPINNER - 150 MML




| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 72401 | 1/4" | 65 | 85 | 150 | 85 | 10 |

## SPINNER - 150 MML





| ART. NO. | SIZE | L(MM) | T(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 72402 | 1/4" | 65 | 85 | 150 | 85 | 10 |

## LONG FLEXIBLE SPINNER





| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 72403 | 1/4" | 555 | 85 | 10 |

## SLIDING T-HANDLE UNIVERSAL JOINT




| ART. NO. | SIZE | L(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7152450 | 3/8" | 450 | 200 | 452 | 10 |

## SPEEDY T-GRIP




| ART. NO. | SIZE | L(MM) | L(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 72601 | 1/4" | 322 | 140 | 320 | 5 |
| 72602 | 3/8" | 326 | 181 | 550 | 5 |
| 72603 | 1/2" | 330 | 242 | 1088 | 5 |

## SLIDING T-HANDLE




| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7131115 | 1/4" | 115 | 45 | 10 |
| 7132165 | 3/8" | 165 | 150 | 10 |
| 7133250 | 1/2" | 250 | 345 | 5 |
| 7134450 | 3/4" | 450 | 1370 | 2 |
| 7135560 | 1" | 560 | 3292 | 2 |

## SLIDING T-HANDLE




| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7135550 | 1" | 560 | 2656 | 2 |

## EXTENSION



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7141050 | 1/4" | 50 | 11 | 22 | 10 |
| 7141100 | 1/4" | 100 | 11 | 42 | 10 |
| 7141150 | 1/4" | 150 | 11 | 64 | 10 |
| 7141250 | 1/4" | 250 | 12 | 106 | 10 |
| 7142044 | 3/8" | 44 | 16 | 36 | 10 |
| 7142075 | 3/8" | 75 | 16 | 70 | 10 |
| 7142150 | 3/8" | 150 | 16 | 140 | 10 |
| 7142200 | 3/8" | 200 | 16 | 200 | 10 |
| 7142250 | 3/8" | 250 | 16 | 230 | 10 |
| 7142300 | 3/8" | 300 | 16 | 295 | 10 |
| 7142450 | 3/8" | 450 | 16 | 400 | 10 |
| 7142600 | 3/8" | 600 | 16 | 550 | 10 |
| 7143125 | 1/2" | 125 | 22 | 216 | 10 |
| 7143250 | 1/2" | 250 | 22 | 416 | 5 |
| 7144100 | 3/4" | 100 | 35.8 | 402 | 2 |
| 7144200 | 3/4" | 200 | 35.8 | 738 | 2 |
| 7145200 | 1" | 200 | 48.0 | 1302 | 2 |
| 7145400 | 1" | 410 | 48.0 | 2264 | 2 |


## WOBBLE EXTENSION



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7261050 | 1/4" | 50 | 12,3 | 24 | 10 |
| 7261100 | 1/4" | 100 | 12,3 | 44 | 10 |
| 7261250 | 1/4" | 250 | 12,3 | 106 | 10 |
| 7262044 | 3/8" | 44 | 16 | 40 | 10 |
| 7262075 | 3/8" | 75 | 16 | 65 | 10 |
| 7262150 | 3/8" | 150 | 16 | 140 | 10 |
| 7262200 | 3/8" | 200 | 16 | 192 | 10 |
| 7262250 | 3/8" | 250 | 16 | 140 | 10 |
| 7262300 | 3/8" | 300 | 16 | 295 | 10 |
| 7262450 | 3/8" | 450 | 16 | 400 | 10 |
| 7263050 | 1/2" | 50 | 24 | 95 | 10 |
| 7263125 | 1/2" | 125 | 24 | 200 | 10 |
| 7263250 | 1/2" | 250 | 24 | 430 | 5 |
| 7263500 | 1/2" | 500 | 24 | 840 | 1 |


# Ratchets

## LOCK-IN EXTENSION





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7183075 | 1/2" | 75 | 23.8 | 128 | 10 |
| 7183125 | 1/2" | 125 | 23.8 | 206 | 10 |
| 7183250 | 1/2" | 250 | 23.8 | 410 | 10 |

## IMPACT EXTENSION




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7344150 | 3/4" | 150 | 40.0 | 700 | 1 |
| 7344250 | 3/4" | 250 | 40.0 | 1060 | 1 |
| 7344400 | 3/4" | 400 | 40.0 | 1600 | 1 |

## LOCK-IN EXTENSION





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7184400 | 3/4" | 400 | 36 | 1556 | 1 |

## IMPACT EXTENSION





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7345150 | 1" | 150 | 52 | 1170 | 1 |
| 7345175 | 1" | 175 | 52 | 1390 | 1 |
| 7345250 | 1" | 250 | 52 | 1880 | 1 |
| 7345400 | 1" | 400 | 52 | 2870 | 1 |

## FLEXIBLE EXTENSION





| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7211 | 1/4" | 145 | 55 | 10 |

## UNIVERSAL JOINT




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 71511 | 1/4" | 37 | 13.8 | 24 | 10 |
| 71521 | 3/8" | 52 | 18.7 | 60 | 10 |
| 71531 | 1/2" | 70 | 24.6 | 138 | 10 |

## IMPACT EXTENSION





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 7342075 | 3/8" | 75 | 19 | 80 | 10 |
| 7343075 | 1/2" | 75 | 25 | 146 | 10 |
| 7343125 | 1/2" | 125 | 25 | 226 | 5 |
| 7343250 | 1/2" | 250 | 25 | 432 | 5 |

## REPAIR SET



| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 71511P | Repair set universal joint 71511 | 1 |
| 71521P | Repair set universal joint 71521 | 1 |
| 71531P | Repair set universal joint 71531 | 1 |

## IMPACT UNIVERSAL JOINT





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 73521 | 3/8" | 46 | 24 | 78 | 10 |
| 73531 | 1/2" | 60 | 28 | 142 | 10 |
| 73541 | 3/4" | 94 | 42 | 500 | 1 |

## IMPACT ADAPTOR




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 73645 | 3/4"(F)x1"(M) | 63 | 44 | 440 | 1 |

## ADAPTOR




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 71912 | 1/4"(F)x3/8"(M) | 26 | 12 | 18 | 10 |
| 71921 | 3/8"(F)x1/4"(M) | 27 | 17 | 20 | 10 |
| 71923 | 3/8"(F)x1/2"(M) | 36 | 18 | 45 | 10 |
| 71932 | 1/2"(F)x3/8"(M) | 36 | 22 | 48 | 10 |
| 71934 | 1/2"(F)x3/4"(M) | 46 | 26 | 124 | 10 |
| 71943 | 3/4"(F)x1/2"(M) | 51 | 31,5 | 134 | 10 |

## ADAPTOR





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 71623 | 3/8"(F)x1/2"(M) | 43 | 23,8 | 68 | 10 |
| 71632 | 1/2"(F)x3/8"(M) | 39 | 23,8 | 66 | 10 |
| 7135 | 1" | 80 | 49 | 632 | 2 |

## IMPACT ADAPTOR



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 73612 | 1/4"(F)x3/8"(M) | 26 | 14 | 20 | 10 |
| 73621 | 3/8"(F)x1/4"(M) | 32 | 22 | 46 | 10 |
| 73623 | 3/8"(F)x1/2"(M) | 36 | 22 | 68 | 10 |
| 73632 | 1/2"(F)x3/8"(M) | 38 | 25 | 68 | 10 |
| 73634 | 1/2"(F)x3/4"(M) | 48 | 30 | 160 | 10 |
| 73643 | 3/4"(F)x1/2"(M) | 56 | 44 | 320 | 10 |

## BIT HOLDER





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 72011 | 1/4"(F) X 1/4"(F) | 25 | 12 | 12 | 10 |
| 72023 | 3/8"(F) x 10mm(F) | 29 | 17 | 28 | 10 |
| 72032 | 1/2"(F) x 5/16(F) | 38 | 22 | 44 | 10 |
| 72033 | 1/2"(F) x 10mm(F) | 38 | 22 | 52 | 10 |

## IMPACT BIT HOLDER



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 73721 | 3/8"(F)x1/4"(F) | 40 | 19 | 36 | 10 |

## MAGNET SOCKET PICK-UP 1/4"




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 72225 | 1/4" | 25 | 12 | 16 | 10 |

## INSERT HOLDER FOR BITS 9X12




| ART. NO. | SIZE | L(MM) | G | PCS/BAG |
|---|---|---|---|---|
| 7201001 | 1/4" | 42.5 | 52 | 10 |
| 7202001 | 5/6" | 42.5 | 52 | 10 |




BLACK FALCON
FUCHS
FUCHS


BLACK FALCON


SONIC

# 16 > Torque wrenches



> Torque wrenches
PAGE 391



> Repair set torque wrenches
PAGE 391



> Torque wrench sets
PAGE 392

# Accuracy at its finest



Clearly visible scale in Nm and ft.lb

Sonic offers you **a wide range of torque wrenches** from 1/4" to 1" with nm ranging from 4nm to 1000nm.

- Comfortable ergonomic handle
- Left or right ratchet action with Sonic QRS
- Housed in a blow-molded impact resistant case







Sonic push lock system



## TORQUE WRENCH




| ART. NO. | SIZE | NM | D(MM) | T(MM) | L(MM) | G |
|---|---|---|---|---|---|---|
| 73210525 | 1/4" | 5-25 | 26 | 22 | 290 | 405 |
| 73220550 | 3/8" | 10-50 | 40.5 | 37 | 360 | 920 |
| 732210100 | 3/8" | 20-100 | 40.5 | 37 | 405 | 1020 |
| 732310100 | 1/2" | 20-100 | 40.5 | 40 | 405 | 1020 |
| 732320200 | 1/2" | 40-200 | 40.5 | 40 | 500 | 1220 |
| 732360300 | 1/2" | 60-300 | 40.5 | 40 | 595 | 1330 |
| 732380400 | 1/2" | 80-400 | 40.5 | 40 | 680 | 1820 |
| 7324550 | 3/4" | 110-550 | 63.0 | 58 | 970 | 3700 |
| 7324750 | 3/4" | 150-750 | 63.0 | 58 | 1150 | 5600 |
| 73241000 | 3/4" | 200-1000 | 63.0 | 63 | 1250 | 7200 |
| 7325750 | 1" | 150-750 | 63.0 | 58 | 1150 | 5600 |
| 73251000 | 1" | 200-1000 | 63.0 | 63 | 1250 | 7200 |

## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 73210525P | Repair set torque wrench 73210525 | 1 |
| 7322P | Repair set torque wrench 73220550 & 732210100 | 1 |
| 7323P | Repair set torque wrench 732310100, 732320200, 732360300 & 732380400 | 1 |
| 7324550P | Repair set torque wrench 7324550 | 1 |
| 7324750P | Repair set torque wrench 7324750 & 73241000 | 1 |
| 7325P | Repair set torque wrench 7325750 & 73251000 | 1 |

## TORQUE WRENCH




| ART. NO. | SIZE | NM | D(MM) | T(MM) | L(MM) | G |
|---|---|---|---|---|---|---|
| 73021050 | 3/8" | 10-50 | 40.5 | 37 | 360 | 920 |
| 730220100 | 3/8" | 20-100 | 40.5 | 37 | 405 | 1020 |
| 730320100 | 1/2" | 20-100 | 40.5 | 40 | 405 | 1020 |
| 730340200 | 1/2" | 40-200 | 40.5 | 40 | 500 | 1220 |
| 730360300 | 1/2" | 60-300 | 40.5 | 40 | 595 | 1330 |
| 730380400 | 1/2" | 80-400 | 40.5 | 40 | 680 | 1820 |
| 7304110550 | 3/4" | 110-550 | 63.0 | 58 | 970 | 3700 |
| 7304150750 | 3/4" | 150-750 | 63.0 | 58 | 1150 | 5600 |

## REPAIR SET




| ART. NO. | DESCRIPTION | PCS/BAG |
|---|---|---|
| 7302P | Repair set torque wrench 73021050 & 730220100 | 1 |
| 7303P | Repair set torque wrench 730320100, 730340200, 730360300 & 730380400 | 1 |
| 7304P | Repair set torque wrench 7304110500 & 7304150750 | 1 |

# Torque wrenches

## 600907 - TORQUE WRENCH SET EXCHANGEABLE HEAD 9X12 RING+OPEN 4-20NM, 8-PCS



72 TEETH 6.3 1/4"

This tool allows the usual 1/4" Torque operation but with the added innovation of changing the ratchet head to a Spanner head for tightening bolts to a specific torque.

- 9x12 torque wrench 4-20nm
- 9x12 open ended insert tool 13, 17, 19 mm
- 9x12 ring insert tool 13, 17, 19 mm
- 9x12 72 teeth ratchet insert tool 1/4"

## 601105 - TORQUE WRENCH EXCHANGEABLE HEAD 14X18 RING HEAD 60-340NM, 11-PCS



72 TEETH 12.5 1/2"

This tool allows the usual 1/2" Torque operation but with the added innovation of changing the ratchet head to a Spanner head for tightening bolts to a specific torque.

- 14x18 torque wrench 68-340nm
- 14x18 ring insert tool 13, 14, 15, 17, 19, 22, 24, 27, 30mm
- 14x18 72 teeth ratchet insert tool 1/2"

## 600908 - TORQUE WRENCH SET EXCHANGEABLE HEAD 9X12 RING+OPEN 10-60NM, 8-PCS



72 TEETH 10 3/8"

This tool allows the usual 3/8" Torque operation but with the added innovation of changing the ratchet head to a Spanner head for tightening bolts to a specific torque.

- 9x12 torque wrench 12-60nm
- 9x12 open ended insert tool 13, 17, 19mm
- 9x12 ring insert tool 13, 17, 19mm
- 9x12 72 teeth ratchet insert tool 3/8"


## 601106 - TORQUE WRENCH EXCHANGEABLE HEAD 14X18 OPEN HEAD 60-340NM, 11-PCS



72 TEETH 12.5 1/2"

This tool allows the usual 1/2" Torque operation but with the added innovation of changing the ratchet head to a Spanner head for tightening bolts to a specific torque.

- 14x18 torque wrench 68-340nm
- 14x18 ring insert tool 13, 14, 15, 17, 19, 22, 24, 27, 30mm
- 14x18 72 teeth ratchet insert tool 1/2"


SONIC
seaspan
adidas








Chapter 17 catalogue UK 2020.indd 394 06-12-19 10:53


> Bit sockets 1/4", PH
PAGE 397


> Bit sockets 1/4", PZ
PAGE 397


> Bit sockets 1/4", slotted
PAGE 397


> Bit sockets 1/4", hex
PAGE 397


> Bit sockets 1/4", hex SAE
PAGE 397


> Bit sockets 1/4", TX
PAGE 397


> Bit sockets 1/4", TX tamperproof
PAGE 398


> Bit sockets 1/4", TX plus
PAGE 398


> Bit sockets 1/4", spline
PAGE 398


> Bit sockets 1/4", ribe
PAGE 398


> Bit sockets 3/8", PH
PAGE 398


> Bit sockets 3/8", PZ
PAGE 398


> Bit sockets 3/8", slotted
PAGE 399


> Bit sockets 3/8", hex
PAGE 399


> Bit sockets 3/8", hex SAE
PAGE 399


> Bit sockets 3/8", TX
PAGE 399


> Bit sockets 3/8", TX tamperproof
PAGE 400


> Bit sockets 3/8", spline
PAGE 400


> Bit sockets 3/8", ribe
PAGE 400


> Bit sockets 1/2", hex
PAGE 401


> Bit sockets 1/2", hex SAE
PAGE 402


> Bit sockets 1/2", TX
PAGE 402


> Bit sockets 1/2", TX tamperproof
PAGE 402


> Bit sockets 1/2", spline
PAGE 403


> Bit sockets 1/2", ribe
PAGE 403


> Bit sockets 1/2", impact ball joint
PAGE 404


> Impact bit sockets 1/2", spline
PAGE 404


> Impact bit sockets 1/2", ribe
PAGE 404


> Impact bit sockets 3/4", spline
PAGE 404


> Bits 1/4", PH
PAGE 404


> Bits 1/4", slotted
PAGE 404


> Bits 1/4", hex
PAGE 405


> Bits 1/4", spline
PAGE 405


> Bits 5/16", PH
PAGE 405


> Bits 5/16", PZ
PAGE 405


> Bits 5/16", slotted
PAGE 405


> Bits 5/16", hex
PAGE 405


> Bits 5/16", TX
PAGE 406


> Bits 5/16", spline
PAGE 406


> Bits 10mm, hex
PAGE 406


> Bits 10mm, TX
PAGE 406


> Bits 10mm, spline
PAGE 406






Chapter 17 catalogue UK 2020.indd 395 06-12-19 10:53

# Superb finish and design for maximum torque



Low tolerance

Our bitsockets are **extremely sturdy, slim and compact.**
Made of **high quality** chrome vanadium steel.

- Direct fit
- Corrosion and rust resistant
- Wide variety



Available in a variety of sizes





Non slip







Chapter 17 catalogue UK 2020.indd 396 06-12-19 10:53

## BIT SOCKET PH 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8113700 | PH.0 | 37 | 16 | 12 | 14 | 10 |
| 8113701 | PH.1 | 37 | 16 | 12 | 14 | 10 |
| 8113702 | PH.2 | 37 | 16 | 12 | 14 | 10 |
| 8113703 | PH.3 | 37 | 16 | 12 | 16 | 10 |

## BIT SOCKET PZ 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8123700 | PZ.0 | 37 | 16 | 12 | 14 | 10 |
| 8123701 | PZ.1 | 37 | 16 | 12 | 14 | 10 |
| 8123702 | PZ.2 | 37 | 16 | 12 | 14 | 10 |
| 8123703 | PZ.3 | 37 | 16 | 12 | 16 | 10 |

## BIT SOCKET SLOTTED 1/4"

DIN NO. 3120

6.3 1/4"







| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8133704 | 4 | 37 | 16 | 12 | 14 | 10 |
| 81337055 | 5.5 | 37 | 16 | 12 | 14 | 10 |
| 81337065 | 6.5 | 37 | 16 | 12 | 16 | 10 |

## BIT SOCKET HEX 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8143703 | 3 | 37 | 16 | 12 | 14 | 10 |
| 8143704 | 4 | 37 | 16 | 12 | 16 | 10 |
| 8143705 | 5 | 37 | 16 | 12 | 16 | 10 |
| 81437055 | 5.5 | 37 | 16 | 12 | 16 | 10 |
| 8143706 | 6 | 37 | 16 | 12 | 16 | 10 |
| 8143707 | 7 | 37 | 16 | 13 | 20 | 10 |
| 8143708 | 8 | 37 | 16 | 13 | 22 | 10 |
| 8143709 | 9 | 37 | 16 | 13 | 24 | 10 |
| 8143710 | 10 | 37 | 16 | 13 | 26 | 10 |

## BIT SOCKET HEX BALL 1/4"

DIN NO. 3120

6.3 1/4"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8103703 | 3 | 37 | 16 | 12 | 14 | 10 |
| 8103704 | 4 | 37 | 16 | 12 | 16 | 10 |
| 8103705 | 5 | 37 | 16 | 12 | 16 | 10 |
| 81037055 | 5.5 | 37 | 16 | 12 | 16 | 10 |
| 8103706 | 6 | 37 | 16 | 12 | 16 | 10 |
| 8103707 | 7 | 37 | 16 | 13 | 20 | 10 |
| 8103708 | 8 | 37 | 16 | 13 | 22 | 10 |
| 8103709 | 9 | 37 | 16 | 13 | 24 | 10 |
| 8103710 | 10 | 37 | 16 | 13 | 26 | 10 |


## BIT SOCKET HEX 1/4" (SAE)

DIN NO. 3120

SAE SONIC SAE TOOLS

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 81413703 | 1/8" | 37 | 16 | 12 | 15 | 10 |
| 81413704 | 5/32" | 37 | 16 | 12 | 15 | 10 |
| 81413705 | 3/16" | 37 | 16 | 12 | 15 | 10 |
| 81413706 | 7/32" | 37 | 16 | 12 | 15 | 10 |
| 81413707 | 1/4" | 37 | 16 | 12 | 15 | 10 |
| 81413708 | 5/16" | 37 | 16 | 13 | 20 | 10 |
| 81413710 | 3/8" | 37 | 16 | 13 | 25 | 10 |

## BIT SOCKET TX 1/4"

DIN NO. 3120

6.3 1/4"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8163706 | T6 | 37 | 16 | 12 | 14 | 10 |
| 8163707 | T7 | 37 | 16 | 12 | 14 | 10 |
| 8163708 | T8 | 37 | 16 | 12 | 14 | 10 |
| 8163709 | T9 | 37 | 16 | 12 | 14 | 10 |
| 8163710 | T10 | 37 | 16 | 12 | 14 | 10 |
| 8163715 | T15 | 37 | 16 | 12 | 16 | 10 |
| 8163720 | T20 | 37 | 16 | 12 | 16 | 10 |
| 8163725 | T25 | 37 | 16 | 12 | 16 | 10 |
| 8163727 | T27 | 37 | 16 | 12 | 16 | 10 |
| 8163730 | T30 | 37 | 16 | 12 | 16 | 10 |
| 8163740 | T40 | 37 | 16 | 12 | 16 | 10 |





Chapter 17 catalogue UK 2020.indd 397 06-12-19 10:53


# Bit sockets

## BIT SOCKET TX BALL 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 81613710 | T10 | 37 | 16 | 12 | 14 | 10 |
| 81613715 | T15 | 37 | 16 | 12 | 14 | 10 |
| 81613720 | T20 | 37 | 16 | 12 | 14 | 10 |
| 81613725 | T25 | 37 | 16 | 12 | 14 | 10 |
| 81613727 | T27 | 37 | 16 | 12 | 14 | 10 |
| 81613730 | T30 | 37 | 16 | 12 | 14 | 10 |
| 81613740 | T40 | 37 | 16 | 12 | 14 | 10 |

## BIT SOCKET SPLINE 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8183704 | M4 | 37 | 16 | 12 | 14 | 10 |
| 8183705 | M5 | 37 | 16 | 12 | 16 | 10 |
| 8183706 | M6 | 37 | 16 | 12 | 16 | 10 |
| 8183708 | M8 | 37 | 16 | 13 | 20 | 10 |
| 8183710 | M10 | 37 | 16 | 13 | 24 | 10 |

## BIT SOCKET TX TAMPERPROOF 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8173706 | T6H | 37 | 16 | 12 | 14 | 10 |
| 8173707 | T7H | 37 | 16 | 12 | 14 | 10 |
| 8173708 | T8H | 37 | 16 | 12 | 14 | 10 |
| 8173709 | T9H | 37 | 16 | 12 | 14 | 10 |
| 8173710 | T10H | 37 | 16 | 12 | 14 | 10 |
| 8173715 | T15H | 37 | 16 | 12 | 14 | 10 |
| 8173720 | T20H | 37 | 16 | 12 | 14 | 10 |
| 8173725 | T25H | 37 | 16 | 12 | 14 | 10 |
| 8173727 | T27H | 37 | 16 | 12 | 16 | 10 |
| 8173730 | T30H | 37 | 16 | 12 | 16 | 10 |
| 8173740 | T40H | 37 | 16 | 12 | 16 | 10 |

## TAMPER-RESISTANT 1/4", TX PLUS (5 LOBES)

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8153708 | 8IPR | 37 | 16 | 12 | 14 | 10 |
| 8153710 | 10IPR | 37 | 16 | 12 | 14 | 10 |
| 8153715 | 15IPR | 37 | 16 | 12 | 14 | 10 |
| 8153720 | 20IPR | 37 | 16 | 12 | 14 | 10 |
| 8153725 | 25IPR | 37 | 16 | 12 | 14 | 10 |
| 8153727 | 27IPR | 37 | 16 | 12 | 16 | 10 |
| 8153730 | 30IPR | 37 | 16 | 12 | 16 | 10 |
| 8153740 | 40IPR | 37 | 16 | 12 | 16 | 10 |
| 8153745 | 45IPR | 37 | 16 | 13 | 20 | 10 |
| 8153750 | 50IPR | 37 | 16 | 13 | 22 | 10 |

## BIT SOCKET RIBE 1/4"

DIN NO. 3120

6.3 1/4"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8193704 | M4 | 37 | 16 | 12 | 14 | 10 |
| 8193705 | M5 | 37 | 16 | 12 | 16 | 10 |
| 8193706 | M6 | 37 | 16 | 12 | 16 | 10 |
| 8193707 | M7 | 37 | 16 | 12 | 16 | 10 |
| 8193708 | M8 | 37 | 16 | 13 | 20 | 10 |
| 8193710 | M10 | 37 | 16 | 13 | 24 | 10 |

## BIT SOCKET PH 3/8"

DIN NO. 3120

10 3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8214801 | PH.1 | 48 | 20 | 18 | 34 | 10 |
| 8214802 | PH.2 | 48 | 20 | 18 | 34 | 10 |
| 8214803 | PH.3 | 48 | 20 | 18 | 34 | 10 |

## BIT SOCKET PZ 3/8"

DIN NO. 3120

10 3/8"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8224801 | PZ.1 | 48 | 20 | 18 | 34 | 10 |
| 8224802 | PZ.2 | 48 | 20 | 18 | 34 | 10 |
| 8224803 | PZ.3 | 48 | 20 | 18 | 34 | 10 |




Chapter 17 catalogue UK 2020.indd 398 06-12-19 10:53

## BIT SOCKET SLOTTED 3/8"

DIN NO. 3120

10
3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 82348055 | 5.5 | 48 | 20 | 18 | 32 | 10 |
| 8234806 | 6 | 48 | 20 | 18 | 32 | 10 |
| 8234807 | 7 | 48 | 20 | 18 | 36 | 10 |
| 8234808 | 8 | 48 | 20 | 18 | 38 | 10 |

## BIT SOCKET HEX 3/8"

DIN NO. 3120

10
3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8244803 | 3 | 48 | 20 | 18 | 32 | 10 |
| 8244804 | 4 | 48 | 20 | 18 | 32 | 10 |
| 8244805 | 5 | 48 | 20 | 18 | 32 | 10 |
| 82448055 | 5.5 | 48 | 20 | 18 | 34 | 10 |
| 8244806 | 6 | 48 | 20 | 18 | 34 | 10 |
| 8244807 | 7 | 48 | 20 | 18 | 36 | 10 |
| 8244808 | 8 | 48 | 20 | 18 | 38 | 10 |
| 8244809 | 9 | 48 | 20 | 18 | 48 | 10 |
| 8244810 | 10 | 48 | 20 | 18 | 50 | 10 |
| 8244811 | 11 | 48 | 20 | 18 | 50 | 10 |
| 8244812 | 12 | 48 | 20 | 18 | 52 | 10 |

## BIT SOCKET HEX 3/8", 90MML

DIN NO. 3120

10
3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8249003 | 3 | 90 | 62 | 18 | 44 | 10 |
| 8249004 | 4 | 90 | 62 | 18 | 44 | 10 |
| 8249005 | 5 | 90 | 62 | 18 | 44 | 10 |
| 82490055 | 5.5 | 90 | 62 | 18 | 46 | 10 |
| 8249006 | 6 | 90 | 62 | 18 | 46 | 10 |
| 8249007 | 7 | 90 | 62 | 18 | 50 | 10 |
| 8249008 | 8 | 90 | 62 | 18 | 58 | 10 |
| 8249009 | 9 | 90 | 62 | 18 | 76 | 10 |
| 8249010 | 10 | 90 | 62 | 18 | 78 | 10 |
| 8249011 | 11 | 90 | 62 | 18 | 78 | 10 |

## BIT SOCKET HEX BALL 3/8", 90MML

DIN NO. 3120

10
3/8"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8209003 | 3 | 90 | 62 | 18 | 44 | 10 |
| 8209004 | 4 | 90 | 62 | 18 | 44 | 10 |
| 8209005 | 5 | 90 | 62 | 18 | 44 | 10 |
| 82090055 | 5.5 | 90 | 62 | 18 | 46 | 10 |
| 8209006 | 6 | 90 | 62 | 18 | 46 | 10 |
| 8209007 | 7 | 90 | 62 | 18 | 50 | 10 |
| 8209008 | 8 | 90 | 62 | 18 | 58 | 10 |
| 8209009 | 9 | 90 | 62 | 18 | 76 | 10 |
| 8209010 | 10 | 90 | 62 | 18 | 78 | 10 |


## BIT SOCKET HEX 3/8" (SAE)

DIN NO. 3120

SAE
SONIC SAE TOOLS

10
3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 82414803 | 1/8" | 48 | 20 | 18 | 35 | 10 |
| 82414804 | 5/32" | 48 | 20 | 18 | 35 | 10 |
| 82414805 | 3/16" | 48 | 20 | 18 | 35 | 10 |
| 824148055 | 7/32" | 48 | 20 | 18 | 35 | 10 |
| 82414806 | 1/4" | 48 | 20 | 18 | 35 | 10 |
| 82414808 | 5/16" | 48 | 20 | 18 | 40 | 10 |
| 82414810 | 3/8" | 48 | 20 | 18 | 50 | 10 |
| 82414812 | 7/16" | 48 | 20 | 18 | 55 | 10 |
| 82414813 | 1/2" | 48 | 20 | 18 | 60 | 10 |

## BIT SOCKET TX 3/8"

DIN NO. 3120

10
3/8"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8264808 | T8 | 48 | 20 | 18 | 32 | 10 |
| 8264810 | T10 | 48 | 20 | 18 | 32 | 10 |
| 8264815 | T15 | 48 | 20 | 18 | 32 | 10 |
| 8264820 | T20 | 48 | 20 | 18 | 32 | 10 |
| 8264825 | T25 | 48 | 20 | 18 | 32 | 10 |
| 8264827 | T27 | 48 | 20 | 18 | 32 | 10 |
| 8264830 | T30 | 48 | 20 | 18 | 32 | 10 |
| 8264840 | T40 | 48 | 20 | 18 | 34 | 10 |
| 8264845 | T45 | 48 | 20 | 18 | 36 | 10 |
| 8264850 | T50 | 48 | 20 | 18 | 38 | 10 |
| 8264855 | T55 | 48 | 20 | 18 | 50 | 10 |
| 8264860 | T60 | 48 | 20 | 18 | 54 | 10 |



Chapter 17 catalogue UK 2020.indd 399 06-12-19 10:53


# Bit sockets

## BIT SOCKET TX 3/8", 90MML

DIN NO. 3120

10 3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8269008 | T8 | 90 | 62 | 18 | 44 | 10 |
| 8269010 | T10 | 90 | 62 | 18 | 44 | 10 |
| 8269015 | T15 | 90 | 62 | 18 | 44 | 10 |
| 8269020 | T20 | 90 | 62 | 18 | 44 | 10 |
| 8269025 | T25 | 90 | 62 | 18 | 44 | 10 |
| 8269027 | T27 | 90 | 62 | 18 | 44 | 10 |
| 8269030 | T30 | 90 | 62 | 18 | 44 | 10 |
| 8269040 | T40 | 90 | 62 | 18 | 44 | 10 |
| 8269045 | T45 | 90 | 62 | 18 | 52 | 10 |
| 8269050 | T50 | 90 | 62 | 18 | 58 | 10 |

## BIT SOCKET TX TAMPERPROOF 3/8"

DIN NO. 3120

10 3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8274808 | T8H | 48 | 20 | 18 | 32 | 10 |
| 8274810 | T10H | 48 | 20 | 18 | 32 | 10 |
| 8274815 | T15H | 48 | 20 | 18 | 32 | 10 |
| 8274820 | T20H | 48 | 20 | 18 | 32 | 10 |
| 8274825 | T25H | 48 | 20 | 18 | 32 | 10 |
| 8274827 | T27H | 48 | 20 | 18 | 32 | 10 |
| 8274830 | T30H | 48 | 20 | 18 | 32 | 10 |
| 8274840 | T40H | 48 | 20 | 18 | 34 | 10 |
| 8274845 | T45H | 48 | 20 | 18 | 36 | 10 |
| 8274850 | T50H | 48 | 20 | 18 | 36 | 10 |
| 8274855 | T55H | 48 | 20 | 18 | 50 | 10 |
| 8274860 | T60H | 48 | 20 | 18 | 52 | 10 |

## BIT SOCKET TX TAMPERPROOF 3/8", 90MML

DIN NO. 3120

10 3/8"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8279008 | T8H | 90 | 62 | 18 | 44 | 10 |
| 8279010 | T10H | 90 | 62 | 18 | 44 | 10 |
| 8279015 | T15H | 90 | 62 | 18 | 44 | 10 |
| 8279020 | T20H | 90 | 62 | 18 | 44 | 10 |
| 8279025 | T25H | 90 | 62 | 18 | 44 | 10 |
| 8279027 | T27H | 90 | 62 | 18 | 44 | 10 |
| 8279030 | T30H | 90 | 62 | 18 | 44 | 10 |
| 8279040 | T40H | 90 | 62 | 18 | 48 | 10 |
| 8279045 | T45H | 90 | 62 | 18 | 52 | 10 |
| 8279050 | T50H | 90 | 62 | 18 | 58 | 10 |

## BIT SOCKET SPLINE 3/8"

DIN NO. 3120

10 3/8"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8284804 | M4 | 48 | 20 | 18 | 30 | 10 |
| 8284805 | M5 | 48 | 20 | 18 | 32 | 10 |
| 8284806 | M6 | 48 | 20 | 18 | 34 | 10 |
| 8284808 | M8 | 48 | 20 | 18 | 36 | 10 |
| 8284809 | M9 | 48 | 20 | 18 | 48 | 10 |
| 8284810 | M10 | 48 | 20 | 18 | 50 | 10 |
| 8284812 | M12 | 48 | 20 | 18 | 54 | 10 |

## BIT SOCKET SPLINE 3/8", 90MML

DIN NO. 3120

10 3/8"




| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8289005 | M5 | 90 | 62 | 18 | 44 | 10 |
| 8289006 | M6 | 90 | 62 | 18 | 46 | 10 |
| 8289008 | M8 | 90 | 62 | 18 | 56 | 10 |
| 8289009 | M9 | 90 | 62 | 18 | 76 | 10 |
| 8289010 | M10 | 90 | 62 | 18 | 78 | 10 |
| 8289012 | M12 | 90 | 62 | 18 | 92 | 10 |

## BIT SOCKET RIBE 3/8"

DIN NO. 3120

10 3/8"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8294804 | M4 | 48 | 20 | 18 | 30 | 10 |
| 8294805 | M5 | 48 | 20 | 18 | 32 | 10 |
| 8294806 | M6 | 48 | 20 | 18 | 34 | 10 |
| 8294807 | M7 | 48 | 20 | 18 | 36 | 10 |
| 8294808 | M8 | 48 | 20 | 18 | 36 | 10 |
| 8294809 | M9 | 48 | 20 | 18 | 48 | 10 |
| 8294810 | M10 | 48 | 20 | 18 | 50 | 10 |
| 8294812 | M12 | 48 | 20 | 18 | 54 | 10 |



Chapter 17 catalogue UK 2020.indd 400 06-12-19 10:53

## BIT SOCKET RIBE 3/8", 90MML

DIN NO. 3120

10
3/8"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 8299005 | M5 | 90 | 62 | 18 | 45 | 10 |
| 8299006 | M6 | 90 | 62 | 18 | 45 | 10 |
| 8299007 | M7 | 90 | 62 | 18 | 55 | 10 |
| 8299008 | M8 | 90 | 62 | 18 | 57 | 10 |
| 8299009 | M9 | 90 | 62 | 18 | 77 | 10 |
| 8299010 | M10 | 90 | 62 | 18 | 79 | 10 |
| 8299012 | M12 | 90 | 62 | 18 | 83 | 10 |

## BIT SOCKET HEX 1/2"

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83406204 | 4 | 62 | 24 | 22 | 70 | 10 |
| 83406205 | 5 | 62 | 24 | 22 | 70 | 10 |
| 83406255 | 5.5 | 62 | 24 | 22 | 70 | 10 |
| 83406206 | 6 | 62 | 24 | 22 | 70 | 10 |
| 83406207 | 7 | 62 | 24 | 22 | 70 | 10 |
| 83406208 | 8 | 62 | 24 | 22 | 70 | 10 |
| 83406209 | 9 | 62 | 24 | 22 | 80 | 10 |
| 83406210 | 10 | 62 | 24 | 22 | 80 | 10 |
| 83406212 | 12 | 62 | 24 | 24 | 110 | 10 |
| 83406214 | 14 | 62 | 24 | 24 | 125 | 10 |
| 83406217 | 17 | 62 | 24 | 24 | 140 | 10 |
| 83406219 | 19 | 62 | 24 | 24 | 150 | 10 |
| 83406222 | 22 | 62 | 24 | 25 | 180 | 10 |
| 83406224 | 24 | 62 | 24 | 27 | 200 | 10 |

## BIT SOCKET HEX 1/2", 100MML

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83410005 | 5 | 100 | 62 | 22 | 84 | 10 |
| 83410006 | 6 | 100 | 62 | 22 | 84 | 10 |
| 83410007 | 7 | 100 | 62 | 22 | 86 | 10 |
| 83410008 | 8 | 100 | 62 | 22 | 86 | 10 |
| 83410009 | 9 | 100 | 62 | 22 | 104 | 10 |
| 83410010 | 10 | 100 | 62 | 22 | 106 | 10 |
| 83410011 | 11 | 100 | 62 | 24 | 144 | 10 |
| 83410012 | 12 | 100 | 62 | 24 | 142 | 10 |
| 83410013 | 13 | 100 | 62 | 24 | 144 | 10 |
| 83410014 | 14 | 100 | 62 | 24 | 172 | 10 |
| 83410017 | 17 | 100 | 62 | 24 | 212 | 10 |

## BIT SOCKET HEX 1/2", 140MML

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83414007 | 7 | 140 | 102 | 24 | 121 | 10 |
| 83414010 | 10 | 140 | 102 | 22 | 132 | 10 |
| 83414011 | 11 | 140 | 102 | 24 | 183 | 10 |
| 83414013 | 13 | 140 | 102 | 24 | 202 | 10 |
| 83414014 | 14 | 140 | 102 | 24 | 220 | 10 |

## BIT SOCKET HEX 1/2", 248MML

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83424806 | 6 | 248 | 210 | 22 | 150 | 10 |

## BIT SOCKET HEX BALL 1/2", 100MML

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83010005 | 5 | 100 | 62 | 22 | 84 | 10 |
| 830100055 | 5.5 | 100 | 62 | 22 | 84 | 10 |
| 83010006 | 6 | 100 | 62 | 22 | 84 | 10 |
| 83010007 | 7 | 100 | 62 | 22 | 86 | 10 |
| 83010008 | 8 | 100 | 62 | 22 | 86 | 10 |
| 83010009 | 9 | 100 | 62 | 22 | 104 | 10 |
| 83010010 | 10 | 100 | 62 | 22 | 106 | 10 |
| 83010012 | 12 | 100 | 62 | 24 | 142 | 10 |

## BIT SOCKET HEX BALL 1/2", 140MML

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83014005 | 5 | 140 | 102 | 24 | 119 | 10 |
| 83014006 | 6 | 140 | 102 | 24 | 120 | 10 |
| 83014007 | 7 | 140 | 102 | 24 | 121 | 10 |
| 83014008 | 8 | 140 | 102 | 24 | 122 | 10 |
| 83014010 | 10 | 140 | 102 | 24 | 150 | 10 |
| 83014012 | 12 | 140 | 102 | 24 | 183 | 10 |





Chapter 17 catalogue UK 2020.indd 401 06-12-19 10:53

# Bit sockets


## BIT SOCKET HEX 1/2" (SAE)

DIN NO. 3120

SAE

12.5 1/2"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 834106205 | 3/16" | 62 | 24 | 22 | 65 | 10 |
| 834106206 | 1/4" | 62 | 24 | 22 | 65 | 10 |
| 834106207 | 9/32" | 62 | 24 | 22 | 70 | 10 |
| 834106208 | 5/16" | 62 | 24 | 22 | 70 | 10 |
| 834106209 | 11/32" | 62 | 24 | 22 | 80 | 10 |
| 834106210 | 3/8" | 62 | 24 | 22 | 80 | 10 |
| 834106212 | 7/16" | 62 | 24 | 22 | 85 | 10 |
| 834106213 | 1/2" | 62 | 24 | 24 | 110 | 10 |
| 834106214 | 9/16" | 62 | 24 | 24 | 125 | 10 |
| 834106217 | 5/8" | 62 | 24 | 24 | 135 | 10 |

## TX BIT SOCKET 1/2", 140MML

DIN NO. 3120

12.5 1/2"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83614040 | T40 | 140 | 102 | 22 | 120 | 10 |
| 83614045 | T45 | 140 | 102 | 22 | 121 | 10 |
| 83614050 | T50 | 140 | 102 | 22 | 121 | 10 |
| 83614055 | T55 | 140 | 102 | 22 | 149 | 10 |
| 83614060 | T60 | 140 | 102 | 24 | 180 | 10 |
| 83614070 | T70 | 140 | 102 | 24 | 217 | 10 |

## BIT SOCKET TX 1/2"

DIN NO. 3120

12.5 1/2"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83606220 | T20 | 62 | 24 | 22 | 65 | 10 |
| 83606225 | T25 | 62 | 24 | 22 | 65 | 10 |
| 83606227 | T27 | 62 | 24 | 22 | 65 | 10 |
| 83606230 | T30 | 62 | 24 | 22 | 65 | 10 |
| 83606240 | T40 | 62 | 24 | 22 | 65 | 10 |
| 83606245 | T45 | 62 | 24 | 22 | 70 | 10 |
| 83606250 | T50 | 62 | 24 | 22 | 70 | 10 |
| 83606255 | T55 | 62 | 24 | 22 | 80 | 10 |
| 83606260 | T60 | 62 | 24 | 24 | 105 | 10 |
| 83606270 | T70 | 62 | 24 | 24 | 125 | 10 |

## BIT SOCKET TX TAMPERPROOF 1/2"

DIN NO. 3120

12.5 1/2"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83706220 | T20H | 62 | 24 | 22 | 65 | 10 |
| 83706225 | T25H | 62 | 24 | 22 | 65 | 10 |
| 83706227 | T27H | 62 | 24 | 22 | 65 | 10 |
| 83706230 | T30H | 62 | 24 | 22 | 65 | 10 |
| 83706240 | T40H | 62 | 24 | 22 | 70 | 10 |
| 83706245 | T45H | 62 | 24 | 22 | 70 | 10 |
| 83706250 | T50H | 62 | 24 | 22 | 70 | 10 |
| 83706255 | T55H | 62 | 24 | 22 | 80 | 10 |
| 83706260 | T60H | 62 | 24 | 24 | 105 | 10 |
| 83706270 | T70H | 62 | 24 | 24 | 120 | 10 |

## BIT SOCKET TX 1/2", 100MML

DIN NO. 3120

12.5 1/2"






| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83610020 | T20 | 100 | 62 | 22 | 84 | 10 |
| 83610025 | T25 | 100 | 62 | 22 | 84 | 10 |
| 83610027 | T27 | 100 | 62 | 22 | 84 | 10 |
| 83610030 | T30 | 100 | 62 | 22 | 86 | 10 |
| 83610040 | T40 | 100 | 62 | 22 | 84 | 10 |
| 83610045 | T45 | 100 | 62 | 22 | 86 | 10 |
| 83610050 | T50 | 100 | 62 | 22 | 86 | 10 |
| 83610055 | T55 | 100 | 62 | 22 | 104 | 10 |
| 83610060 | T60 | 100 | 62 | 24 | 142 | 10 |
| 83610070 | T70 | 100 | 62 | 24 | 168 | 10 |
| 83610080 | T80 | 100 | 62 | 24 | 292 | 10 |
| 83610090 | T90 | 100 | 62 | 24 | 292 | 10 |
| 836100100 | T100 | 100 | 62 | 24 | 358 | 10 |

## BIT SOCKET TX TAMPERPROOF 1/2", 100MML

DIN NO. 3120

12.5 1/2"





| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83710020 | T20H | 100 | 62 | 22 | 84 | 10 |
| 83710025 | T25H | 100 | 62 | 22 | 84 | 10 |
| 83710027 | T27H | 100 | 62 | 22 | 84 | 10 |
| 83710030 | T30H | 100 | 62 | 22 | 86 | 10 |
| 83710040 | T40H | 100 | 62 | 22 | 84 | 10 |
| 83710045 | T45H | 100 | 62 | 22 | 86 | 10 |
| 83710050 | T50H | 100 | 62 | 22 | 86 | 10 |
| 83710055 | T55H | 100 | 62 | 22 | 104 | 10 |
| 83710060 | T60H | 100 | 62 | 24 | 140 | 10 |
| 83710070 | T70H | 100 | 62 | 24 | 166 | 10 |
| 83710080 | T80H | 100 | 62 | 24 | 292 | 10 |



Chapter 17 catalogue UK 2020.indd 402 06-12-19 10:53

## BIT SOCKET SPLINE 1/2"

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83806205 | M5 | 62 | 24 | 22 | 70 | 10 |
| 83806206 | M6 | 62 | 24 | 22 | 70 | 10 |
| 83806208 | M8 | 62 | 24 | 22 | 70 | 10 |
| 83806209 | M9 | 62 | 24 | 22 | 75 | 10 |
| 83806210 | M10 | 62 | 24 | 22 | 80 | 10 |
| 83806212 | M12 | 62 | 24 | 24 | 105 | 10 |
| 83806214 | M14 | 62 | 24 | 24 | 120 | 10 |
| 83806216 | M16 | 62 | 24 | 24 | 130 | 10 |
| 83806216T | M16T | 62 | 24 | 24 | 125 | 10 |

## BIT SOCKET SPLINE 1/2", 100MML

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83810005 | M5 | 100 | 62 | 22 | 84 | 10 |
| 83810006 | M6 | 100 | 62 | 22 | 84 | 10 |
| 83810008 | M8 | 100 | 62 | 22 | 84 | 10 |
| 83810009 | M9 | 100 | 62 | 22 | 104 | 10 |
| 83810010 | M10 | 100 | 62 | 22 | 102 | 10 |
| 83810012 | M12 | 100 | 62 | 24 | 138 | 10 |
| 83810014 | M14 | 100 | 62 | 24 | 166 | 10 |
| 83810016 | M16 | 100 | 62 | 24 | 184 | 10 |
| 83810016T | M16T | 100 | 62 | 24 | 193 | 10 |

## BIT SOCKET SPLINE 1/2", 140MML

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83814010 | M10 | 140 | 102 | 22 | 148 | 10 |
| 83814012 | M12 | 140 | 102 | 24 | 178 | 10 |
| 83814014 | M14 | 140 | 102 | 24 | 215 | 10 |

## BIT SOCKET SPLINE 1/2", 800MML

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83880008 | M8 | 800 | 762 | 22 | 90 | 10 |
| 83880010 | M10 | 800 | 762 | 22 | 90 | 10 |

## BIT SOCKET RIBE 1/2"

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83906205 | M5 | 62 | 24 | 22 | 68 | 10 |
| 83906206 | M6 | 62 | 24 | 22 | 70 | 10 |
| 83906207 | M7 | 62 | 24 | 22 | 70 | 10 |
| 83906208 | M8 | 62 | 24 | 22 | 70 | 10 |
| 83906209 | M9 | 62 | 24 | 22 | 80 | 10 |
| 83906210 | M10 | 62 | 24 | 22 | 80 | 10 |
| 83906211 | M10-1 | 62 | 24 | 22 | 80 | 10 |
| 83906212 | M12 | 62 | 24 | 24 | 105 | 10 |
| 83906213 | M13 | 62 | 24 | 24 | 120 | 10 |
| 83906214 | M14 | 62 | 24 | 24 | 120 | 10 |
| 83906216 | M16 | 62 | 24 | 24 | 130 | 10 |

## BIT SOCKET RIBE 1/2", 100MML

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83910005 | M5 | 100 | 62 | 22 | 85 | 10 |
| 83910006 | M6 | 100 | 62 | 22 | 86 | 10 |
| 83910007 | M7 | 100 | 62 | 22 | 86 | 10 |
| 83910008 | M8 | 100 | 62 | 22 | 86 | 10 |
| 83910009 | M9 | 100 | 62 | 22 | 102 | 10 |
| 83910010 | M10 | 100 | 62 | 22 | 105 | 10 |
| 83910012 | M12 | 100 | 62 | 24 | 140 | 10 |
| 83910013 | M13 | 100 | 62 | 24 | 165 | 10 |
| 83910014 | M14 | 100 | 62 | 24 | 165 | 10 |
| 83910016 | M16 | 100 | 62 | 27 | 193 | 10 |

## BIT SOCKET RIBE 1/2", 120MML

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83912011 | M10-1 | 120 | 82 | 24 | 127 | 10 |

Especially for Fiat

## BIT SOCKET RIBE 1/2", 140MML

DIN NO. 3120

12.5 1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83914010 | M10 | 140 | 102 | 24 | 178 | 10 |

Especially for VW





Chapter 17 catalogue UK 2020.indd 403 06-12-19 10:53

# Bit sockets

## BIT SOCKET RIBE 1/2", 240MML

DIN NO. 3120

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 83924007 | M7 | 240 | 202 | 24 | 190 | 10 |
| 83924008 | M8 | 240 | 202 | 24 | 194 | 10 |

## IMPACT BALL JOINT BIT SOCKET SPLINE 1/2" 130MML

DIN NO. 3121

12.5
1/2"



| ART. NO. | SIZE | L(MM) | L1(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|---|
| 7150108 | M8 | 130 | 92 | 22 | 180 | 10 |
| 7150110 | M10 | 130 | 92 | 22 | 180 | 10 |

## IMPACT BIT SOCKET SPLINE 1/2", 78MML

12.5
1/2"



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 86807818 | M18 | 78 | 25 | 150 | 10 |

## BIT SOCKET IMPACT SPLINE 3/4"

20
3/4"



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 87810518 | M18 | 105 | 40 | 396 | 1 |

## BIT SOCKET IMPACT RIBE 1/2", ONE-PIECE 78MML

DIN NO. 3121

12.5
1/2"



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 86907805 | M5 | 78 | 25 | 78 | 10 |
| 86907806 | M6 | 78 | 25 | 76 | 10 |
| 86907807 | M7 | 78 | 25 | 82 | 10 |
| 86907808 | M8 | 78 | 25 | 84 | 10 |
| 86907809 | M9 | 78 | 25 | 92 | 10 |
| 86907810 | M10 | 78 | 25 | 96 | 10 |
| 86907812 | M12 | 78 | 25 | 110 | 10 |
| 86907813 | M13 | 78 | 25 | 120 | 10 |
| 86907814 | M14 | 78 | 25 | 124 | 10 |



Bits will be delivered in a 5 piece blister package

## BIT PH 1/4", 25MML

6.3
1/4"



| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9112501 | PH.1 | 25 | 6.3 | 4 | 5 |
| 9112502 | PH.2 | 25 | 6.3 | 4 | 5 |
| 9112503 | PH.3 | 25 | 6.3 | 6 | 5 |

## BIT SLOTTED 1/4", 25MML

6.3
1/4"




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9132503 | 3 | 25 | 6.3 | 4 | 5 |
| 9132504 | 4 | 25 | 6.3 | 4 | 5 |
| 9132505 | 5 | 25 | 6.3 | 4 | 5 |
| 9132506 | 6 | 25 | 6.3 | 6 | 5 |



Chapter 17 catalogue UK 2020.indd 404 06-12-19 10:53

## BIT HEX 1/4", 25MML





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9142503 | 3 | 25 | 6.3 | 4 | 5 |
| 9142504 | 4 | 25 | 6.3 | 4 | 5 |
| 9142505 | 5 | 25 | 6.3 | 6 | 5 |

## BIT SPLINE 1/4", 25MML





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9182504 | M4 | 25 | 6.3 | 14 | 5 |
| 9182505 | M5 | 25 | 6.3 | 14 | 5 |

## BIT PH 5/16", 30MML





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9213001 | PH.1 | 30 | 7.9 | 10 | 5 |
| 9213002 | PH.2 | 30 | 7.9 | 10 | 5 |
| 9213003 | PH.3 | 30 | 7.9 | 10 | 5 |
| 9213004 | PH.4 | 30 | 7.9 | 10 | 5 |

## BIT PH 5/16", 36MML







| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9213601 | PH.1 | 36 | 7.9 | 12 | 5 |
| 9213602 | PH.2 | 36 | 7.9 | 12 | 5 |
| 9213603 | PH.3 | 36 | 7.9 | 12 | 5 |
| 9213604 | PH.4 | 36 | 7.9 | 12 | 5 |

## BIT PZ 5/16", 30MML





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9223002 | PZ.2 | 30 | 7.9 | 10 | 5 |
| 9223003 | PZ.3 | 30 | 7.9 | 10 | 5 |
| 9223004 | PZ.4 | 30 | 7.9 | 12 | 5 |

## BIT SLOTTED 5/16", 30MML







| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9233008 | 8 | 30 | 7.9 | 10 | 5 |
| 9233010 | 10 | 30 | 7.9 | 16 | 5 |
| 9233012 | 12 | 30 | 7.9 | 20 | 5 |

## BIT SLOTTED 5/16", 36MML







| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9233605 | 5 | 36 | 7.9 | 12 | 5 |
| 9233606 | 6 | 36 | 7.9 | 12 | 5 |
| 9233608 | 8 | 36 | 7.9 | 14 | 5 |
| 9233610 | 10 | 36 | 7.9 | 14 | 5 |
| 9233612 | 12 | 36 | 7.9 | 16 | 5 |

## BIT HEX 5/16", 30MML







| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9243007 | 7 | 30 | 7.9 | 14 | 5 |
| 9243008 | 8 | 30 | 7.9 | 14 | 5 |
| 9243010 | 10 | 30 | 7.9 | 14 | 5 |
| 9243012 | 12 | 30 | 7.9 | 16 | 5 |
| 9243014 | 14 | 30 | 7.9 | 26 | 5 |

## BIT HEX 5/16", 36MML






| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9243604 | 4 | 36 | 7.9 | 12 | 5 |
| 9243605 | 5 | 36 | 7.9 | 14 | 5 |
| 9243606 | 6 | 36 | 7.9 | 14 | 5 |
| 9243608 | 8 | 36 | 7.9 | 14 | 5 |





Chapter 17 catalogue UK 2020.indd 405 06-12-19 10:53

# Bit sockets

## BIT TX 5/16", 30MML





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9263040 | T40 | 30 | 7.9 | 10 | 5 |
| 9263045 | T45 | 30 | 7.9 | 12 | 5 |
| 9263050 | T50 | 30 | 7.9 | 12 | 5 |
| 9263055 | T55 | 30 | 7.9 | 14 | 5 |

## BIT SPLINE 5/16", 30MM




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9283006 | M6 | 30 | 7.9 | 14 | 5 |
| 9283008 | M8 | 30 | 7.9 | 14 | 5 |
| 9283010 | M10 | 30 | 7.9 | 14 | 5 |

## BIT HEX 10MM, 30MML




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9343004 | 4 | 30 | 10 | 14 | 5 |
| 9343005 | 5 | 30 | 10 | 14 | 5 |
| 9343006 | 6 | 30 | 10 | 14 | 5 |
| 9343007 | 7 | 30 | 10 | 14 | 5 |
| 9343008 | 8 | 30 | 10 | 18 | 5 |
| 9343010 | 10 | 30 | 10 | 20 | 5 |
| 9343012 | 12 | 30 | 10 | 24 | 5 |

## BIT HEX 10MM, 75MML




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9347504 | 4 | 75 | 10 | 42 | 5 |
| 9347505 | 5 | 75 | 10 | 38 | 5 |
| 9347506 | 6 | 75 | 10 | 44 | 5 |
| 9347507 | 7 | 75 | 10 | 46 | 5 |
| 9347508 | 8 | 75 | 10 | 46 | 5 |
| 9347510 | 10 | 75 | 10 | 50 | 5 |
| 9347512 | 12 | 75 | 10 | 64 | 5 |

## BIT TX 10MM, 30MML





| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9363020 | T20 | 30 | 10 | 12 | 5 |
| 9363025 | T25 | 30 | 10 | 12 | 5 |
| 9363030 | T30 | 30 | 10 | 14 | 5 |
| 9363040 | T40 | 30 | 10 | 14 | 5 |
| 9363045 | T45 | 30 | 10 | 16 | 5 |
| 9363050 | T50 | 30 | 10 | 16 | 5 |
| 9363055 | T55 | 30 | 10 | 16 | 5 |
| 9363060 | T60 | 30 | 10 | 18 | 5 |

## BIT TX 10MM, 75MML




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9367520 | T20 | 75 | 10 | 22 | 5 |
| 9367525 | T25 | 75 | 10 | 40 | 5 |
| 9367530 | T30 | 75 | 10 | 42 | 5 |
| 9367540 | T40 | 75 | 10 | 44 | 5 |
| 9367545 | T45 | 75 | 10 | 44 | 5 |
| 9367550 | T50 | 75 | 10 | 46 | 5 |
| 9367555 | T55 | 75 | 10 | 48 | 5 |
| 9367560 | T60 | 75 | 10 | 66 | 5 |

## BIT SPLINE 10MM, 30MML




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9383005 | M5 | 30 | 10 | 14 | 5 |
| 9383006 | M6 | 30 | 10 | 14 | 5 |
| 9383008 | M8 | 30 | 10 | 16 | 5 |
| 9383010 | M10 | 30 | 10 | 18 | 5 |
| 9383012 | M12 | 30 | 10 | 20 | 5 |

## BIT SPLINE 10MM, 75MML




| ART. NO. | SIZE | L(MM) | D(MM) | G | PCS/BAG |
|---|---|---|---|---|---|
| 9387505 | M5 | 75 | 10 | 42 | 5 |
| 9387506 | M6 | 75 | 10 | 42 | 5 |
| 9387508 | M8 | 75 | 10 | 44 | 5 |
| 9387510 | M10 | 75 | 10 | 46 | 5 |
| 9387512 | M12 | 75 | 10 | 54 | 5 |



Chapter 17 catalogue UK 2020.indd 406 06-12-19 10:53

# **Promotional** items

## 75101 - SONIC TEAM CAP



## 75166 - SONIC KEY CORD



## 75184 - SONIC MEMO BLOCK 100 X 74MM



## 75104... - SONIC CATALOG





| ART. NO. | CONTENTS |
|---|---|
| 75104ENG | Catalog English |
| 75104DE | Catalog German |

## 75105... - GLOBAL BESTSELLERS




| ART. NO. | CONTENTS |
|---|---|
| 75105DE | Global bestsellers German |
| 75105NL | Global bestsellers Dutch |

## 7521... - SONIC KEY RING




| ART. NO. | CONTENTS |
|---|---|
| 75211 | Key ring MSS+ |
| 75212 | Key ring Sonic |

## 75115 - SONIC SOCKET KEY RING



## 75185 - SONIC FLAG 11"




## 75194 - SONIC TENT 3 X 4.5M




| ART. NO. | CONTENTS |
|---|---|
| 75186 | SONIC tent (frame) 3 x 4.5m |
| 75187 | SONIC Tent (cloth) 3 x 4.5m |

## 75195 - SONIC TENT 3 X 3M




| ART. NO. | CONTENTS |
|---|---|
| 75188 | SONIC TENT (FRAME) 3 X 3M |
| 75189 | SONIC TENT (CLOTH) 3 X 3M |

# Promotional items

### 75193 - DISC RATCHET 1/4", 72 TEETH GIVE AWAY (BLACK)



### 47828 - SCREWDRIVER TRY ME



### 200804 - SAMPLE SET SONIC, 8PCS. BMCS



### 75103 - SONIC T-SHIRT



### 751... - SONIC T-SHIRT



| ART. NO. | CONTENTS |
|---|---|
| 75196 | Sonic t-shirt S |
| 75197 | Sonic t-shirt M |
| 75198 | Sonic t-shirt L |
| 75199 | Sonic t-shirt XL |
| 75200 | Sonic t-shirt XXL |

### 752... - SONIC SWEATER



| ART. NO. | CONTENTS |
|---|---|
| 75201 | Sonic Sweater S |
| 75202 | Sonic Sweater M |
| 75203 | Sonic Sweater L |
| 75204 | Sonic Sweater XL |

### 751... - SONIC JACKET



| ART. NO. | CONTENTS |
|---|---|
| 75173 | Sonic jacket S women |
| 75174 | Sonic jacket M women |
| 75175 | Sonic jacket L women |
| 75176 | Sonic jacket XL women |
| 75177 | Sonic jacket S men |
| 75178 | Sonic jacket M men |
| 75179 | Sonic jacket L men |
| 75180 | Sonic jacket XL men |
| 75181 | Sonic jacket XXL men |

### 75208 - CROSS OVER JACKET, BLACK/BLACK



| ART. NO. | CONTENTS |
|---|---|
| 75208L | Cross over jacket, black/black L |
| 75208M | Cross over jacket, black/black M |
| 75208XL | Cross over jacket, black/black XL |
| 75208XXL | Cross over jacket, black/black XXL |

### 75209 - HOODED CROSS OVER JACKET, BLACK



| ART. NO. | CONTENTS |
|---|---|
| 75209L | Hooded cross over jacket, black L |
| 75209M | Hooded cross over jacket, black M |
| 75209XL | Hooded cross over jacket, black XL |
| 75209XXL | Hooded cross over jacket, black XXL |

### 75210 - HOODED ZEPELIN OVER JACKET, BLACK/BLACK



| ART. NO. | CONTENTS |
|---|---|
| 75210L | Hooded zepelin over jacket, black/black L |
| 75210M | Hooded zepelin over jacket, black/black M |
| 75210XL | Hooded zepelin over jacket, black/black XL |
| 75210XXL | Hooded zepelin over jacket, black/black XXL |



Chapter 17 catalogue UK 2020.indd 408 06-12-19 10:53

# **Warranty** conditions

## Definitions

The following definitions apply in the warranty conditions:
**End User:** the natural or legal person who has purchased a Product from a Sonic Retailer for personal use, without the intention to sell the Product to third parties or install it at the premises of others.
**Products:** all goods, usage rights and other proprietary rights of (the label) Sonic which are sold via authorised Sonic Retailers and destined for End Users.
**Sonic:** Sonic Equipment BV, a private company with limited liability, registered in Purmerend, the Netherlands, and with its place of business at Component 114, 1446 WP Purmerend, the Netherlands (Chamber of Commerce No. 37113345) and its affiliates.
**Sonic Retailer:** any sales outlet of a natural or legal person exercising a profession or business, and which is authorised by Sonic to sell Products to End Users as a reseller of Sonic Equipment BV.
**Sonic Warranty:** the warranty in these Warranty Conditions for End Users of Products.
**Warranty Conditions:** these warranty conditions of Sonic Equipment BV which apply to Products of Sonic that are sold to End Users through authorised Sonic Retailers.

Definitions can be used in both singular and plural, without loss of substantive meaning.

## General

Sonic only supplies Products through Sonic Retailers.
Products are manufactured for intensive and professional use. All Products are manufactured and put together with the utmost care, and they undergo the most stringent quality and production controls. Nevertheless, problems with material and/or workmanship may arise. The Sonic Warranty only warrants defects in workmanship or materials that prevent their use and to the extent set out in these Warranty Conditions. The Sonic Warranty does not include any right to indemnification or compensation in any form whatsoever. Sonic is and shall not liable for any incidental, special or consequential losses, costs or damages.

*The Warranty Conditions do not affect mandatory legal warranty obligations in any way.*

## Warranty:

The length of the warranty is always dependent on the Product concerned, and is specified in the catalogue and/or on the Sonic website. The warranty commences when the End User purchases the Product. The Sonic Warranty is only valid upon presentation of proof of purchase of the Product with clear date of purchase, and subject to registration of the Product to the extent required.
The Sonic Warranty for storage systems is only valid if the storage system is properly registered on the Sonic website. The Sonic Warranty is not transferable and only valid for the End User who directly purchases a Product from a Sonic Retailer. It is not valid for subsequent users. The End User must report to the Sonic Retailer when making a claim under the Sonic Warranty.

If Sonic considers that a Product is covered by the Sonic Warranty, it will repair or replace the Product at its sole discretion, taken into account the duration of the use of the Product. Replaced Products become the property of Sonic. If a Product is no longer in Sonic's range, Sonic may at its sole discretion supply a similar Product or provide a refund by means of a voucher.

Any work performed under warranty must be carried out by Sonic. The shipping costs for assessing the Sonic Warranty must be borne by the sender. The Sonic Warranty covers parts, labour and return to sender. Replaced and repaired Products are also covered by the Sonic Warranty. The length of the Sonic Warranty is not extended or renewed if parts are replaced, repaired or supplied.

Sonic regularly changes and improves various Products according to market demands and/or improvements in technology. Products listed in the catalogue are subject to changes of both a technical and visual nature, without further notice. Sonic reserves the right to make changes in design, construction or technology at any time without incurring any obligation in incorporating such changes in Products of Sonic previously sold or sent for repair.

## Length of the Warranty

Sonic offers four warranty options in addition to the legal warranty. Unless specified otherwise, the Sonic Warranty is for a period of 10 years.

SG3: This warranty is for a period of 3 years.
SG2: This warranty is for a period of 2 years.
SG1: This warranty is for a period of 1 year.
SGX: These items have no warranty.

## Warranty exclusions

The Sonic Warranty does not cover the following situations and/or components:
- Defects due to normal wear and tear;
- A given warranty for the Products by any other person or entity than Sonic;
- Defects caused by excessive loading and/or incorrect use and/or improper use and/or careless use of the Product (including usage contrary to instructions), included but not limited to misuse, accident, modification, alternation, unreasonable use, abuse, neglect, use in product related service;
- Defects resulting from modifications or repairs carried out by others than Sonic;
- Defects caused by lack of maintenance and/or poor maintenance and/or use of incorrect cleaning materials. It is essential to refer to the cleaning instructions on the Sonic website when cleaning storage systems;
- Defects resulting from force majeure or any other cause beyond Sonic's control, including but not limited to external violence, natural disasters, fire, floods, lightning, exposure to moisture, etc.;
- Consumables, including Products/parts which are sensitive to usage or wear. Such items include drill bits, saw blades, grinding discs, knife blades, files, scrapers, crowbars, batteries, knives, O2 sensors, etc.

## Catalogue

Dimensions shown in the catalogue have been rounded to the nearest fractional size or nearest tenth millimeter and are not exact Product specifications.

# CONVERSION TABLE FROM INCHES TO MILIMETRES

CONVERSION EXAMPLE FROM MM TO INCHES: 69,850 MM = 2.3/4"

CONVERSION EXAMPLE FROM INCHES TO MM: 4.1/2"= 114,300 MM

| INCHES | MM | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MILLIMETRES | | | | | | | | |
| 0 | 0 | 25,400 | 50,800 | 76,200 | 101,600 | 127,000 | 152,400 | 177,800 | 203,200 | 228,600 |
| 1/64 | 0,397 | 25,797 | 51,197 | 76,597 | 101,997 | 127,397 | 152,797 | 178,197 | 203,597 | 228,997 |
| 1/32 | 0,794 | 26,194 | 51,594 | 76,994 | 102,394 | 127,794 | 153,194 | 178,594 | 203,994 | 229,394 |
| 3/64 | 1,191 | 26,591 | 51,991 | 77,391 | 102,791 | 128,191 | 153,591 | 178,991 | 204,391 | 229,791 |
| 1/16 | 1,588 | 26,988 | 52,388 | 77,788 | 103,188 | 128,588 | 153,988 | 179,388 | 204,788 | 230,188 |
| 5/64 | 1,984 | 27,384 | 52,784 | 78,184 | 103,584 | 128,984 | 154,384 | 179,784 | 205,184 | 230,584 |
| 3/32 | 2,381 | 27,781 | 53,181 | 78,581 | 103,981 | 129,381 | 154,781 | 180,181 | 205,581 | 230,981 |
| 7/64 | 2,778 | 28,178 | 53,578 | 78,978 | 104,378 | 129,778 | 155,178 | 180,578 | 205,978 | 231,378 |
| 1/8 | 3,175 | 28,575 | 53,975 | 79,375 | 104,775 | 130,175 | 155,575 | 180,975 | 206,375 | 231,775 |
| 9/64 | 3,572 | 28,972 | 54,372 | 79,772 | 105,172 | 130,572 | 155,972 | 181,372 | 206,772 | 232,172 |
| 5/32 | 3,969 | 29,369 | 54,769 | 80,169 | 105,569 | 130,969 | 156,369 | 181,769 | 207,169 | 232,569 |
| 11/64 | 4,366 | 29,766 | 55,166 | 80,566 | 105,966 | 131,366 | 156,766 | 182,166 | 207,566 | 232,966 |
| 3/16 | 4,762 | 30,162 | 55,562 | 80,962 | 106,362 | 131,762 | 157,162 | 182,562 | 207,962 | 233,362 |
| 13/64 | 5,159 | 30,559 | 55,959 | 81,359 | 106,759 | 132,159 | 157,559 | 182,959 | 208,359 | 233,759 |
| 7/32 | 5,556 | 30,956 | 56,356 | 81,756 | 107,156 | 132,556 | 157,956 | 183,356 | 208,756 | 234,156 |
| 15/64 | 5,953 | 31,353 | 56,753 | 82,153 | 107,553 | 132,953 | 158,353 | 183,753 | 209,153 | 234,553 |
| 1/4 | 6,35 | 31,750 | 57,150 | 82,550 | 107,950 | 133,350 | 158,750 | 184,150 | 209,550 | 234,950 |
| 17/64 | 6,747 | 32,147 | 57,547 | 82,947 | 108,347 | 133,747 | 159,147 | 184,547 | 209,947 | 235,347 |
| 9/32 | 7,144 | 32,544 | 57,944 | 83,344 | 108,744 | 134,144 | 159,544 | 184,944 | 210,344 | 235,744 |
| 19/64 | 7,541 | 32,941 | 58,341 | 83,741 | 109,141 | 134,541 | 159,941 | 185,341 | 210,741 | 236,141 |
| 5/16 | 7,938 | 33,338 | 58,738 | 84,138 | 109,538 | 134,938 | 160,338 | 185,738 | 211,138 | 236,538 |
| 21/64 | 8,334 | 33,734 | 59,134 | 84,534 | 109,934 | 135,334 | 160,734 | 186,134 | 211,534 | 236,934 |
| 11/32 | 8,731 | 34,131 | 59,531 | 84,931 | 110,331 | 135,731 | 161,131 | 186,531 | 211,931 | 237,331 |
| 23/64 | 9,128 | 34,528 | 59,928 | 85,328 | 110,728 | 136,128 | 161,528 | 186,928 | 212,328 | 237,728 |
| 3/8 | 9,525 | 34,925 | 60,325 | 85,725 | 111,125 | 136,525 | 161,925 | 187,325 | 212,725 | 238,125 |
| 25/64 | 9,922 | 35,322 | 60,722 | 86,122 | 111,522 | 136,922 | 162,322 | 187,722 | 213,122 | 238,522 |
| 13/32 | 10,319 | 35,719 | 61,119 | 86,519 | 111,919 | 137,319 | 162,719 | 188,119 | 213,519 | 238,919 |
| 27/64 | 10,716 | 36,116 | 61,516 | 86,916 | 112,316 | 137,716 | 163,116 | 188,516 | 213,916 | 239,316 |
| 7/16 | 11,112 | 36,512 | 61,912 | 87,312 | 112,712 | 138,112 | 163,512 | 188,912 | 214,312 | 239,712 |
| 29/64 | 11,509 | 36,909 | 62,309 | 87,709 | 113,109 | 138,509 | 163,909 | 189,309 | 214,709 | 240,109 |
| 15/32 | 11,906 | 37,306 | 62,706 | 88,106 | 113,506 | 138,906 | 164,306 | 189,706 | 215,106 | 240,506 |
| 31/64 | 12,303 | 37,703 | 63,103 | 88,503 | 113,903 | 139,303 | 164,703 | 190,103 | 215,503 | 240,903 |
| 1/2 | 12,7 | 38,100 | 63,500 | 88,900 | 114,300 | 139,700 | 165,100 | 190,500 | 215,900 | 241,300 |
| 33/64 | 13,097 | 38,497 | 63,897 | 89,297 | 114,697 | 140,097 | 165,497 | 190,897 | 216,297 | 241,697 |
| 17/32 | 13,494 | 38,894 | 64,294 | 89,694 | 115,094 | 140,494 | 165,894 | 191,294 | 216,694 | 242,094 |
| 35/64 | 13,891 | 39,291 | 64,691 | 90,091 | 115,491 | 140,891 | 166,291 | 191,691 | 217,091 | 242,491 |
| 9/16 | 14,288 | 39,688 | 65,088 | 90,488 | 115,888 | 141,288 | 166,688 | 192,088 | 217,488 | 242,888 |
| 37/64 | 14,684 | 40,084 | 65,484 | 90,884 | 116,284 | 141,684 | 167,084 | 192,484 | 217,884 | 243,284 |
| 19/32 | 15,081 | 40,481 | 65,881 | 91,281 | 116,681 | 142,081 | 167,481 | 192,881 | 218,281 | 243,681 |
| 39/64 | 15,478 | 40,878 | 66,278 | 91,678 | 117,078 | 142,478 | 167,878 | 193,278 | 218,678 | 244,078 |
| 5/8 | 15,875 | 41,275 | 66,675 | 92,075 | 117,475 | 142,875 | 168,275 | 193,675 | 219,075 | 244,475 |
| 41/64 | 16,272 | 41,672 | 67,072 | 92,472 | 117,872 | 143,272 | 168,672 | 194,072 | 219,472 | 244,872 |
| 21/32 | 16,669 | 42,069 | 67,469 | 92,869 | 118,269 | 143,669 | 169,069 | 194,469 | 219,869 | 245,269 |
| 43/64 | 17,066 | 42,466 | 67,866 | 93,266 | 118,666 | 144,066 | 169,466 | 194,866 | 220,266 | 245,666 |
| 11/16 | 17,462 | 42,862 | 68,262 | 93,662 | 119,062 | 144,462 | 169,862 | 195,262 | 220,662 | 246,062 |
| 45/64 | 17,859 | 43,259 | 68,659 | 94,059 | 119,459 | 144,859 | 170,259 | 195,659 | 221,059 | 246,459 |
| 23/32 | 18,256 | 43,656 | 69,056 | 94,456 | 119,856 | 145,256 | 170,656 | 196,056 | 221,456 | 246,856 |
| 47/64 | 18,653 | 44,053 | 69,453 | 94,853 | 120,253 | 145,653 | 171,053 | 196,453 | 221,853 | 247,253 |
| 3/4 | 19,05 | 44,450 | 69,850 | 95,250 | 120,650 | 146,050 | 171,450 | 196,850 | 222,250 | 247,650 |
| 49/64 | 19,447 | 44,847 | 70,247 | 95,647 | 121,047 | 146,447 | 171,847 | 197,247 | 222,647 | 248,047 |
| 25/32 | 19,844 | 45,244 | 70,644 | 96,044 | 121,444 | 146,844 | 172,244 | 197,644 | 223,044 | 248,444 |
| 51/64 | 20,241 | 45,641 | 71,041 | 96,441 | 121,841 | 147,241 | 172,641 | 198,041 | 223,441 | 248,841 |
| 13/16 | 20,638 | 46,038 | 71,438 | 96,838 | 122,238 | 147,638 | 173,038 | 198,438 | 223,838 | 249,238 |
| 53/64 | 21,034 | 46,434 | 71,834 | 97,234 | 122,634 | 148,034 | 173,434 | 198,834 | 224,234 | 249,634 |
| 27/23 | 21,431 | 46,831 | 72,231 | 97,631 | 123,031 | 148,431 | 173,831 | 199,231 | 224,631 | 250,031 |
| 55/64 | 21,828 | 47,228 | 72,628 | 98,028 | 123,428 | 148,828 | 174,228 | 199,628 | 225,028 | 250,428 |
| 7/8 | 22,225 | 47,625 | 73,025 | 98,425 | 123,825 | 149,225 | 174,625 | 200,025 | 225,425 | 250,825 |
| 57/64 | 22,622 | 48,022 | 73,422 | 98,822 | 124,222 | 149,622 | 175,022 | 200,422 | 225,822 | 251,222 |
| 29/32 | 23,019 | 48,419 | 73,819 | 99,219 | 124,619 | 150,019 | 175,419 | 200,819 | 226,219 | 251,619 |
| 59/64 | 23,416 | 48,816 | 74,216 | 99,616 | 125,016 | 150,416 | 175,816 | 201,216 | 226,616 | 252,016 |
| 15/16 | 23,812 | 49,212 | 74,612 | 100,012 | 125,412 | 150,812 | 176,212 | 201,612 | 227,012 | 252,412 |
| 61/64 | 24,209 | 49,609 | 75,009 | 100,409 | 125,809 | 151,209 | 176,609 | 202,009 | 227,409 | 252,809 |
| 31/32 | 24,606 | 50,006 | 75,406 | 100,806 | 126,206 | 151,606 | 177,006 | 202,406 | 227,806 | 253,206 |
| 63/64 | 25,003 | 50,403 | 75,803 | 101,203 | 126,603 | 152,003 | 177,403 | 202,803 | 228,203 | 253,603 |

# CONVERSION TABLES FOR TORQUE WRENCHES

CONVERSION FACTORS

| UNIT | SI UNIT | | | METRIC UNIT | | USA/GB UNIT | | |
|---|---|---|---|---|---|---|---|---|
| | CNM | DNM | NM | CMKG | MKG | FT.LB. | IN.LB | IN.OZ |
| 1 CNM | 1,0000 | 0,1000 | 0,0100 | 0,1020 | 0,0010 | 0,0074 | 0,0885 | 1,4161 |
| 1 DNM | 10,0000 | 1,0000 | 0,1000 | 1,0197 | 0,0102 | 0,0738 | 0,8851 | 14,1612 |
| 1 NM | 100,0000 | 10,0000 | 1,0000 | 10,1972 | 0,1020 | 0,7376 | 8,8508 | 141,6123 |
| 1 CMKG | 9,8067 | 0,9807 | 0,0981 | 1,0000 | 0,0100 | 0,0723 | 0,8680 | 13,8874 |
| 1 MKG | 980,6650 | 98,0665 | 9,8067 | 100,0000 | 1,0000 | 7,2330 | 86,7964 | 1388,7422 |
| 1 FT.LB | 135,5818 | 13,5581 | 1,3558 | 13,8255 | 0,1383 | 1,0000 | 12,0000 | 192,0000 |
| 1 IN.LB | 11,2985 | 1,1298 | 0,1130 | 1,1521 | 0,0115 | 0,0833 | 1,0000 | 16,0000 |
| 1 IN.OZ | 0,7062 | 0,0706 | 0,0071 | 0,0720 | 0,0007 | 0,0052 | 0,0625 | 1,0000 |

| CONVERSION NM TO MKG | | | | | | 1 NM = 0,10197 MKG | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| NM | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0 | 0,00 | 0,10 | 0,20 | 0,31 | 0,41 | 0,51 | 0,61 | 0,71 | 0,82 | 0,92 |
| 10 | 1,02 | 1,12 | 1,22 | 1,33 | 1,43 | 1,53 | 1,63 | 1,73 | 1,84 | 1,94 |
| 20 | 2,04 | 2,14 | 2,24 | 2,35 | 2,45 | 2,55 | 2,65 | 2,75 | 2,86 | 2,96 |
| 30 | 3,06 | 3,16 | 3,26 | 3,37 | 3,47 | 3,57 | 3,67 | 3,77 | 3,87 | 3,98 |
| 40 | 4,08 | 4,18 | 4,28 | 4,38 | 4,49 | 4,59 | 4,69 | 4,79 | 4,89 | 5,00 |
| 50 | 5,10 | 5,20 | 5,30 | 5,40 | 5,51 | 5,61 | 5,71 | 5,81 | 5,91 | 6,02 |
| 60 | 6,12 | 6,22 | 6,32 | 6,42 | 6,53 | 6,63 | 6,73 | 6,83 | 6,93 | 7,04 |
| 70 | 7,14 | 7,24 | 7,34 | 7,44 | 7,55 | 7,65 | 7,75 | 7,85 | 7,95 | 8,06 |
| 80 | 8,16 | 8,26 | 8,36 | 8,46 | 8,57 | 8,67 | 8,77 | 8,87 | 8,97 | 9,08 |
| 90 | 9,18 | 9,28 | 9,38 | 9,48 | 9,59 | 9,69 | 9,79 | 9,89 | 9,99 | 10,10 |
| 100 | 10,2 | 10,3 | 10,4 | 10,5 | 10,6 | 10,71 | 10,81 | 10,91 | 11,01 | 11,11 |

| CONVERSION MKG TO NM | | | | | | 1 MKG = 9,80665 NM | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| MKG | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0 | 0 | 9,81 | 19,61 | 29,42 | 39,23 | 49,03 | 58,84 | 68,65 | 78,45 | 88,26 |
| 10 | 98,07 | 107,87 | 117,68 | 127,49 | 137,29 | 147,10 | 156,91 | 166,71 | 176,52 | 186,33 |
| 20 | 196,13 | 205,94 | 215,75 | 225,55 | 235,36 | 245,17 | 254,97 | 264,78 | 274,59 | 284,39 |
| 30 | 294,2 | 304,01 | 313,81 | 323,62 | 333,43 | 343,23 | 353,04 | 362,85 | 372,65 | 382,46 |
| 40 | 392,27 | 402,07 | 411,88 | 421,69 | 431,49 | 441,30 | 451,11 | 460,91 | 470,72 | 480,53 |
| 50 | 490,33 | 500,14 | 509,95 | 519,75 | 529,56 | 539,37 | 549,17 | 558,98 | 568,79 | 578,59 |
| 60 | 588,4 | 598,21 | 608,01 | 617,82 | 627,63 | 637,43 | 647,24 | 657,05 | 666,85 | 676,66 |
| 70 | 686,47 | 696,27 | 706,08 | 715,89 | 725,69 | 735,50 | 745,31 | 755,11 | 764,92 | 774,73 |
| 80 | 784,53 | 794,34 | 804,15 | 813,95 | 823,76 | 833,57 | 843,37 | 853,18 | 862,99 | 872,79 |
| 90 | 882,6 | 892,41 | 902,21 | 912,02 | 921,83 | 931,63 | 941,44 | 951,25 | 961,05 | 970,86 |
| 100 | 980,67 | 990,47 | 1000,28 | 1010,08 | 1019,89 | 1029,70 | 1039,50 | 1059,12 | 1059,12 | 1068,92 |

| CONVERSION NM TO FT.LB. | | | | | | 1 NM = 0,73756 FT.LB. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| NM | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0 | 0,00 | 0,74 | 1,48 | 2,21 | 2,95 | 3,69 | 4,43 | 5,16 | 5,90 | 6,64 |
| 10 | 7,38 | 8,11 | 8,85 | 9,59 | 10,33 | 11,06 | 11,80 | 12,54 | 13,28 | 14,01 |
| 20 | 14,75 | 15,49 | 16,23 | 16,96 | 17,7 | 18,44 | 19,18 | 19,91 | 20,65 | 21,39 |
| 30 | 22,13 | 22,86 | 23,60 | 24,34 | 25,08 | 25,81 | 26,55 | 27,29 | 28,03 | 28,76 |
| 40 | 29,50 | 30,24 | 30,98 | 31,72 | 32,45 | 33,19 | 33,93 | 34,67 | 35,40 | 36,14 |
| 50 | 36,88 | 37,62 | 38,35 | 39,09 | 39,83 | 40,57 | 41,30 | 42,04 | 42,78 | 43,52 |
| 60 | 44,25 | 44,99 | 45,73 | 46,47 | 47,2 | 47,94 | 48,68 | 49,42 | 50,15 | 50,89 |
| 70 | 51,63 | 52,37 | 53,10 | 53,84 | 54,58 | 55,32 | 56,05 | 56,79 | 57,53 | 58,27 |
| 80 | 59,00 | 59,74 | 60,48 | 61,22 | 61,96 | 62,69 | 63,43 | 64,17 | 64,91 | 65,64 |
| 90 | 66,38 | 67,12 | 67,86 | 68,59 | 69,33 | 70,07 | 70,81 | 71,54 | 72,28 | 73,02 |
| 100 | 73,76 | 74,49 | 75,23 | 75,97 | 76,71 | 77,44 | 78,18 | 78,92 | 79,66 | 80,39 |

| CONVERSION FT.LB TO NM | | | | | | 1 FT.LB. -> 1,35581 NM | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| FT.LB. | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0 | 0,00 | 1,36 | 2,71 | 4,07 | 5,42 | 6,78 | 8,13 | 9,49 | 10,85 | 12,20 |
| 10 | 13,56 | 14,91 | 16,27 | 17,63 | 18,98 | 20,34 | 21,69 | 23,05 | 24,40 | 25,76 |
| 20 | 27,12 | 28,47 | 29,83 | 31,18 | 32,54 | 33,90 | 35,25 | 36,61 | 37,96 | 39,32 |
| 30 | 40,67 | 42,03 | 43,39 | 44,74 | 46,10 | 47,45 | 48,81 | 50,16 | 51,52 | 52,88 |
| 40 | 54,23 | 55,59 | 56,94 | 58,30 | 59,66 | 61,01 | 62,37 | 63,72 | 65,08 | 66,43 |
| 50 | 67,79 | 69,15 | 70,50 | 71,86 | 73,21 | 74,57 | 75,93 | 77,28 | 78,64 | 79,99 |
| 60 | 81,35 | 82,70 | 84,06 | 85,42 | 86,77 | 88,13 | 89,48 | 90,84 | 92,20 | 93,55 |
| 70 | 94,91 | 96,26 | 97,62 | 98,97 | 00,33 | 101,69 | 103,04 | 104,40 | 105,75 | 07,11 |
| 80 | 108,46 | 109,82 | 111,18 | 12,53 | 13,89 | 115,24 | 116,60 | 117,96 | 119,31 | 20,67 |
| 90 | 122,02 | 123,38 | 124,73 | 26,09 | 27,45 | 128,80 | 130,16 | 131,51 | 132,87 | 34,23 |
| 100 | 135,58 | 136,94 | 138,29 | 39,65 | 41,00 | 142,36 | 143,72 | 145 07 | 146,43 | 47 78 |

| CONVERSION IN.LB. TO NM | | | | | | 1 NM = 8,85077 IN.LB. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Nm | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0 | 0,00 | 8,85 | 17,70 | 26,55 | 35,40 | 44,25 | 53,10 | 61,96 | 70,81 | 79,66 |
| 10 | 88,51 | 97,36 | 106,21 | 115,06 | 123,91 | 132,76 | 141,61 | 150,46 | 159,31 | 168,16 |
| 20 | 177,02 | 185,87 | 194,72 | 203,57 | 212,42 | 221,27 | 230,12 | 238,97 | 247,82 | 256,67 |
| 30 | 265,52 | 274,37 | 283,22 | 292,08 | 300,93 | 309,78 | 318,63 | 327,48 | 336,33 | 345,18 |
| 40 | 354,03 | 362,88 | 371,73 | 380,58 | 389,43 | 398,28 | 407,14 | 415,99 | 424,84 | 433,69 |
| 50 | 442,54 | 451,39 | 460,24 | 469,09 | 477,94 | 486,79 | 495,64 | 504,49 | 513,34 | 522,20 |
| 60 | 531,05 | 539,90 | 548,75 | 557,60 | 566,45 | 575,30 | 584,15 | 593,00 | 601,85 | 610,70 |
| 70 | 619,55 | 628,40 | 637,26 | 646,11 | 654,96 | 663,81 | 672,66 | 681,51 | 690,36 | 699,21 |
| 80 | 708,06 | 716,91 | 725,76 | 734,61 | 743,46 | 752,32 | 761,17 | 770,02 | 778,87 | 787,72 |
| 90 | 796,57 | 805,42 | 814,27 | 823,12 | 831,97 | 840,82 | 849,67 | 858,52 | 867,38 | 876,23 |
| 100 | 885,08 | 893,93 | 902,78 | 911,63 | 920,48 | 929,33 | 938,18 | 947,03 | 955,88 | 964,73 |

| CONVERSION NM TO IN.LB. | | | | | | 1 IN.LB. -> 0,11298 NM | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| in.lb. | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0 | 0,00 | 0,11 | 0,23 | 0,34 | 0,45 | 0,56 | 0,68 | 0,79 | 0,90 | 1,02 |
| 10 | 1,13 | 1,24 | 1,36 | 1,47 | 1,58 | 1,69 | 1,81 | 1,92 | 2,03 | 2,15 |
| 20 | 2,26 | 2,37 | 2,49 | 2,60 | 2,71 | 2,82 | 2,94 | 3,05 | 3,16 | 3,28 |
| 30 | 3,39 | 3,50 | 3,62 | 3,73 | 3,84 | 3,95 | 4,07 | 4,18 | 4,29 | 4,41 |
| 40 | 4,52 | 4,63 | 4,75 | 4,86 | 4,97 | 5,08 | 5,20 | 5,31 | 5,42 | 5,54 |
| 50 | 5,65 | 5,76 | 5,87 | 5,99 | 6,10 | 6,21 | 6,33 | 6,44 | 6,55 | 6,67 |
| 60 | 6,78 | 6,89 | 7,00 | 7,12 | 7,23 | 7,34 | 7,46 | 7,57 | 7,68 | 7,80 |
| 70 | 7,91 | 8,02 | 8,13 | 8,25 | 8,36 | 8,47 | 8,59 | 8,70 | 8,81 | 8,93 |
| 80 | 9,04 | 9,15 | 9,26 | 9,38 | 9,49 | 9,60 | 9,72 | 9,83 | 9,94 | 10,06 |
| 90 | 10,17 | 10,28 | 10,39 | 10,51 | 10,62 | 10,73 | 10,85 | 10,96 | 11,07 | 11,19 |
| 100 | 11,30 | 11,41 | 11,52 | 11,64 | 11,75 | 11,86 | 11,98 | 12,09 | 12,20 | 12,31 |


4
sonic
equipment
ABT
HANKOOK
sonic


4
sonic
equipment
ABT
HANKOOK


SCHERER
ROWE MOTOR OIL
5
LAIT
DUNLOP
SONIC


SCHERER
5
LAIT
DUNLOP
SONIC


Mobil 1


CORVETTE
RACING
sonic
GTLM
4






GTLM
3


GTLM
ROLEX
24
DAYTONA
sonic
tools
draille
LITHIUM








ZURICH
PlayStation
PlayStation
101




DUNLOP
PlayStation




Walkenhorst Motorsport


BMW Motorsport
Walkenhorst


DUNLOP



TOTAL














ATH-Heinl
ATH-Heinl















SONIC
KONICA MIN


HANKOOK 24H DUBAI
KIRCHHOFF


race:pro




SBM swiss barge ag
mechip-dkr.com
SONIC



SBM swiss barge ag
mechip-dkr.com
SONIC


14




3
1


MODULAR
PERFECTION.
mss+



# Index


**1**

100301 204
100501 182
100601 182
100701 182
100702 181
100704 182
100901 181
100902 181
100903 181
100904 181
101001 181
101002 181
101003 181
101004 182
101005 182
101007 188
101105 167
101201 181
101202 181
101203 181
101204 181
101901 189
102801 189
103101 188
103201 188
103202 175
103502 167
104001 167
104601 190
104602 167
106105 131
106303 121
106304 128
107403 168
110001 229
110201 121
112102 130
114101 159
114602 150
116901 131
120001 230
124250... 318
130001 231
131... 317
131...S 317
1312502 317
1314502 317
132... 317
132...S 317
133... 317
133...S 317
133250... 317
13345065 317
13360008 317
134250... 318
136... 318
136250... 318
137... 318
144230... 319
1510... 317
15301... 317
161... 317
163... 318
17320002 318
18403... 356
18502... 356
18506... 356
186010... 357
18603... 357
18613... 357
19502... 319
19602... 319

**2**

200801 182
200802 182
200804 168, 408
200805 184
200901 183
200902 183
200903 183
201001 182
201002 183
201003 183
201005 183
201006 183
201008 182
201009 182
201010 182
201012 183
201013 183
201014 183
201015 184
201201 183
201401 122
202301 122
202302 128
202803 168
203001 122
203703 169
204003 169
204101 122
204102 128
205301 175
206102 169
206501 132
207601 170
208001 122
213001 151
213901 133
214201 132
214702 133
215... 323
21550... 323
215702 134
216... 324
216401 151
21650... 324
218... 323
21850... 323
218502 152
219... 324
21950... 324
221201 152
221801 159
225... 325
22563... 325
226... 327
22663... 327
228... 326
22863... 326
229... 326
22963... 327
235... 328
23577... 329
236... 331
23677... 331
238... 329
23877... 330
239... 330
23977... 330
248... 332
249... 331
258... 332

**3**

300301 202
300302 202
300303 203
300304 203
300308 185
300310 202
300311 202
300312 202
300313 381
300401 201
300504 203
300506 202
300601 192

300603 191
300605 191
300814 185
300816 170
300817 170
300818 170
300819 170
300820 171
300821 171
300822 171
300823 171
300901 203
300902 184
300903 184
300906 185
300908 122
300910 192
301002 185
301003 184
301005 185
301006 185
301007 184
301008 185
301201 184
301202 184
301203 184
301204 184
301302 213
301503 184
301504 184
301601 191
301603 123
301702 171
301904 171
302001 205
302003 123
302004 128
302005 128
302104 123
302204 123
302301 123
302404 172
302801 175
303101 140
303401 175
303805 123
303806 128
303902 140
304201 191
304601 172
305605 123
306101 136
306402 140
306601 137
306701 172
307302 140
307603 173
308201 153
308401 154
308502 176
309101 173
309301 149
309302 139
309401 190
309402 174
309502 135
309507 136
309901 174
310001 149
310101 135
310501 137
311101 139
311201 138
311801 153
313802 135
313902 138
314901 160
315601 154
316001 134
325... 333
32563... 334
33101... 332
33102... 333
33103... 333
33105... 333
3310617 334
33107... 333
33108... 333
335... 334
33585... 335
33678... 336
33978... 335
339853... 335
345.. 336
34590... 337
34690... 337
349901... 337
355... 338
35590... 338


## 4


402001 190
403201 141
403301 141
408... 344
411... 344
412... 344
41201 345
41202 345
4121... 344
413... 349
414... 345
415... 346
41502... 346
41503... 346
416... 349
41701... 347
41702... 347
41703... 347
417040... 348
4176... 348
418... 348
419... 348
420... 349
4200113 349
421... 349
422... 345
42301... 349
425... 344
426... 347
427... 348
4311165 361
4311175 361
4312180 361
4312200 361
4321160 361
4321170 361
4321200 361
4322160 361
4322200 361
4323275 363
4331200 361
4333270 363
4333275 363
4341145 361
4341175 361
4341180 361
4341190 361
4342160 362
4342200 362
4342240 362
4343200 362
4351... 362
4352... 362
43611 363
43612 363
43613 363
43614 363
4380250 364
4381... 364
4382... 364
4383... 364
4384250 364
4385... 364
4386... 364
4387250 364
4388275 364
4391175 365
439300... 363
4410265 365
4411001 223
4411002 223
4411003 223
4450... 365
44601280 362
4471180 362
4471250 362
4472100 200
4472160 362
4473001 365
4473002 365
4473003 365
4473004 365
4473005 365
4474001 365
4474002 365
4476001 364
4476002 364

# Index


4476004 363
4476005 364
4476006 363
4476007 363
451... 367
4527190 367
453... 367
455... 367
45602 367
4560201 196
4560202 196
4564185 367
46... 369
4620400 369
4631000 369
46520... 369
46601 369
46602 369
46603 369
4670... 369
46701 369
46804 370
46806 370
46806-1 370
46807 370
46807-1 370
46905 370
46911 370
46912 370
46913 370
46914 370
47002 371
47003 371
47004 371
47005 371
47006 371
47010 371
47013 371
47016 318
47017 222
47018 222
47019 222
47022 222
47023 208
47024 371
47025 221
47028 371
47029 223
47031 222
4720101 42
4720102 42
4720103 42
4720104 42
4720105 42
4720106 42
4720107 42
4720108 42
4720109 42
4720110 42
4720111 42
4720112 42
4720114 42
4720115 42
4720116 42
4720117 42
47204 56
47206 57
47209 58
47209F 58
47209S 58
47210 63
47211 55
47213 54
47214 63
47215 59
47216 59
47230 55
47242 215
47243 59
47244 59
47251 55
47252 55
47253 60
47254 60
47257 55
47258 57
47259 57
47262 54
47264 57
47265 60, 61
47266 60, 61
47267 56
47272 39
47273 57
47275 63
47276 40
47279 41
47280 35
47281 61
47282 61
47283 41
47284 41
47287 63
47288 35
47289 63
47290 41
47291 41
47292 40
47295 41
47296 38
47297 61
47298 61
47301 63
4730167 13
4730196 34
47302 38
4730224 28
4730230 34
4730281 34
47303 63
4730414 28
4730415 28
47306 41
47307118 23
47308 36
47308113 22
47309 158
4730918 16
4730928 16
4730938 16
4730948 16
47310 63
4731118 18
4731128 18
4731138 18
4731148 18
4731196 34
4731230 34
4731281 34
47318 60
47319 60
47320 60
4732013 27
47321 60
4732110 27
47322 57
4732210 30
4732220 30
4732418 14
4732718 19
47328 59
47329 59
4733014 28
4733115 17
47334 56
47337 60
4733716 12
47338 60
47338114 24
47339 60
47340 60
4734218 20
47343 56
47346 56
47347 56
47348 57
47350 57
47353 56
47364 54
47365 60
47366 60
47367 63
47368 57
47369 56
47374 54
47376 41
47377 41
47378 41
47379 38
47380 41
47381 41
47382 41
47383 41
47384 41
47385 41
47386 63
47389 63
47391 60

47392 60
47393 60
47394 60
47395 57
47396 60
47401 214
47402 214
47403 214
47404 214
47410 57
47411 57
47412 57
47414 61
47415 41
47416 41
47417 41
47418 41
47419 41
47420 41
47421 41
47431 36
47432 36
47433 39
47434 63
47439 62
47447 41
47448 41
47449 41
47450 36
47451 37
47452 62
47453 63
47454 63
47455 31
47456 31
47457 31
47458 31
47460 63
47461 62
47462 62
47463 63
47464 62
47465 62
47466 62
47467 62
47468 62
47469 31
47470 31
47471 31
47472 31
47474 63
47475 62
47476 62
47477 62
47478 62
47479 62
47480 62
47481 62
47482 62
47491 61
47494 58
47494B 58
47494S 58
47498 54
47499 54
47502 29
47503 29
47505 39
47513 61
47514 61
47515 61
47516 61
47517 60
47518 60
47519 56
47520 57
47521 57
47522 55
47523 61
4753... 319
47534 313
47535 313
4753701 319
47541 63
47543 63
47544 41
47545 41
47546 61
47547 61
47548 54
47549 55
47550 60
47551 55
47553 60
47561 58
47570 215
47571 215
47572 55
47573 58
47573F 58
47573S 58
47580 54
47581 54
47600 38
47601 55
47602 61
47603 61
47604 61
47605 57
47606 54
47607 60
47608 60
47609 56
47610 60
47612 149
47613 127
47614 54
47615 54
47622 63
47623 63
47624 63
47625 63
47630 61
47631 58
47631F 58
47631S 58
47632 41
47637 61
47638 42
47639 42
47640 35
47641 61
47642 61
47643 57
47644 56
47645 61
47646 61
47647 35
47649 37
47650 40
47651 62
47652 62
47653 313
47654 313
47655 313
47671 59
47672 59
47686 60
47687 60
47688 60
47689 60
47690 60
47691 60
47692 60
47693 60
47694 60
47695 61
47707 62
47722 55
47723 54
47725 25
47726 25
47727 25
47728 25
47729 25
47730 25
47733 59
47734 59
47750 61
47751 54
47814 373
47815 218
47816 218
47817 372
47818 372
47819 372
47820 372
47824 370
47825 372
47826 207
47827 207
47828 319, 408
47829 373
47830 373
47831 373
47832 373
47901 372
47902 372

# Index


47903 372
47904 372
47905 372
47906 372
47907 372
47908 373
47909 373
47910 373
47911 373
47912 373
480... 237
48001 236
48002 234
48004 236
48006 235
48023 237
48025 237
48104 215
48105 215
48106 249
48107 249
48108 249
48109 249
48110 249
48111 249
48112 216
4811205 251
4811206 251
4811207 251
4811208 251
4811209 251
4811210 251
4811211 251
4811212 251
4811213 251
4811214 251
4811215 251
4811216 251
4811217 251
4811218 251
4811219 251
4811220 251
4811221 251
4811222 251
4811223 251
4811224 251
4811225 251
4811226 251
4811227 251
4811228 251
4811229 251
4811230 251
4811231 251
4811232 251
4811233 251
4811234 251
4811235 251
4811236 251
4811237 251
4811238 251
4811239 251
4811240 251
4811241 251
4811242 251
4811243 251
4811244 251
4811245 251
4811254 370
4811256 255
4811257 255
4811258 255
4811260 371
4811263 255
4811264 251
48113 213
48114 254
48115 254
48116 254
48117 254
48118 254
48119 254
48120 254
48121 254
48122 254
48123 254
48124 254
48125 254
48126 215
48127 254
48128 254
48129 254
48130 254
48132 249
48148 249
48148-1 251
48148-2 251
4820106 374
4820110 374
4820111 374
4820201 373
4820207 374
48203210 374
48203300 374
48203460 374
48203610 374
4820513 245
4820515 243
4820516 242
4820517 242
4820518 243
4820519 241
4820520 241
4820524 41, 43
4820536 244
4821102 245
4821105 245
4821106 245
48212... 197
48213... 374
4821301 198
4821302 198
4821303 198
4821304 198
4821305 198
48215... 221
4821518 42
4821519 42
48217... 221
4821901 215
4821902 215
4822102 200, 369
4822301 224
4822302 224
4822303 224
4822304 224
4822305 224
4822306 224
4822307 224
4822308 224
4822309 224
4822310 224
4822311 224
4822312 224
4822313 225
4822314 225
4822315 225
4822316 225
4822317 225
4822318 225
4822319 225
4822320 225
4822321 225
4822322 225
4822323 225
4822324 225
4822325 226
4822326 226
4822327 226
4822328 226
4822329 226
4822330 226
4822331 236
4822332 221
4822333 226
4822334 226
4822335 226
4822336 226
4822337 226
4822338 226
4822339 227
4822340 227
4822341 227
4822342 227
4822343 227
4822344 227
4822345 227
4822346 227
4822347 227
4822348 227
4822349 228
4822350 228
4822351 228
4822352 228
4822353 228
4822354 228
4822355 228
4822356 228
4822401 239

4822402 239
4822403 239
4822404 239
4822405 239
4822406 239
4822407 238
4822408 238
4822409 238
4822410 238
48307... 214
4830801 208
4830802 208
4831101 367
4831201 201
4831302 208
487001 216
487002 216

**5**

501401 191
5036001 50
5036002 50
5036003 50
5065501 51
5070001 51
5071801 50
5071802 50
5072001 50
5072002 50
5072003 50
5072004 50
5072005 50
5072006 51
5072007 50
5072008 51
5072009 50
5072010 50
5072011 50
5072012 50
5072013 51
5072014 51
5072015 51
5082001 50
5089001 50
5089002 50
5089003 51
5089004 50
5089005 50
5089006 51
5089007 50
5089008 51
5089009 50
5089010 51
5089011 50
5096501 51
5106001 51
5106002 50
5153901 50
5660001 53
5770001 52
5770002 52
5770003 52
5770004 52
5770005 52
5770006 52
5771101 52
5771102 52
5771103 52
5771104 52
5771105 52
5771106 52
5771107 52
5880001 53
5880002 53
5880003 53
5880004 53
5880005 53
5881101 53
5881102 53
5881103 53
5881104 53
5881105 53
5881106 52
5999021 51
5999043 51
5999044 51
5999045 51
5999401 51
5999402 51
5999403 51
5999404 51
5999405 51
5999406 51
5999407 51
5999408 51
5999501 51
5999601 51
5999602 51
5999603 51
5999604 51
5999701 51
5999702 51
5999703 51
5999704 51
5999705 51
5999706 51
5999707 51
5999708 51
5999709 51
5999710 51
5999711 51
5999712 51
5999801 51
5999802 51
5999803 51
5999804 51
5999805 51
5999806 51
5999807 51
5999808 51
5999809 51
5999901 50
5999902 50
5999903 50
5999904 50
5999905 50
5999906 50
5999907 50
5999908 50
5999909 50
5999910 50
5999911 50
5999912 50
5999913 50
5999914 50
5999915 50
5999916 50
5999917 50
5999918 50
5999919 50
5999920 50
5999921 50
5999922 51
5999923 51
5999924 51
5999925 51
5999926 51
5999927 51
5999928 51
5999929 51
5999930 50
5999931 50
5999932 50
5999933 51
5999934 50
5999935 50
5999936 51
5999937 50
5999938 50

**6**

600203 193
600308 200
600318 198
600319 126
600320 196
600402 192
600403 197
600414 187
600430 125
600432 125
600434 125
600435 125
600436 197
600437 196
600439 196
600506 198
600507 193
600512 187
600513 120
600614 126
600618 187
600619 187
600620 187
600621 353
600622 355
600623 127
600624 365

# Index


600625 120
600626 120
600627 120
600701 193
600705 127
600708 124
600709 125
600712 353
600713 353
600716 353
600717 120
600718 121
600719 121
600806 192
600813 355
600822 127
600823 120
600824 120
600825 126
600826 120
600828 353
600830 354
600902 355
600907 392
600908 392
600909 355
600912 354
600913 121
600914 121
600919 188
600923 354
600924 355
600925 353
600927 353
600928 147
601001 188, 319
601003 354
601006 354
601007 353
601008 354
601014 196
601015 196
601016 124
601017 124
601103 124
601105 392
601106 392
601204 192
601207 145
601218 193
601219 193
601223 193
601225 124
601227 126
601228 124
601229 124
601230 124
601305 354
601306 354
601307 355
601401 192
601404 143
601406 128
601503 188
601506 144
601601 147
601702 192
601706 147
601707 144
601802 145
601806 148
601808 130
601903 124
601904 124
601906 189
602006 187
602007 147
602103 146
602104 148
602105 148
602204 155
602205 125
602209 144
602302 144
602303 188
602304 145
602308 156
602406 142
602407 129
602603 192
602605 156
602708 129
602709 129
602710 157
602803 158
602904 131
603002 141
603003 142
603004 125
603101 149
603202 150
603207 150
603402 160
603506 129
603601 146
603701 142
603903 143
604001 157
604002 142
604101 142
604102 129
604202 158
604301 141
604402 148
604501 161
604601 142
604702 143
604801 155
604901 143
605001 143
605101 154
605301 154
606901 155
607201 161
600926 355

**7**

704721 108
706201 109
709102 104
709103 105
709405 307
709601 108
709704 308
71... 385
71101... 380
71101...P 380
711020... 380
711020...P 380
711030... 381
711030...P 381
711040... 380
712010... 379
71203... 381
71203...P 381
712070... 379
712070...P 379
7120704 381
7120704P 381
712090... 379
712090...P 379
7121... 381
71210...P 382
712110... 379
7121205 381
7121403 381
712150... 379
712150...P 379
713... 383
713201 106
713202 107
7135550 383
713840 68
714... 383
714040 68
715... 384
715...P 384
71501... 404
715021... 335
7150310 201
715160... 325
71518... 324
7152450 383
715261... 328
715281... 327
71536... 331
716931 85
717... 339
717109 85
717115 85
717116 85
717119 85
71712... 339
71713... 339
71722... 339
71723... 339
717331 70
71762... 328

7183... 384
7184400 384
719... 385
72...P 382
720... 385, 386
720606 69
720628 103
720634 103
7211 384
72225 386
723... 382
7233600 382
7233601 382
723931 70
724006 69
72401 382
72402 382
72403 382
724705 309
725109 71
725115 71
725116 71
725119 71
725131 71
726... 383
7260... 383
726131 70
726209 71
726215 71
726216 71
726219 71
726231 71
726329 86
726331 111
727... 382
727409 84
727415 84
727416 84
727419 84
727431 84
727709 71
727715 71
727716 71
727719 71
727731 71
728406 69
728528 103
728534 103
728907 95
729509 82
729515 82
729516 82
729519 82
729531 82
730... 391
730...P 391
730209 72
730215 72
730216 72
730219 72
730231 72
732... 391
732...P 391
732809 83
732815 83
732816 83
732819 83
732831 83
733809 73
733815 73
733816 73
733819 73
733831 73
734... 384
7344... 384
7345... 384
734511 86
734517 86
734518 86
734520 86
734529 86
735... 385
735231 85
735709 85
735715 85
735716 85
735719 85
736... 385
73645 385
736909 74
736915 74
736916 74
736919 74
736931 74
73721 386
737405 311
737709 75
737715 75
737716 75
737719 75
737731 75
739009 76
739015 76
739016 76
739119 76
739131 76
740011 87
740017 87
740018 87
740020 87
740029 87
742009 77
742015 77
742016 77
742019 77
742031 77
745446 112
746009 78
746015 78
746016 78
746019 78
747109 79
747115 79
747116 79
747119 79
747131 79
748512 88
748517 88
748518 88
748520 88
748529 88
751... 408
75101 407
75103 408
75104 407
75105 407
75115 407
75166 407
75184 407
75185 407
75194 407
75195 407
752... 408
75208 408
75209 408
7521... 407
75210 408
75214 189
752709 80
752715 80
752716 80
752719 80
752731 80
753308 89
753311 89
753317 89
753318 89
753320 89
753329 89
753909 81
753915 81
753916 81
753919 81
753931 81
754007 96
757511 90
757517 90
757518 90
757520 90
760508 92
760544 92
760546 92
764408 91
764411 91
764417 91
764418 91
764420 91
764429 91
771408 93
771444 93
771446 93
773508 94
773544 94
773546 94
795808 97
795844 97

# Index


8

801003 209
801016 210
801018 210
801206 204
801305 204
802214 205
803001 196
803003 208
803004 197
803005 197
805001 201
805002 211
805003 197
805007 220
80501... 210
805012 217
805015 201
805017 219
805018 212
805019 334
806001 206
807001 192
808001 213
809007 211
810002 200
810003 207
810004 207
810005 216
81037... 397
811002 209
811003 208
811370... 397
812001 213
812002 201
812003 207
812006 212
812007 208
812370... 397
813001 199
813002 199
813003 362
81302 199
81303 199
81304 199
81305 199
81306 199
81307 199
81308 199
81309 199
81310 199
81311 199
81315 199
81316 199
81317 199
813370... 397
8137... 398
814... 213
814137... 397
81437... 397
815001 56
815002 216
81537... 398
816001 212
81637... 397
817006 206
817007 206
81737... 398
818001 216
818002 216
818003 216
818004 217
818007 206
818008 216
818009 217
818010 217
818011 217
818014 218
818015 218
818016 218
818017 218
818021 219
818023 220
818025 220
818026 203
818028 219
81837... 398
819001 219
819002 219
819005 217
819008 221
819009 218
81937... 398
820006 219
820007 212
820011 200
820012 200
82090... 399
821001 198
821480... 398
822001 207
822002 207
822480... 398
823480... 399
824148... 399
82448... 399
82490... 399
825001 212
826001 218
82648... 399
82690... 400
82748... 400
82790... 400
828001 207
82848... 400
82890... 400
829001 209
829002 212
829003 217
829004 204
829005 210
829006 204
829007 200
829008 205
829015 265, 280, 294
829016 265, 269, 281, 286
829017 262, 265, 281
829018 265, 275, 286
829019 266
829020 266
829021 266
829022 266, 281, 290
829023 267, 269, 287
829024 267, 269
829025 267
829026 267, 275, 281, 287
829027 258
829028 258
829029 258
829030 259, 287
829031 259
829032 259
829033 260
829034 260
829035 287
829036 288
829037 275, 293
829038 288
829039 268, 282, 288
829040 270, 276, 289, 293
829041 268, 289
829042 270
829043 270
829044 270, 302
829045 271
829046 271, 277
829047 271
829048 271, 302
829049 272
829050 272
829051 272
829052 273
829053 275
829054 279, 290
829055 279, 282, 290
829056 280, 282, 291
829057 291
829058 291
829059 291
829060 283
829061 263, 283
829062 283, 292, 294
829063 268, 273, 283, 289
829064 263, 284, 294
829065 284, 295
829066 295
829067 295
829068 296
829069 296
829070 296
829071 296
829072 297
829073 297
829074 297
829075 297
829076 298
829077 298
829078 298

829079 302
829080 303
829081 303
829082 292, 303
829083 263, 276
829084 264, 277
829085 264, 277
829086 264, 278
829087 264, 277, 278
829088 269, 273, 284
829089 273, 303
829090 299
829091 284
829092 299
829093 299
829094 273
829095 274
829096 304
829097 260
829098 304
829099 299, 303
829100 299
829101 260
829102 261
829103 299
829104 261
829105 261
829106 274
829107 274, 276, 290, 293
829108 300
829109 300
829111 204
829113 201
829115 300
829116 285
829117 300
829118 301
829119 285
829120 278
829121 262
829122 301
829123 301
829124 278
829125 301
829126 276, 293
829127 285
829128 285
829129 302
829130 280, 292
829131 262
829132 286
829133 304
829134 279, 280, 286, 292
829135 274
829136 189
82948... 400
82990... 401
830001 363
830100... 401
830140... 401
834062... 401
834100... 401
8341062... 402
834140... 401
83424806 401
836062... 402
836100... 402
836140... 402
837062... 402
837100... 402
83805517 206
838062... 403
838100... 403
8381401... 403
838800... 403
839062... 403
839100... 403
83912011 403
83914010 403
8392400... 404
86807818 404
869078... 404
87810518 404

**9**

911250... 404
913250... 404
914250... 405
918250... 405
921300... 405
921360... 405
922300... 405
92330... 405
92336... 405
92430... 405
924360... 405
92630... 406
92830... 406
93430... 406
93475... 406
93630... 406
93675... 406
93830... 406
93875... 406

**A**

ASE27600100000 21, 101
ASE27600300000 15, 100

**S**

S403 176
S404 176
S407 176
S409 176
S409-1 176
S413 176

# **Alpha** index


**A**

Accessory set, SFS 122-123
Adaptor 385
Adaptor set 191, 202-203
Adaptor set, on rail 185
Adaptors for drills 204
Adjustable wrench 349
Air bag removal tool set 207
Air conditioner tool set 220
Alternator bit socket 206
Alternator tools 206
Angle wrench 349
Angle wrench set, SFS 124
Assortment sets 224-228
Auxiliary belt tensioner spanner 286
Auxiliary drive belt wrench set 261, 299
Axial joint tool 219

**B**

Balance shaft alignment tool 262
Balance shaft setting kit 260
Ball joint separator 214
Battery charger 255
Belt gauge 216
Bin drawer for MSS 62
Bit holder 385-386
Bit set 188
Bit socket set 188-190
Bit socket set SAE, on rail 181, 183, 185
Bit socket set SAE, SFS 128
Bit socket set, BMCS 167, 169-171, 175
Bit socket set, on rail 181-185
Bit socket set, SFS 122-123, 132, 135, 138-140, 150, 159
Bit sockets 394-404
Bit sockets, SAE 397, 399, 402
Bits 404-405
Blind hole bearing puller set 219
Blind rivet assortment 225
BMCS (Blow Mould Case Storage) 166-177
BMCS, empty 176
Body bolts and speed nuts assortment 225
Bolt twister socket set 204
Bolt, nut and washer assortment 225
Booster 247-249
Booster spare parts 251
Bottle jack 237
Brake adaptor set 209
Brake bleeder wrench set 201
Brake caliper service set 210-211
Brake caliper socket 334
Brake fluid tester 208
Brake pipe corrosion tool 210
Brake piston rewinding cube 212
Brake piston spindle 210
But connector assortment 227

**C**

Cable reel 238-239
Cable ties 221
Cambelt tensioner tool set 300
Cambelt tensioner wrench 274, 299, 303
Cambelt timing kit 274
Camshaft alignment kit 284, 295, 301
Camshaft holding tool 269, 273, 284
Camshaft locking set 218, 281, 290
Camshaft setting tool 273, 298, 303
Camshaft valve timing kit 278
Can holder for toolbox 56-57
Cap 407
Car seat cover 215
Cardan socket 324-325, 327-328, 331, 335
Cardan socket set, on rail 183-184
Carry cases, filled 104-107
Carry cases, empty 29
Casters for service cart 58
Casters for toolbox 58

Casters for topbox 58
Catalogue 407
Center punch 367
Chisel 367
Chisel set, SFS 126, 143-147, 156-157
Circle nose pliers 363
Circlip assortment 224
Clamp tensioner cv boot tool 212
Cleaning brush kit 212
Clevis pin assortment 226
Clip removal pliers 200
Clip remover 196
Clutch aligner set 216
Combination pliers 317
Combination set SAE, SFS 128
Combination set, BMCS 167-169, 175
Combination set, SFS 121-122, 130-137, 152-154, 159-160
Combination wrench 346-347
Combination wrench set 192
Combination wrench set SAE, SFS 128
Combination wrench set, SAE 192
Combination wrench set, SFS 124-125
Combination wrench, SAE 346
Common rail flow meter set 217
Compression test set 217
Connector assortment 225
Cotton pin driver 196
Cotton pin puller 372
Crankshaft holding tool 261, 284
Crankshaft holding tool wrench 301
Craw foot set 213
Creeper 215
Crimp terminals assortment 226
Crimping pliers set 199
Crocodile clip assortment 225
Cross rim wrench 201
Cutting set, SFS 155-156, 160
Cylinder pressure meter set 218

## D

Damper pulley holder wrench set 201
Diagonal pliers 361-362
Diesel injection pump timing kit 304
Diesel injector seat cleaner set 212
Diesel injector socket set 217
Disc ratchet 381, 408
Disc ratchet set 189
Display box for MSS 42
Displays 306-313
Document holder for toolbox 57
Door lock dismantling tool 200
Double open wrench 345
Double open wrench set 192
Double open wrench set, SAE 192
Double open wrench set, SFS 124
Double open wrench, SAE 345
Double ring wrench 349
Doughnut stretcher 218
Drain pan 215-216
Drain plug gasket assortment 226
Drain plug key set 205
Drawer rails for toolbox 59
Drawers for MSS 61
Drawers for SWS 62
Drawers for toolbox 60-61
Drawers for topbox 61

## E

E-circlip assortment 224
Empty toolboxes 12-24
Empty tray for MSS 42
Engine crane 236
Engine service lit 304
Engine timing kit 258-304
Engine timing kit, BMW 258-260
Engine timing kit, Chevrolet, Chrysler 262-264
Engine timing kit, Fiat, Alfa 265-268
Engine timing kit, Ford 269-273
Engine timing kit, Honda 275-276
Engine timing kit, Iveco 275
Engine timing kit, Jaguar 275-276
Engine timing kit, Jeep 276-277
Engine timing kit, Mazda 277
Engine timing kit, Mercedes 278-279
Engine timing kit, Nissan 279-280
Engine timing kit, Opel 280-286
Engine timing kit, PSA 286-289
Engine timing kit, Renault, Dacia 290-292
Engine timing kit, Rover, Land Rover 293
Engine timing kit, Saab 294
Engine timing kit, VAG, Audi, Volkswagen 295-298, 300, 302
Engine timing kit, Volvo 302-303
Extension 383-384
Extension set 201

# Alpha index


**F**

Feeler gauge 371
Fender protection system 215
Fender protector 215
File 370
File set, SFS 126
Filled carry cases 104-107
Filled toolboxes 66-101, 109, 111-112
Filled topboxes 103, 108
Fitting hook 218
Flag 407
Flare nut wrench 344
Flare nut wrench set 192-193
Flare nut wrench set, SAE 192
Flare nut wrench set, SFS 124
Flare nut wrench, SAE 344
Flexible cable hose clamp removing pliers 200
Flexible hose clip driver set 189
Flyer 407
Flywheel/ front pulley locking tool 280, 283, 292
Foam spacer 127, 158
Fork rod set 219
Front panel guide set 299
Front pulley holding tool 261
Front pulley locking tool 280, 292
Fuel pump drive belt kit 301
Fuel pump puller 274
Fuel sender/ pump clamping ring removal tool 205
Fuel tool set 220
Fuses assortment 225-226

**G**

Gear and bearing split tools 212
Gloves 221
Glow plug joint socket 201
Glow plug pliers 363
Glow plug socket 328
Glow plug socket set 201
Grease nipple assortment 225
Grill cover 215
Grip key sets, SFS 121, 148, 158
Grommet assortment 225

**H**

Half-moon wrench 349
Hammer 200, 368-369
Hammer set, SFS 126, 143-147, 156-157
Handle for toolbox 55
Heat inductor gun 223
Hex ball grip key 319
Hex ball grip key set, SFS 121, 148
Hex key set 196, 353-354
Hex key set, SAE 353-354
Hex key wrench 356
Hex key wrench set, SFS 121
Hex key wrench, SAE 356
Hex nut driver 318-319
Hex nut driver set, SFS 120, 147-148, 158
Hinged driver 345
Hinged socket wrench 344
Hinged socket wrench set, SFS 124
Holder for trolley 25
Hollow pin assortment 224
Hook 373
Hook for MSS 41
Hook set 196
Hook set, SFS 127
Hose clamp pliers 365
Hose clamp pliers set 200
Hose clamp set 225
Hose clip pliers 365
Hot air gun 213

**I**

Impact adaptor 385
Impact adaptor set 191, 202-203
Impact bit holder 386
Impact bit socket 404
Impact bit socket set 192
Impact driver 188
Impact extension 384
Impact socket 333-338
Impact socket set 192, 202-203
Impact socket set, SFS 123, 140-141, 157
Impact universal joint 385
Impact wrench set, SFS 140
Infrared thermometer 222
Injection pump wrench 349
Injector tool set 217
Insert holder for bits 386

**J**

Jack 233-237
Jack stands 237
Jacket 408

**K**

Key cord 407
Key for storage systems 63
Key ring 407
Key sets 350-355
Key with lock for storage systems 63
Knee pad 221
Knife 370

**L**

Laptop holder 25
Lights 240-245
Lock ring pliers 363
Locking nut assortment 227
Locking pliers 364-365
Long nose pliers 361, 363

**M**

Magnet 386
Magnet pick-up 373-374
Magnetic bowl 216
Magnetic tray 216
Measuring tape 371
Memo block 407
Metal knob for MSS shelves 61
Mirror 374
MSS (Modular Storage System) 32-43
MSS+ (Modular Storage Solutions) 46-53
Multi function socket set 191
Multimeter 222

**N**

Nut assortment 225
Nut breaker set 219

**O**

Oil drain pan 215-216
Oil drain repair set 209
Oil drain set 205
Oil filter cap 208
Oil filter pliers 365
Oil filter set 208-209
Oil filter set, SFS 125
Oil filter wrench 208
Oil pressure set 217
Oil pump alignment plate 274, 276, 290, 293
O-ring assortment 224-225
Oxygen sensor socket 216
Oxygen sensor wrench 216

**P**

Panel remover 372-373
Paper holder for toolbox 55-56
Petrol engine test set 218
Pin assortment 224
Pin punch 365
Pin punch set 365
Plastic top cover for toolbox 55
Pliers 358-365
Pliers holder for MSS 42
Pliers set, SFS 125-127, 143-146, 155-157, 160
Pocket bits 188
Precision screwdriver set 188
Propulstation 252-254
Protractor 371
Pry bar 197, 374
Pry bar set 197
Pry remover set 197-198
Puller 214
Puller set 219
Pulley wrench set 201

**R**

Radiator hose remover 372
Radiator pressure test set 218
Ratchet 378-381
Ratchet screwdriver 188, 319
Ratcheting wrench 347-348
Ratcheting wrench set 193
Ratcheting wrench set, SFS 124
Recycle bin for MSS 62-63
Recycle bin for SWS 63
Refractometer 207
Repair set ratchet 379-382
Repair set swivel handle 382
Repair set torque wrenches 391
Repair set universal joint 384
Reversible puller 214
Ring wrench 348-349

Ring wrench set, SAE 193
Ring wrench set, SFS 125
Ring wrench, SAE 348
Riveting nut pliers 223
Riveting pliers 223, 365
Roller seat 215
Rubber mat for toolbox 54
Ruler 371

**S**

S10 glass toolbox, empty 17
S10 toolbox, empty 16
S10 toolbox, filled 71-85
S11 toolbox, empty 18
S11 toolbox, filled 86-91
S12 toolbox, empty 19
S12 toolbox, filled 86-91, 112
S12 VAS toolbox, empty 21
S12 XD toolbox, empty 20
S12 XD toolbox, filled 92-94
S13 toolbox, empty 22
S13 toolbox, filled 95-96
S14 toolbox, empty 23
S14 toolbox, filled 89-94, 97
S15 toolbox, empty 24
S15 toolbox, filled 90, 92-94, 97
S7 toolbox, empty 12
S7 toolbox, filled 68
S8 toolbox, empty 13
S8 toolbox, filled 69
S9 toolbox, empty 14
S9 toolbox, filled 70-85, 111
S9 VAS toolbox, empty 15
Sample set, BMCS 168, 408
Saw 369
Scissor jack 237
Scissor joint pliers 363
Scraper 372
Scraper set 196
Screen holder 25
Screwdriver 317-319
Screwdriver holder for MSS 42
Screwdriver set 187
Screwdriver set, SFS 120, 129-132, 150, 159, 161
Seal assortment 224
Sealing rings assortment 224
Separating fork 219
Service cart 27
Shears 369
Shelf for MSS 63
Shelf for SWS 63
Shirt 408
Shrink tube assortment 227
Shrinking hose assortment 224
Side table for toolbox 57
Skirting boards MSS 63
Slide hammer puller set 213
Sliding T-handle 383
Slow motion system foor reels 238
Snap ring assortment 224
Snap ring pliers 363
Snap ring pliers set, SFS 125
Socket set 189-191
Socket set impact, SFS 123
Socket set SAE, on rail 181-182, 184
Socket set SAE, SFS 128, 141, 149
Socket set, BMCS 167-176
Socket set, on rail 181-184
Socket set, SFS 122-123, 133, 139-141, 151-154
Socket, SAE 324,326-327, 330, 332
Sockets 320-339
Spark plug pliers 364
Spark plug socket 339
Spark plug wire puller 200
Speedy grip 383
Spinner 382
Spiral socket set 203
Spring compressor 229-231
Spring compressor set 221
Sprocket holding tool 304
Stainless steel worktop for toolbox 54-55
Star grip key 319
Storage case for MSS 42
Stripping pliers 362
Sump plug removal tool 205
Support shaft for S10 windshield toolbox 55
Sweater 408
Swivle handle 382
SWS (Sonic Work Station) 30-31
Synchroniser rings assortment 224

**T**

Tablet holder 25
Taper punch 367

Tensile and compression spring assortment 224
Tent 407
Terminal release tool set 220
Test lead set 220
Tie rap holder for MSS 42
Timing chain fitting bridge 278
Timing chain locking kit 262
Timing chain tensioner lever 273, 299
Timing tools 256-305
Tool holder for trolley 56
Toolbox, empty 28
Toolboxes, empty 12-24
Toolboxes, filled 66-101, 109, 111-112
Tools kit set, SFS 127, 141, 148
Tooth belt tool set 218
Topboxes, empty 28
Topboxes, filled 103, 108
Torque impact adaptor socket set 203
Torque impact socket 333
Torque impact socket set 202-203
Torque multiplier 213
Torque wrench set 392
Torque wrenches 388-392
Tower pincers 362
TPMS set, BMCS 167
Transmission jack 235
Trash can for toolbox 57
Trim clip assortment 227-228
Trim pad tool 372
Trim removal 372
Twin camshaft locking tool 266
TX key set 196, 354-355
TX key wrench 357
TX key wrench set, SFS 121
TX set, BMCS 172
TX wrench 348-349
Tyre carrier 221
Tyre profile gauge 371
Tyre repair tool set 207
Tyre valve driver 207
Tyre valve stem fitting tool 207

## U

Universal joint 384
Universal joint set, on rail 185

## V

Vacuum pump set 218
Valve setting kit 273
Vernier caliper 371
Vibration damper holding tool 301
Volt circuit tester 222
Voltage tester 318

## W

Washer assortment 226
Water pump pliers 362
Water pump puller kit 300
W-clip assortment 224
Wedge 198
Wedge set 198
Welder's grip pliers 364
Wheel hanger set 204
Wheel nut key set 189, 204
Wheel socket 332-333
Wheel socket set 202
Wheel weight balance pliers 365
Wing and grill cover 215
Wiper removal kit 213
Wire brush 370-371
Wire stripper 362
Wooden worktop for toolbox 55
Worktop for toolbox 54
Wrench set 192-193
Wrench set SAE, SFS 128, 149
Wrench set, BMCS 169, 172, 175
Wrench set, SAE 192-193
Wrench set, SFS 124-125, 131, 133, 141-143, 151, 154-155, 161
Wrenches 340-349
Wrenches, SAE 344-346, 348

# Notes

# Notes

# JOIN THE WI
# JOIN SONIC



# NNING TEAM, EQUIPMENT.



**SONIC EQUIPMENT BV**
Component 114 - 116
1446 WP Purmerend
The Netherlands
Tel. +31 299 437 000
Fax +31 299 436 610
info@sonic-equipment.com
www.sonic-equipment.com

info@sonicmssplus.com
www.sonicmssplus.com

SONIC-EQUIPMENT.COM

SONICMSSPLUS.COM

TÜVRheinland CERTIFIED
Management System
ISO 9001:2015
www.tuv.com
ID 9108653870